

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112618\
 Data File : PL042441.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Nov 2018 08:47
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

mohammad
 11/28/2018 2:39:20 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 26 10:16:07 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112018.M
 Quant Title : GC Extractables
 QLast Update : Tue Nov 20 02:29:59 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.467	4.101	310.6E6	153.1E6	52.799	53.245
28)	SA Decachlor...	8.206	9.233	293.9E6	115.9E6	46.637	48.046
Target Compounds							
2)	A alpha-BHC	3.907	4.497	489.2E6	226.0E6	54.214	52.765
3)	MA gamma-BHC...	4.190	4.785	445.8E6	207.5E6	54.088	52.502
4)	MA Heptachlor	4.486	5.301	446.1E6	203.0E6	51.266	51.745
5)	MB Aldrin	4.732	5.609	434.4E6	203.8E6	53.508	53.077m
6)	B beta-BHC	4.444	4.954	184.3E6	84130261	52.019	53.324
7)	B delta-BHC	4.646	5.175	416.7E6	192.9E6	54.417	52.410
8)	B Heptachlor...	5.176	5.998	392.8E6	180.6E6	51.826	50.367
9)	A Endosulfan I	5.513	6.359	353.5E6	162.2E6	51.080	51.360
10)	B gamma-Chl...	5.401	6.234	398.6E6	178.8E6	52.274m	52.520
11)	B alpha-Chl...	5.459	6.307	385.2E6	173.5E6	51.315	51.886
12)	B 4,4'-DDE	5.625	6.461	339.1E6	173.4E6	51.812	52.102
13)	MA Dieldrin	5.756	6.617	379.3E6	169.6E6	51.556	50.964
14)	MA Endrin	6.013	6.837	345.0E6	145.8E6	52.754	52.943
15)	B Endosulfa...	6.288	7.045	319.4E6	140.2E6	51.107	50.768
16)	A 4,4'-DDD	6.141	6.953	278.2E6	133.3E6	52.549	50.642
17)	MA 4,4'-DDT	6.380	7.254	289.7E6	134.5E6	52.042	50.932
18)	B Endrin al...	6.456	7.169	258.5E6	115.7E6	49.719	50.462
19)	B Endosulfa...	6.668	7.393	317.6E6	140.7E6	50.900	50.596
20)	A Methoxychlor	6.926	7.709	154.9E6	64447404	49.120	47.268
21)	B Endrin ke...	7.158	7.867	346.4E6	135.2E6	50.033	48.911

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112618\
Data File : PL042441.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Nov 2018 08:47
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampled :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 26 10:16:07 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112018.M
Quant Title : GC Extractables
QLast Update : Tue Nov 20 02:29:59 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.467 min
Delta R.T.: 0.000 min
Response: 310639727
Conc: 52.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#1 Tetrachloro-m-xylene

R.T.: 4.101 min
Delta R.T.: 0.000 min
Response: 153138727
Conc: 53.24 ng/ml




#2 alpha-BHC

R.T.: 3.907 min
Delta R.T.: 0.000 min
Response: 489190107
Conc: 54.21 ng/ml



#2 alpha-BHC

R.T.: 4.497 min
Delta R.T.: 0.000 min
Response: 225968582
Conc: 52.77 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.190 min
Delta R.T.: 0.000 min
Response: 445791656
Conc: 54.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#3 gamma-BHC (Lindane)

R.T.: 4.785 min
Delta R.T.: 0.000 min
Response: 207468801
Conc: 52.50 ng/ml




#4 Heptachlor

R.T.: 4.486 min
Delta R.T.: 0.000 min
Response: 446082731
Conc: 51.27 ng/ml



#4 Heptachlor

R.T.: 5.301 min
Delta R.T.: 0.000 min
Response: 202988285
Conc: 51.75 ng/ml




#5 Aldrin

R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 434430572
Conc: 53.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#5 Aldrin

R.T.: 5.609 min
Delta R.T.: 0.000 min
Response: 203836710
Conc: 53.08 ng/ml m




#6 beta-BHC

R.T.: 4.444 min
Delta R.T.: 0.000 min
Response: 184289521
Conc: 52.02 ng/ml



#6 beta-BHC

R.T.: 4.954 min
Delta R.T.: 0.000 min
Response: 84130261
Conc: 53.32 ng/ml




#7 delta-BHC

R.T.: 4.646 min
Delta R.T.: 0.000 min
Response: 416721267
Conc: 54.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#7 delta-BHC

R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 192875815
Conc: 52.41 ng/ml




#8 Heptachlor epoxide

R.T.: 5.176 min
Delta R.T.: 0.000 min
Response: 392821400
Conc: 51.83 ng/ml



#8 Heptachlor epoxide

R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 180596391
Conc: 50.37 ng/ml




#9 Endosulfan I

R.T.: 5.513 min
Delta R.T.: 0.000 min
Response: 353489306
Conc: 51.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#9 Endosulfan I

R.T.: 6.359 min
Delta R.T.: 0.000 min
Response: 162197986
Conc: 51.36 ng/ml




#10 gamma-Chlordane

R.T.: 5.401 min
Delta R.T.: -0.002 min
Response: 398569564
Conc: 52.27 ng/ml m



#10 gamma-Chlordane

R.T.: 6.234 min
Delta R.T.: 0.000 min
Response: 178798445
Conc: 52.52 ng/ml




#11 alpha-Chlordane

R.T.: 5.459 min
Delta R.T.: 0.000 min
Response: 385214885
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#11 alpha-Chlordane

R.T.: 6.307 min
Delta R.T.: 0.000 min
Response: 173499362
Conc: 51.89 ng/ml




#12 4,4'-DDE

R.T.: 5.625 min
Delta R.T.: 0.000 min
Response: 339117474
Conc: 51.81 ng/ml



#12 4,4'-DDE

R.T.: 6.461 min
Delta R.T.: 0.000 min
Response: 173405012
Conc: 52.10 ng/ml




#13 Dieldrin

R.T.: 5.756 min
Delta R.T.: 0.000 min
Response: 379282766
Conc: 51.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#13 Dieldrin

R.T.: 6.617 min
Delta R.T.: 0.000 min
Response: 169635412
Conc: 50.96 ng/ml




#14 Endrin

R.T.: 6.013 min
Delta R.T.: 0.000 min
Response: 345025558
Conc: 52.75 ng/ml



#14 Endrin

R.T.: 6.837 min
Delta R.T.: 0.000 min
Response: 145833493
Conc: 52.94 ng/ml




#15 Endosulfan II

R.T.: 6.288 min
Delta R.T.: 0.000 min
Response: 319443173
Conc: 51.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#15 Endosulfan II

R.T.: 7.045 min
Delta R.T.: 0.000 min
Response: 140206803
Conc: 50.77 ng/ml




#16 4,4'-DDD

R.T.: 6.141 min
Delta R.T.: 0.000 min
Response: 278235881
Conc: 52.55 ng/ml



#16 4,4'-DDD

R.T.: 6.953 min
Delta R.T.: 0.000 min
Response: 133295555
Conc: 50.64 ng/ml




#17 4,4'-DDT

R.T.: 6.380 min
Delta R.T.: 0.000 min
Response: 289709957
Conc: 52.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#17 4,4'-DDT

R.T.: 7.254 min
Delta R.T.: 0.001 min
Response: 134490476
Conc: 50.93 ng/ml




#18 Endrin aldehyde

R.T.: 6.456 min
Delta R.T.: 0.000 min
Response: 258473437
Conc: 49.72 ng/ml



#18 Endrin aldehyde

R.T.: 7.169 min
Delta R.T.: 0.000 min
Response: 115689748
Conc: 50.46 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.668 min
Delta R.T.: 0.000 min
Response: 317582202
Conc: 50.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#19 Endosulfan Sulfate

R.T.: 7.393 min
Delta R.T.: 0.000 min
Response: 140708617
Conc: 50.60 ng/ml




#20 Methoxychlor

R.T.: 6.926 min
Delta R.T.: 0.000 min
Response: 154915926
Conc: 49.12 ng/ml



#20 Methoxychlor

R.T.: 7.709 min
Delta R.T.: 0.000 min
Response: 64447404
Conc: 47.27 ng/ml




#21 Endrin ketone

R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 346449326
Conc: 50.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
11/28/2018 2:39:20 PM




#21 Endrin ketone

R.T.: 7.867 min
Delta R.T.: 0.000 min
Response: 135187128
Conc: 48.91 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.206 min
Delta R.T.: 0.000 min
Response: 293912590
Conc: 46.64 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.233 min
Delta R.T.: 0.002 min
Response: 115880669
Conc: 48.05 ng/ml