

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112923\
 Data File : PL086879.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Nov 2023 08:25
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 29 08:35:29 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112923.M
 Quant Title : GC Extractables
 QLast Update : Wed Nov 29 06:35:04 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.342	2.610	162.7E6	46541735	50.893	51.174
28)	SA Decachlor...	8.841	7.760	137.7E6	56632903	51.563	51.364
Target Compounds							
2)	A alpha-BHC	3.796	3.108	240.2E6	67053827	51.884	52.801
3)	MA gamma-BHC...	4.128	3.435	226.0E6	64303585	51.656	52.629
4)	MA Heptachlor	4.714	3.770	206.7E6	61951832	52.076	53.057
5)	MB Aldrin	5.054	4.047	216.4E6	63976681	51.279	52.416
6)	B beta-BHC	4.332	3.738	93007144	27426040	49.719	51.836
7)	B delta-BHC	4.575	3.962	215.2E6	62402798	50.696	53.437
8)	B Heptachlo...	5.485	4.552	191.5E6	59456726	54.057	52.229
9)	A Endosulfan I	5.869	4.919	186.7E6	60800767	51.808	47.554
10)	B gamma-Chl...	5.742	4.803	198.4E6	59495080	52.763	51.902
11)	B alpha-Chl...	5.822	4.867	195.0E6	62096120	51.812	46.696
12)	B 4,4'-DDE	6.006	5.067	158.1E6	49691650	52.296	54.126
13)	MA Dieldrin	6.146	5.185	182.1E6	55832067	52.467	52.133
14)	MA Endrin	6.374	5.459	132.0E6	44169142	51.214	52.407
15)	B Endosulfa...	6.598	5.757	147.5E6	49475886	51.704	53.283
16)	A 4,4'-DDD	6.526	5.623	126.9E6	42137714	54.177	54.560
17)	MA 4,4'-DDT	6.840	5.873	127.5E6	42404790	49.661	52.581
18)	B Endrin al...	6.729	5.939	102.7E6	38110135	48.152	54.551
19)	B Endosulfa...	6.965	6.163	146.9E6	50446674	51.456	53.167
20)	A Methoxychlor	7.327	6.458	66681243	26473943	50.498	51.434
21)	B Endrin ke...	7.446	6.665	160.1E6	61640292	53.562	54.000
22)	Mirex	7.919	6.841	132.1E6	53526117	51.657	51.573
24)	Chlordane-2	5.054f	4.193f	216.4E6	-53734	1534.019	N.D. #
25)	Chlordane-3	5.742	4.803	198.4E6	59495080	374.856	543.288 #
26)	Chlordane-4	5.822	4.867	195.0E6	62096120	292.552	456.901 #
27)	Chlordane-5	0.000	5.540	0	17211	N.D.	0.554 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112923\
Data File : PL086879.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Nov 2023 08:25
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 29 08:35:29 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112923.M
Quant Title : GC Extractables
QLast Update : Wed Nov 29 06:35:04 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.342 min
Delta R.T.: 0.000 min
Response: 162710158
Conc: 50.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.610 min
Delta R.T.: 0.000 min
Response: 46541735
Conc: 51.17 ng/ml




#2 alpha-BHC

R.T.: 3.796 min
Delta R.T.: -0.001 min
Response: 240226686
Conc: 51.88 ng/ml



#2 alpha-BHC


R.T.: 3.108 min
Delta R.T.: 0.000 min
Response: 67053827
Conc: 52.80 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.128 min
Delta R.T.: 0.000 min
Response: 225984476
Conc: 51.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.435 min
Delta R.T.: 0.000 min
Response: 64303585
Conc: 52.63 ng/ml




#4 Heptachlor

R.T.: 4.714 min
Delta R.T.: 0.000 min
Response: 206678101
Conc: 52.08 ng/ml



#4 Heptachlor


R.T.: 3.770 min
Delta R.T.: 0.000 min
Response: 61951832
Conc: 53.06 ng/ml



#5 Aldrin


R.T.: 5.054 min
Delta R.T.: -0.001 min
Response: 216406685
Conc: 51.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.047 min
Delta R.T.: 0.000 min
Response: 63976681
Conc: 52.42 ng/ml




#6 beta-BHC

R.T.: 4.332 min
Delta R.T.: -0.001 min
Response: 93007144
Conc: 49.72 ng/ml



#6 beta-BHC


R.T.: 3.738 min
Delta R.T.: 0.000 min
Response: 27426040
Conc: 51.84 ng/ml



#7 delta-BHC


R.T.: 4.575 min
Delta R.T.: 0.000 min
Response: 215213906
Conc: 50.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 3.962 min
Delta R.T.: 0.000 min
Response: 62402798
Conc: 53.44 ng/ml




#8 Heptachlor epoxide

R.T.: 5.485 min
Delta R.T.: -0.001 min
Response: 191487015
Conc: 54.06 ng/ml



#8 Heptachlor epoxide


R.T.: 4.552 min
Delta R.T.: 0.000 min
Response: 59456726
Conc: 52.23 ng/ml



#9 Endosulfan I


R.T.: 5.869 min
Delta R.T.: -0.001 min
Response: 186655075
Conc: 51.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 4.919 min
Delta R.T.: 0.000 min
Response: 60800767
Conc: 47.55 ng/ml




#10 gamma-Chlordane

R.T.: 5.742 min
Delta R.T.: -0.001 min
Response: 198381064
Conc: 52.76 ng/ml



#10 gamma-Chlordane


R.T.: 4.803 min
Delta R.T.: 0.000 min
Response: 59495080
Conc: 51.90 ng/ml



#11 alpha-Chlordane


R.T.: 5.822 min
Delta R.T.: 0.000 min
Response: 195048321
Conc: 51.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.867 min
Delta R.T.: 0.000 min
Response: 62096120
Conc: 46.70 ng/ml




#12 4,4'-DDE

R.T.: 6.006 min
Delta R.T.: 0.000 min
Response: 158111077
Conc: 52.30 ng/ml



#12 4,4'-DDE


R.T.: 5.067 min
Delta R.T.: 0.000 min
Response: 49691650
Conc: 54.13 ng/ml



#13 Dieldrin


R.T.: 6.146 min
Delta R.T.: 0.000 min
Response: 182146781
Conc: 52.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.185 min
Delta R.T.: 0.000 min
Response: 55832067
Conc: 52.13 ng/ml




#14 Endrin

R.T.: 6.374 min
Delta R.T.: 0.000 min
Response: 132012344
Conc: 51.21 ng/ml



#14 Endrin


R.T.: 5.459 min
Delta R.T.: 0.000 min
Response: 44169142
Conc: 52.41 ng/ml



#15 Endosulfan II


R.T.: 6.598 min
Delta R.T.: 0.000 min
Response: 147544323
Conc: 51.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.757 min
Delta R.T.: 0.000 min
Response: 49475886
Conc: 53.28 ng/ml




#16 4,4'-DDD

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 126860466
Conc: 54.18 ng/ml



#16 4,4'-DDD


R.T.: 5.623 min
Delta R.T.: 0.000 min
Response: 42137714
Conc: 54.56 ng/ml



#17 4,4'-DDT


R.T.: 6.840 min
Delta R.T.: 0.000 min
Response: 127464186
Conc: 49.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.873 min
Delta R.T.: 0.000 min
Response: 42404790
Conc: 52.58 ng/ml




#18 Endrin aldehyde

R.T.: 6.729 min
Delta R.T.: -0.002 min
Response: 102717586
Conc: 48.15 ng/ml



#18 Endrin aldehyde


R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 38110135
Conc: 54.55 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.965 min
Delta R.T.: -0.001 min
Response: 146943630
Conc: 51.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.163 min
Delta R.T.: 0.000 min
Response: 50446674
Conc: 53.17 ng/ml




#20 Methoxychlor

R.T.: 7.327 min
Delta R.T.: 0.000 min
Response: 66681243
Conc: 50.50 ng/ml



#20 Methoxychlor


R.T.: 6.458 min
Delta R.T.: 0.000 min
Response: 26473943
Conc: 51.43 ng/ml



#21 Endrin ketone


R.T.: 7.446 min
Delta R.T.: -0.001 min
Response: 160134782
Conc: 53.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.665 min
Delta R.T.: 0.000 min
Response: 61640292
Conc: 54.00 ng/ml




#22 Mirex

R.T.: 7.919 min
Delta R.T.: 0.000 min
Response: 132123204
Conc: 51.66 ng/ml



#22 Mirex


R.T.: 6.841 min
Delta R.T.: 0.000 min
Response: 53526117
Conc: 51.57 ng/ml



#24 Chlordane-2


R.T.: 5.054 min
Delta R.T.: 0.021 min
Response: 216406685
Conc: 1534.02 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.193 min
Delta R.T.: 0.018 min
Response: -53734
Conc: N.D.




#25 Chlordane-3

R.T.: 5.742 min
Delta R.T.: -0.002 min
Response: 198381064
Conc: 374.86 ng/ml



#25 Chlordane-3


R.T.: 4.803 min
Delta R.T.: 0.000 min
Response: 59495080
Conc: 543.29 ng/ml



#26 Chlordane-4


R.T.: 5.822 min
Delta R.T.: -0.005 min
Response: 195048321
Conc: 292.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 4.867 min
Delta R.T.: 0.001 min
Response: 62096120
Conc: 456.90 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.675 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.540 min
Delta R.T.: 0.004 min
Response: 17211
Conc: 0.55 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.841 min
Delta R.T.: -0.002 min
Response: 137653237
Conc: 51.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.760 min
Delta R.T.: 0.000 min
Response: 56632903
Conc: 51.36 ng/ml