

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL120122\
 Data File : PL079523.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Dec 2022 10:49
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 01 20:34:17 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112322.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 24 00:09:49 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.319	2.566	45018322	52137714	19.928	19.154
28)	SA Decachlor...	8.767	7.632	39012021	43485301	20.088	18.510
Target Compounds							
2)	A alpha-BHC	3.779	3.052	30104884	39101012	8.755	9.068
3)	MA gamma-BHC...	4.111	3.373	29505525	29253829	9.104	7.513
4)	MA Heptachlor	0.000	3.673f	0	23517678	N.D.	6.112 #
5)	MB Aldrin	5.011	3.966	1034624	73623	0.333	0.020 #
6)	B beta-BHC	4.327	3.673	13291255	23517678	9.413	15.521 #
9)	A Endosulfan I	5.842	0.000	342890	0	0.129	N.D. #
11)	B alpha-Chl...	5.779	0.000	1640044	0	0.569	N.D. #
12)	B 4,4'-DDE	5.971	0.000	1261043	0	0.505	N.D. #
14)	MA Endrin	6.346	5.362	105.7E6	111.6E6	43.712	36.895
15)	B Endosulfa...	6.599f	0.000	998534	0	0.442	N.D. #
16)	A 4,4'-DDD	0.000	5.524	0	364244	N.D.	0.146 #
17)	MA 4,4'-DDT	6.804	5.768	223.7E6	242.3E6	98.598	92.712
18)	B Endrin al...	6.708	5.861f	1464053	3923368	0.808	1.843 #
20)	A Methoxychlor	7.289	6.345	300.2E6	309.3E6	248.804	227.591
21)	B Endrin ke...	7.427	6.555	3487491	5199026	1.414	1.688
23)	Chlordane-1	0.000	3.543f	0	4125856	N.D.	38.792 #
24)	Chlordane-2	5.011	0.000	1034624	0	9.819	N.D. #
26)	Chlordane-4	5.779	0.000	1640044	0	3.223	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL120122\
Data File : PL079523.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Dec 2022 10:49
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 01 20:34:17 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112322.M
Quant Title : GC Extractables
QLast Update : Thu Nov 24 00:09:49 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.319 min
Delta R.T.: -0.002 min
Response: 45018322
Conc: 19.93 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.566 min
Delta R.T.: 0.001 min
Response: 52137714
Conc: 19.15 ng/ml




#2 alpha-BHC

R.T.: 3.779 min
Delta R.T.: 0.000 min
Response: 30104884
Conc: 8.75 ng/ml



#2 alpha-BHC


R.T.: 3.052 min
Delta R.T.: 0.001 min
Response: 39101012
Conc: 9.07 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.111 min
Delta R.T.: 0.000 min
Response: 29505525
Conc: 9.10 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.373 min
Delta R.T.: 0.001 min
Response: 29253829
Conc: 7.51 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.681 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.673 min
Delta R.T.: -0.025 min
Response: 23517678
Conc: 6.11 ng/ml



#5 Aldrin


R.T.: 5.011 min
Delta R.T.: -0.008 min
Response: 1034624
Conc: 0.33 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 3.966 min
Delta R.T.: -0.004 min
Response: 73623
Conc: 0.02 ng/ml




#6 beta-BHC

R.T.: 4.327 min
Delta R.T.: 0.000 min
Response: 13291255
Conc: 9.41 ng/ml



#6 beta-BHC


R.T.: 3.673 min
Delta R.T.: 0.001 min
Response: 23517678
Conc: 15.52 ng/ml



#9 Endosulfan I


R.T.: 5.842 min
Delta R.T.: 0.005 min
Response: 342890
Conc: 0.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 4.828 min
Response: 0
Conc: N.D.




#11 alpha-Chlordane

R.T.: 5.779 min
Delta R.T.: -0.005 min
Response: 1640044
Conc: 0.57 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T. : 4.775 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.971 min
Delta R.T.: 0.003 min
Response: 1261043
Conc: 0.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T. : 4.970 min
Response: 0
Conc: N.D.




#14 Endrin

R.T.: 6.346 min
Delta R.T.: 0.002 min
Response: 105748863
Conc: 43.71 ng/ml



#14 Endrin


R.T.: 5.362 min
Delta R.T.: 0.002 min
Response: 111596781
Conc: 36.89 ng/ml



#15 Endosulfan II


R.T.: 6.599 min
Delta R.T.: 0.025 min
Response: 998534
Conc: 0.44 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 5.657 min
Response: 0
Conc: N.D.




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T. : 6.493 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.524 min
Delta R.T.: 0.003 min
Response: 364244
Conc: 0.15 ng/ml



#17 4,4'-DDT


R.T.: 6.804 min
Delta R.T.: 0.002 min
Response: 223656555
Conc: 98.60 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.768 min
Delta R.T.: 0.001 min
Response: 242310848
Conc: 92.71 ng/ml




#18 Endrin aldehyde

R.T.: 6.708 min
Delta R.T.: 0.002 min
Response: 1464053
Conc: 0.81 ng/ml



#18 Endrin aldehyde


R.T.: 5.861 min
Delta R.T.: 0.025 min
Response: 3923368
Conc: 1.84 ng/ml



#20 Methoxychlor


R.T.: 7.289 min
Delta R.T.: 0.002 min
Response: 300154453
Conc: 248.80 ng/ml

Instrument :
ECD_L
ClientSampleId :




#20 Methoxychlor

R.T.: 6.345 min
Delta R.T.: 0.002 min
Response: 309334832
Conc: 227.59 ng/ml




#21 Endrin ketone

R.T.: 7.427 min
Delta R.T.: 0.002 min
Response: 3487491
Conc: 1.41 ng/ml



#21 Endrin ketone


R.T.: 6.555 min
Delta R.T.: 0.002 min
Response: 5199026
Conc: 1.69 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.465 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.543 min
Delta R.T.: 0.015 min
Response: 4125856
Conc: 38.79 ng/ml




#24 Chlordane-2

R.T.: 5.011 min
Delta R.T.: 0.012 min
Response: 1034624
Conc: 9.82 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.094 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.779 min
Delta R.T.: -0.007 min
Response: 1640044
Conc: 3.22 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 4.773 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.767 min
Delta R.T.: 0.002 min
Response: 39012021
Conc: 20.09 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.632 min
Delta R.T.: 0.003 min
Response: 43485301
Conc: 18.51 ng/ml