

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL120418\
 Data File : PL042794.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Dec 2018 22:11
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 05 00:11:17 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112018.M
 Quant Title : GC Extractables
 QLast Update : Tue Nov 20 02:29:59 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.467	4.102	268.2E6	139.9E6	45.588	48.628
2)	SA Decachlor...	8.203	9.232	270.9E6	113.5E6	42.981	47.059
Target Compounds							
2)	A alpha-BHC	3.907	4.497	422.6E6	213.5E6	46.831	49.858
3)	MA gamma-BHC...	4.190	4.786	383.3E6	195.8E6	46.501	49.551
4)	MA Heptachlor	4.485	5.301	369.1E6	178.6E6	42.417	45.531
5)	MB Aldrin	4.731	5.610	377.4E6	189.1E6	46.480	49.252
6)	B beta-BHC	4.444	4.955	159.4E6	79424274	44.995	50.341
7)	B delta-BHC	4.645	5.176	360.7E6	186.9E6	47.104	50.776
8)	B Heptachlo...	5.174	5.998	347.6E6	170.4E6	45.856	47.517
9)	A Endosulfan I	5.512	6.359	319.3E6	156.4E6	46.138	49.522
10)	B gamma-Chl...	5.399	6.234	350.6E6	168.3E6	45.985	49.449
11)	B alpha-Chl...	5.457	6.307	343.4E6	163.8E6	45.751	48.991
12)	B 4,4'-DDE	5.623	6.461	309.4E6	165.6E6	47.264	49.759
13)	MA Dieldrin	5.755	6.617	342.4E6	167.2E6	46.540	50.233
14)	MA Endrin	6.011	6.836	268.6E6	121.9E6	41.076	44.270
15)	B Endosulfa...	6.286	7.044	289.9E6	138.4E6	46.382	50.102
16)	A 4,4'-DDD	6.139	6.953	264.9E6	135.9E6	50.025	51.636
17)	MA 4,4'-DDT	6.377	7.253	227.5E6	116.5E6	40.867	44.118
18)	B Endrin al...	6.454	7.169	244.0E6	117.3E6	46.937	51.158
19)	B Endosulfa...	6.666	7.392	292.4E6	136.1E6	46.862	48.933
20)	A Methoxychlor	6.923	7.709	124.9E6	58768513	39.600	43.103
21)	B Endrin ke...	7.155	7.867	334.0E6	147.5E6	48.233	53.357
23)	Chlordane-1	4.363	5.176	1902159	186.9E6	6.880	1405.703 #
24)	Chlordane-2	0.000	5.610	0	189.1E6	N.D.	1356.444 #
25)	Chlordane-3	5.399	6.234	350.6E6	168.3E6	399.975	358.230
26)	Chlordane-4	5.457	6.307	343.4E6	163.8E6	452.544	299.396 #
27)	Chlordane-5	6.286	7.169	289.9E6	117.3E6	972.936	1219.243 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL120418\
Data File : PL042794.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Dec 2018 22:11
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 05 00:11:17 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112018.M
Quant Title : GC Extractables
QLast Update : Tue Nov 20 02:29:59 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.467 min
Delta R.T.: -0.001 min
Response: 268218594
Conc: 45.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.102 min
Delta R.T.: 0.000 min
Response: 139860922
Conc: 48.63 ng/ml




#2 alpha-BHC

R.T.: 3.907 min
Delta R.T.: -0.001 min
Response: 422567210
Conc: 46.83 ng/ml



#2 alpha-BHC


R.T.: 4.497 min
Delta R.T.: 0.000 min
Response: 213515840
Conc: 49.86 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.190 min
Delta R.T.: -0.001 min
Response: 383261664
Conc: 46.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.786 min
Delta R.T.: 0.000 min
Response: 195807428
Conc: 49.55 ng/ml




#4 Heptachlor

R.T.: 4.485 min
Delta R.T.: -0.002 min
Response: 369088268
Conc: 42.42 ng/ml



#4 Heptachlor


R.T.: 5.301 min
Delta R.T.: 0.000 min
Response: 178611151
Conc: 45.53 ng/ml



#5 Aldrin


R.T.: 4.731 min
Delta R.T.: -0.002 min
Response: 377370346
Conc: 46.48 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.610 min
Delta R.T.: 0.000 min
Response: 189148067
Conc: 49.25 ng/ml




#6 beta-BHC

R.T.: 4.444 min
Delta R.T.: 0.000 min
Response: 159404918
Conc: 44.99 ng/ml



#6 beta-BHC


R.T.: 4.955 min
Delta R.T.: 0.000 min
Response: 79424274
Conc: 50.34 ng/ml



#7 delta-BHC


R.T.: 4.645 min
Delta R.T.: -0.001 min
Response: 360721826
Conc: 47.10 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 5.176 min
Delta R.T.: 0.000 min
Response: 186863354
Conc: 50.78 ng/ml




#8 Heptachlor epoxide

R.T.: 5.174 min
Delta R.T.: -0.003 min
Response: 347569562
Conc: 45.86 ng/ml



#8 Heptachlor epoxide


R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 170377733
Conc: 47.52 ng/ml



#9 Endosulfan I


R.T.: 5.512 min
Delta R.T.: -0.002 min
Response: 319285453
Conc: 46.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 6.359 min
Delta R.T.: 0.000 min
Response: 156392583
Conc: 49.52 ng/ml




#10 gamma-Chlordane

R.T.: 5.399 min
Delta R.T.: -0.003 min
Response: 350613947
Conc: 45.98 ng/ml



#10 gamma-Chlordane


R.T.: 6.234 min
Delta R.T.: 0.000 min
Response: 168341328
Conc: 49.45 ng/ml



#11 alpha-Chlordane


R.T.: 5.457 min
Delta R.T.: -0.002 min
Response: 343445055
Conc: 45.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.307 min
Delta R.T.: 0.000 min
Response: 163816526
Conc: 48.99 ng/ml




#12 4,4'-DDE

R.T.: 5.623 min
Delta R.T.: -0.002 min
Response: 309351392
Conc: 47.26 ng/ml



#12 4,4'-DDE


R.T.: 6.461 min
Delta R.T.: 0.000 min
Response: 165607314
Conc: 49.76 ng/ml



#13 Dieldrin


R.T.: 5.755 min
Delta R.T.: -0.002 min
Response: 342386242
Conc: 46.54 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.617 min
Delta R.T.: 0.000 min
Response: 167204268
Conc: 50.23 ng/ml




#14 Endrin

R.T.: 6.011 min
Delta R.T.: -0.002 min
Response: 268649388
Conc: 41.08 ng/ml



#14 Endrin


R.T.: 6.836 min
Delta R.T.: 0.000 min
Response: 121942807
Conc: 44.27 ng/ml



#15 Endosulfan II


R.T.: 6.286 min
Delta R.T.: -0.002 min
Response: 289907942
Conc: 46.38 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 7.044 min
Delta R.T.: 0.000 min
Response: 138366643
Conc: 50.10 ng/ml




#16 4,4'-DDD

R.T.: 6.139 min
Delta R.T.: -0.003 min
Response: 264872096
Conc: 50.02 ng/ml



#16 4,4'-DDD


R.T.: 6.953 min
Delta R.T.: 0.000 min
Response: 135912058
Conc: 51.64 ng/ml



#17 4,4'-DDT


R.T.: 6.377 min
Delta R.T.: -0.003 min
Response: 227499847
Conc: 40.87 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.253 min
Delta R.T.: 0.000 min
Response: 116496607
Conc: 44.12 ng/ml




#18 Endrin aldehyde

R.T.: 6.454 min
Delta R.T.: -0.002 min
Response: 244008950
Conc: 46.94 ng/ml



#18 Endrin aldehyde


R.T.: 7.169 min
Delta R.T.: 0.000 min
Response: 117285645
Conc: 51.16 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.666 min
Delta R.T.: -0.002 min
Response: 292389126
Conc: 46.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.392 min
Delta R.T.: 0.000 min
Response: 136085963
Conc: 48.93 ng/ml




#20 Methoxychlor

R.T.: 6.923 min
Delta R.T.: -0.003 min
Response: 124892210
Conc: 39.60 ng/ml



#20 Methoxychlor


R.T.: 7.709 min
Delta R.T.: 0.000 min
Response: 58768513
Conc: 43.10 ng/ml



#21 Endrin ketone


R.T.: 7.155 min
Delta R.T.: -0.003 min
Response: 333983865
Conc: 48.23 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.867 min
Delta R.T.: 0.000 min
Response: 147476660
Conc: 53.36 ng/ml




#23 Chlordane-1

R.T.: 4.363 min
Delta R.T.: 0.027 min
Response: 1902159
Conc: 6.88 ng/ml



#23 Chlordane-1


R.T.: 5.176 min
Delta R.T.: 0.065 min
Response: 186863354
Conc: 1405.70 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.835 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 5.610 min
Delta R.T.: 0.028 min
Response: 189148067
Conc: 1356.44 ng/ml




#25 Chlordane-3

R.T.: 5.399 min
Delta R.T.: -0.003 min
Response: 350613947
Conc: 399.97 ng/ml



#25 Chlordane-3


R.T.: 6.234 min
Delta R.T.: 0.000 min
Response: 168341328
Conc: 358.23 ng/ml



#26 Chlordane-4


R.T.: 5.457 min
Delta R.T.: -0.002 min
Response: 343445055
Conc: 452.54 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 6.307 min
Delta R.T.: 0.000 min
Response: 163816526
Conc: 299.40 ng/ml




#27 Chlordane-5

R.T.: 6.286 min
Delta R.T.: -0.008 min
Response: 289907942
Conc: 972.94 ng/ml



#27 Chlordane-5


R.T.: 7.169 min
Delta R.T.: 0.052 min
Response: 117285645
Conc: 1219.24 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.203 min
Delta R.T.: -0.004 min
Response: 270871733
Conc: 42.98 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 9.232 min
Delta R.T.: 0.000 min
Response: 113498365
Conc: 47.06 ng/ml