

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL120420\
 Data File : PL063357.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Dec 2020 18:23
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 100 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 05 00:16:43 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112320.M
 Quant Title : GC Extractables
 QLast Update : Tue Nov 24 01:53:58 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.410	3.950	89883621	179.4E6	52.777	54.969
2)	SA Decachlor...	8.126	8.991	86786223	122.5E6	46.473	51.504
Target Compounds							
2)	A alpha-BHC	3.841	4.337	133.9E6	272.1E6	54.212	55.913
3)	MA gamma-BHC...	4.121	4.620	121.8E6	254.4E6	53.310	55.657
4)	MA Heptachlor	4.418	5.125	114.1E6	235.3E6	54.347	56.453
5)	MB Aldrin	4.663	5.428	100.9E6	219.6E6	53.874	55.620
6)	B beta-BHC	4.371	4.792	50331773	103.8E6	53.845	50.910
7)	B delta-BHC	4.572	5.007	116.6E6	222.1E6	54.629	58.321
8)	B Heptachlo...	5.102	5.814	97150323	196.7E6	53.681	56.479
9)	A Endosulfan I	5.437	6.169	90936298	184.8E6	53.720	54.746
10)	B gamma-Chl...	5.328	6.048	96299305	198.6E6	53.184	56.141
11)	B alpha-Chl...	5.385	6.120	96607704	197.6E6	53.424	54.762
12)	B 4,4'-DDE	5.550	6.279	89136886	193.1E6	53.788	55.052
13)	MA Dieldrin	5.678	6.426	94990740	186.8E6	53.587	54.353
14)	MA Endrin	5.933	6.643	89299170	159.2E6	53.175	53.916
15)	B Endosulfa...	6.205	6.853	89260779	154.7E6	48.564	46.784
16)	A 4,4'-DDD	6.062	6.768	76691715	141.0E6	53.005	52.750
17)	MA 4,4'-DDT	6.300	7.067	74678168	136.2E6	55.525	53.328
18)	B Endrin al...	6.372	6.977	75581924	129.0E6	50.724	52.123
19)	B Endosulfa...	6.585	7.200	86140890	139.9E6	52.333	51.369
20)	A Methoxychlor	6.845	7.527	45260984	70845286	52.826	51.666
21)	B Endrin ke...	7.070	7.669	96696798	142.3E6	51.678	51.323
22)	Mirex	7.256	8.123	74185714	98085443	49.888	50.214



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL120420\
Data File : PL063357.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Dec 2020 18:23
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 100 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 05 00:16:43 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112320.M
Quant Title : GC Extractables
QLast Update : Tue Nov 24 01:53:58 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.410 min
Delta R.T.: 0.000 min
Response: 89883621
Conc: 52.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 179407355
Conc: 54.97 ng/ml




#2 alpha-BHC

R.T.: 3.841 min
Delta R.T.: 0.000 min
Response: 133904185
Conc: 54.21 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: 0.001 min
Response: 272060716
Conc: 55.91 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.121 min
Delta R.T.: 0.001 min
Response: 121788463
Conc: 53.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 254443309
Conc: 55.66 ng/ml




#4 Heptachlor

R.T.: 4.418 min
Delta R.T.: 0.000 min
Response: 114065233
Conc: 54.35 ng/ml



#4 Heptachlor

R.T.: 5.125 min
Delta R.T.: 0.001 min
Response: 235272187
Conc: 56.45 ng/ml



#5 Aldrin


R.T.: 4.663 min

Delta R.T.: 0.000 min

Response: 100850359

Conc: 53.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.428 min

Delta R.T.: 0.001 min

Response: 219620264

Conc: 55.62 ng/ml




#6 beta-BHC

R.T.: 4.371 min

Delta R.T.: 0.000 min

Response: 50331773

Conc: 53.84 ng/ml




#6 beta-BHC

R.T.: 4.792 min

Delta R.T.: 0.000 min

Response: 103802966


Conc: 50.91 ng/ml



#7 delta-BHC


R.T.: 4.572 min
Delta R.T.: 0.000 min
Response: 116612267
Conc: 54.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.002 min
Response: 222056202
Conc: 58.32 ng/ml




#8 Heptachlor epoxide

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 97150323
Conc: 53.68 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.003 min
Response: 196743146
Conc: 56.48 ng/ml



#11 alpha-Chlordane


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 96607704
Conc: 53.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 197604453
Conc: 54.76 ng/ml




#12 4,4'-DDE

R.T.: 5.550 min
Delta R.T.: 0.000 min
Response: 89136886
Conc: 53.79 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 193140310
Conc: 55.05 ng/ml



#13 Dieldrin


R.T.: 5.678 min
Delta R.T.: 0.000 min
Response: 94990740
Conc: 53.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 186786184
Conc: 54.35 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 89299170
Conc: 53.18 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 159199857
Conc: 53.92 ng/ml



#15 Endosulfan II


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 89260779
Conc: 48.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 154668458
Conc: 46.78 ng/ml




#16 4,4'-DDD

R.T.: 6.062 min
Delta R.T.: 0.000 min
Response: 76691715
Conc: 53.01 ng/ml



#16 4,4'-DDD


R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 140961971
Conc: 52.75 ng/ml



#17 4,4'-DDT


R.T.: 6.300 min
Delta R.T.: 0.000 min
Response: 74678168
Conc: 55.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.001 min
Response: 136186937
Conc: 53.33 ng/ml




#18 Endrin aldehyde

R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 75581924
Conc: 50.72 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.001 min
Response: 129026498
Conc: 52.12 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 86140890
Conc: 52.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.200 min
Delta R.T.: 0.002 min
Response: 139862027
Conc: 51.37 ng/ml




#20 Methoxychlor

R.T.: 6.845 min
Delta R.T.: 0.000 min
Response: 45260984
Conc: 52.83 ng/ml



#20 Methoxychlor


R.T.: 7.527 min
Delta R.T.: 0.000 min
Response: 70845286
Conc: 51.67 ng/ml



#21 Endrin ketone


R.T.: 7.070 min
Delta R.T.: 0.002 min
Response: 96696798
Conc: 51.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.669 min
Delta R.T.: 0.001 min
Response: 142334950
Conc: 51.32 ng/ml




#22 Mirex

R.T.: 7.256 min
Delta R.T.: 0.000 min
Response: 74185714
Conc: 49.89 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.003 min
Response: 98085443
Conc: 50.21 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.126 min
Delta R.T.: 0.000 min
Response: 86786223
Conc: 46.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.991 min
Delta R.T.: 0.002 min
Response: 122540168
Conc: 51.50 ng/ml