

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\pl120522\
 Data File : PL079565.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Dec 2022 11:54
 Operator : AR\AJ
 Sample : N5844-01MSD
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 06 01:19:40 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112322.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 24 00:09:49 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	2.566	57886566	55018661	25.624	20.212
28)	SA Decachlor...	8.765	7.632	36144016	42291965	18.611	18.002
Target Compounds							
2)	A alpha-BHC	3.778	3.052	177.1E6	220.4E6	51.500	51.117
3)	MA gamma-BHC...	4.111	3.373	169.9E6	201.2E6	52.415	51.681
4)	MA Heptachlor	4.682	3.700	163.6E6	196.3E6	49.634	51.017
5)	MB Aldrin	5.019	3.971	161.9E6	203.3E6	52.134	54.754
6)	B beta-BHC	4.327	3.674	71727863	73798630	50.800	48.706
7)	B delta-BHC	4.567	3.893	136.1E6	201.5E6	49.045	52.363
8)	B Heptachlo...	5.453	4.468	141.5E6	174.0E6	49.551	51.552
9)	A Endosulfan I	5.837	4.830	138.2E6	158.2E6	51.997	49.436
10)	B gamma-Chl...	5.708	4.716	150.6E6	174.2E6	52.644	51.465
11)	B alpha-Chl...	5.785	4.777	149.4E6	170.1E6	51.857	50.799
12)	B 4,4'-DDE	5.968	4.972	139.0E6	163.1E6	55.648	53.195
13)	MA Dieldrin	6.114	5.092	160.7E6	179.4E6	58.585	53.202
14)	MA Endrin	6.344	5.363	140.9E6	163.2E6	58.228	53.968
15)	B Endosulfa...	6.574	5.659	137.6E6	151.4E6	60.951	54.118
16)	A 4,4'-DDD	6.492	5.523	119.3E6	133.1E6	60.137	53.220
17)	MA 4,4'-DDT	6.802	5.769	136.3E6	131.2E6	60.105	50.218
18)	B Endrin al...	6.706	5.838	122.8E6	118.1E6	67.805	55.471
19)	B Endosulfa...	6.939	6.060	132.5E6	142.3E6	57.136	50.417
20)	A Methoxychlor	7.286	6.346	96380739	69780637	79.892	51.341 #
21)	B Endrin ke...	7.425	6.556	162.5E6	154.9E6	65.850	50.285
22)	Mirex	7.882	6.728	92404129	116.8E6	48.785	49.405
23)	Chlordane-1	0.000	3.554f	0	1451699	N.D.	13.649 #
24)	Chlordane-2	5.019f	4.082	161.9E6	1103661	1536.400	9.426 #
25)	Chlordane-3	5.708	4.716	150.6E6	174.2E6	362.750	520.993 #
26)	Chlordane-4	5.785	4.777	149.4E6	170.1E6	293.697	469.518 #
27)	Chlordane-5	0.000	5.463f	0	251750	N.D.	2.800 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\p1120522\
Data File : PL079565.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Dec 2022 11:54
Operator : AR\AJ
Sample : N5844-01MSD
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 06 01:19:40 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112322.M
Quant Title : GC Extractables
QLast Update : Thu Nov 24 00:09:49 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: -0.003 min
Response: 57886566
Conc: 25.62 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.566 min
Delta R.T.: 0.001 min
Response: 55018661
Conc: 20.21 ng/ml




#2 alpha-BHC

R.T.: 3.778 min
Delta R.T.: 0.000 min
Response: 177094409
Conc: 51.50 ng/ml



#2 alpha-BHC


R.T.: 3.052 min
Delta R.T.: 0.002 min
Response: 220418889
Conc: 51.12 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.111 min
Delta R.T.: 0.000 min
Response: 169865379
Conc: 52.41 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.373 min
Delta R.T.: 0.002 min
Response: 201227992
Conc: 51.68 ng/ml




#4 Heptachlor

R.T.: 4.682 min
Delta R.T.: 0.000 min
Response: 163556157
Conc: 49.63 ng/ml



#4 Heptachlor


R.T.: 3.700 min
Delta R.T.: 0.002 min
Response: 196302336
Conc: 51.02 ng/ml



#5 Aldrin


R.T.: 5.019 min
Delta R.T.: 0.000 min
Response: 161894816
Conc: 52.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 3.971 min
Delta R.T.: 0.002 min
Response: 203297138
Conc: 54.75 ng/ml




#6 beta-BHC

R.T.: 4.327 min
Delta R.T.: 0.000 min
Response: 71727863
Conc: 50.80 ng/ml



#6 beta-BHC


R.T.: 3.674 min
Delta R.T.: 0.002 min
Response: 73798630
Conc: 48.71 ng/ml



#7 delta-BHC


R.T.: 4.567 min
Delta R.T.: 0.000 min
Response: 136068318
Conc: 49.04 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 3.893 min
Delta R.T.: 0.002 min
Response: 201450719
Conc: 52.36 ng/ml




#8 Heptachlor epoxide

R.T.: 5.453 min
Delta R.T.: 0.001 min
Response: 141465451
Conc: 49.55 ng/ml



#8 Heptachlor epoxide


R.T.: 4.468 min
Delta R.T.: 0.002 min
Response: 174005718
Conc: 51.55 ng/ml



#9 Endosulfan I


R.T.: 5.837 min
Delta R.T.: 0.000 min
Response: 138245663
Conc: 52.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 4.830 min
Delta R.T.: 0.002 min
Response: 158186315
Conc: 49.44 ng/ml




#10 gamma-Chlordane

R.T.: 5.708 min
Delta R.T.: 0.000 min
Response: 150624431
Conc: 52.64 ng/ml



#10 gamma-Chlordane


R.T.: 4.716 min
Delta R.T.: 0.002 min
Response: 174170085
Conc: 51.46 ng/ml



#11 alpha-Chlordane


R.T.: 5.785 min
Delta R.T.: 0.000 min
Response: 149430942
Conc: 51.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.777 min
Delta R.T.: 0.002 min
Response: 170135996
Conc: 50.80 ng/ml




#12 4,4'-DDE

R.T.: 5.968 min
Delta R.T.: 0.000 min
Response: 139029210
Conc: 55.65 ng/ml



#12 4,4'-DDE


R.T.: 4.972 min
Delta R.T.: 0.002 min
Response: 163103638
Conc: 53.20 ng/ml



#13 Dieldrin


R.T.: 6.114 min
Delta R.T.: 0.000 min
Response: 160689886
Conc: 58.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.092 min
Delta R.T.: 0.003 min
Response: 179351140
Conc: 53.20 ng/ml




#14 Endrin

R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 140865104
Conc: 58.23 ng/ml



#14 Endrin


R.T.: 5.363 min
Delta R.T.: 0.003 min
Response: 163237295
Conc: 53.97 ng/ml



#15 Endosulfan II


R.T.: 6.574 min
Delta R.T.: 0.000 min
Response: 137593962
Conc: 60.95 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.659 min
Delta R.T.: 0.002 min
Response: 151433286
Conc: 54.12 ng/ml




#16 4,4'-DDD

R.T.: 6.492 min
Delta R.T.: 0.000 min
Response: 119312552
Conc: 60.14 ng/ml



#16 4,4'-DDD


R.T.: 5.523 min
Delta R.T.: 0.002 min
Response: 133130420
Conc: 53.22 ng/ml



#17 4,4'-DDT


R.T.: 6.802 min
Delta R.T.: 0.000 min
Response: 136340968
Conc: 60.11 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.769 min
Delta R.T.: 0.002 min
Response: 131249147
Conc: 50.22 ng/ml




#18 Endrin aldehyde

R.T.: 6.706 min
Delta R.T.: 0.000 min
Response: 122805755
Conc: 67.81 ng/ml



#18 Endrin aldehyde


R.T.: 5.838 min
Delta R.T.: 0.003 min
Response: 118065176
Conc: 55.47 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.939 min
Delta R.T.: 0.000 min
Response: 132494574
Conc: 57.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.060 min
Delta R.T.: 0.002 min
Response: 142262351
Conc: 50.42 ng/ml




#20 Methoxychlor

R.T.: 7.286 min
Delta R.T.: 0.000 min
Response: 96380739
Conc: 79.89 ng/ml



#20 Methoxychlor


R.T.: 6.346 min
Delta R.T.: 0.002 min
Response: 69780637
Conc: 51.34 ng/ml



#21 Endrin ketone


R.T.: 7.425 min
Delta R.T.: 0.000 min
Response: 162467985
Conc: 65.85 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.556 min
Delta R.T.: 0.002 min
Response: 154871313
Conc: 50.28 ng/ml




#22 Mirex

R.T.: 7.882 min
Delta R.T.: 0.000 min
Response: 92404129
Conc: 48.79 ng/ml



#22 Mirex


R.T.: 6.728 min
Delta R.T.: 0.002 min
Response: 116845584
Conc: 49.41 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.465 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.554 min
Delta R.T.: 0.026 min
Response: 1451699
Conc: 13.65 ng/ml




#24 Chlordane-2

R.T.: 5.019 min
Delta R.T.: 0.020 min
Response: 161894816
Conc: 1536.40 ng/ml



#24 Chlordane-2


R.T.: 4.082 min
Delta R.T.: -0.012 min
Response: 1103661
Conc: 9.43 ng/ml



#25 Chlordane-3


R.T.: 5.708 min
Delta R.T.: 0.000 min
Response: 150624431
Conc: 362.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.716 min
Delta R.T.: 0.002 min
Response: 174170085
Conc: 520.99 ng/ml




#26 Chlordane-4

R.T.: 5.785 min
Delta R.T.: -0.002 min
Response: 149430942
Conc: 293.70 ng/ml



#26 Chlordane-4


R.T.: 4.777 min
Delta R.T.: 0.004 min
Response: 170135996
Conc: 469.52 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.642 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.463 min
Delta R.T.: 0.028 min
Response: 251750
Conc: 2.80 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.765 min
Delta R.T.: 0.000 min
Response: 36144016
Conc: 18.61 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.632 min
Delta R.T.: 0.003 min
Response: 42291965
Conc: 18.00 ng/ml