

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL120618\
 Data File : PL042856.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Dec 2018 16:06
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 06 16:55:39 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL120618.M
 Quant Title : GC Extractables
 QLast Update : Thu Dec 06 16:54:39 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.464	4.099	303.1E6	145.7E6	50.000	50.000
28)	SA Decachlor...	8.201	9.227	313.1E6	127.9E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.904	4.494	477.7E6	224.4E6	50.000	50.000
3)	MA gamma-BHC...	4.187	4.783	438.1E6	207.1E6	50.000	50.000
4)	MA Heptachlor	4.482	5.298	443.8E6	201.0E6	50.000	50.000
5)	MB Aldrin	4.728	5.607	430.8E6	200.8E6	50.000	50.000
6)	B beta-BHC	4.441	4.952	179.8E6	84598106	50.000	50.000
7)	B delta-BHC	4.643	5.173	413.6E6	202.2E6	50.000	50.000
8)	B Heptachlo...	5.171	5.995	394.0E6	181.1E6	50.000	50.000
9)	A Endosulfan I	5.508	6.354	363.9E6	167.1E6	50.000	50.000
10)	B gamma-Chl...	5.397	6.230	400.3E6	181.4E6	50.000	50.000
11)	B alpha-Chl...	5.454	6.303	392.3E6	176.6E6	50.000	50.000
12)	B 4,4'-DDE	5.620	6.457	350.8E6	177.9E6	50.000	50.000
13)	MA Dieldrin	5.751	6.613	391.8E6	174.9E6	50.000	50.000
14)	MA Endrin	6.007	6.832	362.3E6	152.7E6	50.000	50.000
15)	B Endosulfa...	6.283	7.041	330.4E6	149.4E6	50.000	50.000
16)	A 4,4'-DDD	6.136	6.949	286.8E6	143.9E6	50.000	50.000
17)	MA 4,4'-DDT	6.374	7.249	302.8E6	146.8E6	50.000	50.000
18)	B Endrin al...	6.450	7.165	270.9E6	123.4E6	50.000	50.000
19)	B Endosulfa...	6.663	7.389	331.4E6	148.5E6	50.000	50.000
20)	A Methoxychlor	6.920	7.705	165.1E6	74078329	50.000	50.000
21)	B Endrin ke...	7.153	7.863	361.8E6	152.2E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL120618\
Data File : PL042856.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Dec 2018 16:06
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 06 16:55:39 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL120618.M
Quant Title : GC Extractables
QLast Update : Thu Dec 06 16:54:39 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.464 min
Delta R.T.: 0.000 min
Response: 303086251
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 145708633
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.904 min
Delta R.T.: 0.000 min
Response: 477701828
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.494 min
Delta R.T.: 0.000 min
Response: 224412055
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.187 min
Delta R.T.: 0.000 min
Response: 438076414
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.783 min
Delta R.T.: 0.000 min
Response: 207059742
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.482 min
Delta R.T.: 0.000 min
Response: 443776349
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.298 min
Delta R.T.: 0.000 min
Response: 200973036
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 430762348
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.607 min
Delta R.T.: 0.000 min
Response: 200830868
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.441 min
Delta R.T.: 0.000 min
Response: 179759458
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.952 min
Delta R.T.: 0.000 min
Response: 84598106
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.643 min
Delta R.T.: 0.000 min
Response: 41355522
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.173 min
Delta R.T.: 0.000 min
Response: 202178426
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.171 min
Delta R.T.: 0.000 min
Response: 394013081
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.995 min
Delta R.T.: 0.000 min
Response: 181086568
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 363929541
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 167056336
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 400280817
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.230 min
Delta R.T.: 0.000 min
Response: 181362731
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.454 min
Delta R.T.: 0.000 min
Response: 392279332
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.303 min
Delta R.T.: 0.000 min
Response: 176586708
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 350788632
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.457 min
Delta R.T.: 0.000 min
Response: 177885290
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.751 min
Delta R.T.: 0.000 min
Response: 391766015
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.613 min
Delta R.T.: 0.000 min
Response: 174884143
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: 0.000 min
Response: 362298290
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.832 min
Delta R.T.: 0.000 min
Response: 152681746
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.283 min
Delta R.T.: 0.000 min
Response: 330363487
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 7.041 min
Delta R.T.: 0.000 min
Response: 149429413
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 286809739
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.949 min
Delta R.T.: 0.000 min
Response: 143936893
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.374 min
Delta R.T.: 0.000 min
Response: 302836929
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.249 min
Delta R.T.: 0.000 min
Response: 146751105
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.450 min
Delta R.T.: 0.000 min
Response: 270867960
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.165 min
Delta R.T.: 0.000 min
Response: 123365223
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.663 min
Delta R.T.: 0.000 min
Response: 331391759
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.389 min
Delta R.T.: 0.000 min
Response: 148476271
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.920 min
Delta R.T.: 0.000 min
Response: 165066521
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.705 min
Delta R.T.: 0.000 min
Response: 74078329
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.153 min
Delta R.T.: 0.000 min
Response: 361844286
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.863 min
Delta R.T.: 0.000 min
Response: 152226054
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.201 min
Delta R.T.: 0.000 min
Response: 313083186
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.227 min
Delta R.T.: 0.000 min
Response: 127860552
Conc: 50.00 ng/ml