

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121118\
 Data File : PL042941.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Dec 2018 14:03
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Sohil
 12/12/2018 9:08:58 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 12 00:30:49 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL120618.M
 Quant Title : GC Extractables
 QLast Update : Fri Dec 07 00:20:08 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.465	4.099	314.0E6	157.2E6	51.199	53.024
28)	SA Decachlor...	8.203	9.229	307.1E6	131.6E6	47.027	50.469
Target Compounds							
2)	A alpha-BHC	3.905	4.495	495.8E6	242.0E6	52.449	53.501
3)	MA gamma-BHC...	4.188	4.783	451.8E6	221.4E6	52.327	52.776
4)	MA Heptachlor	4.483	5.299	450.0E6	207.4E6	50.723	50.642
5)	MB Aldrin	4.729	5.607	446.8E6	213.0E6	52.697	52.192
6)	B beta-BHC	4.442	4.953	185.9E6	91247298	50.395	53.899
7)	B delta-BHC	4.644	5.173	430.2E6	222.8E6	53.125	51.832
8)	B Heptachlo...	5.172	5.996	406.9E6	200.5E6	51.336	52.867
9)	A Endosulfan I	5.510	6.356	377.5E6	175.9E6	51.529	51.805
10)	B gamma-Chl...	5.398	6.229	414.7E6	191.2E6	51.441	52.038m
11)	B alpha-Chl...	5.455	6.304	403.8E6	186.6E6	50.861	51.880
12)	B 4,4'-DDE	5.621	6.458	374.3E6	185.9E6	54.073	51.303
13)	MA Dieldrin	5.752	6.614	407.7E6	187.6E6	52.439	51.754
14)	MA Endrin	6.009	6.833	342.8E6	140.2E6	47.613	44.895
15)	B Endosulfa...	6.284	7.042	335.8E6	156.8E6	50.483	51.771
16)	A 4,4'-DDD	6.137	6.950	317.4E6	157.5E6	55.965	53.724
17)	MA 4,4'-DDT	6.376	7.250	251.1E6	123.2E6	42.208	41.934
18)	B Endrin al...	6.451	7.166	269.3E6	127.8E6	48.872	50.971
19)	B Endosulfa...	6.664	7.390	339.6E6	152.8E6	50.692	50.815
20)	A Methoxychlor	6.922	7.707	148.2E6	64250824	44.181	42.598
21)	B Endrin ke...	7.154	7.864	373.8E6	160.6E6	51.698	52.526

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121118\
Data File : PL042941.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Dec 2018 14:03
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 12 00:30:49 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL120618.M
Quant Title : GC Extractables
QLast Update : Fri Dec 07 00:20:08 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.465 min
Delta R.T.: 0.000 min
Response: 313998460
Conc: 51.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#1 Tetrachloro-m-xylene

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 157159007
Conc: 53.02 ng/ml




#2 alpha-BHC

R.T.: 3.905 min
Delta R.T.: 0.000 min
Response: 495821907
Conc: 52.45 ng/ml



#2 alpha-BHC

R.T.: 4.495 min
Delta R.T.: 0.000 min
Response: 242009780
Conc: 53.50 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.188 min
Delta R.T.: 0.000 min
Response: 451816471
Conc: 52.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#3 gamma-BHC (Lindane)

R.T.: 4.783 min
Delta R.T.: 0.000 min
Response: 221352320
Conc: 52.78 ng/ml




#4 Heptachlor

R.T.: 4.483 min
Delta R.T.: 0.000 min
Response: 450045352
Conc: 50.72 ng/ml



#4 Heptachlor

R.T.: 5.299 min
Delta R.T.: 0.000 min
Response: 207446771
Conc: 50.64 ng/ml




#5 Aldrin

R.T.: 4.729 min
Delta R.T.: 0.001 min
Response: 446798921
Conc: 52.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#5 Aldrin

R.T.: 5.607 min
Delta R.T.: 0.000 min
Response: 213045892
Conc: 52.19 ng/ml




#6 beta-BHC

R.T.: 4.442 min
Delta R.T.: 0.001 min
Response: 185881092
Conc: 50.39 ng/ml



#6 beta-BHC

R.T.: 4.953 min
Delta R.T.: 0.000 min
Response: 91247298
Conc: 53.90 ng/ml




#7 delta-BHC

R.T.: 4.644 min
Delta R.T.: 0.000 min
Response: 430223159
Conc: 53.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#7 delta-BHC

R.T.: 5.173 min
Delta R.T.: 0.000 min
Response: 222751229
Conc: 51.83 ng/ml




#8 Heptachlor epoxide

R.T.: 5.172 min
Delta R.T.: 0.001 min
Response: 406934944
Conc: 51.34 ng/ml



#8 Heptachlor epoxide

R.T.: 5.996 min
Delta R.T.: 0.000 min
Response: 200470559
Conc: 52.87 ng/ml




#9 Endosulfan I

R.T.: 5.510 min
Delta R.T.: 0.001 min
Response: 377490878
Conc: 51.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#9 Endosulfan I

R.T.: 6.356 min
Delta R.T.: 0.001 min
Response: 175897196
Conc: 51.81 ng/ml




#10 gamma-Chlordane

R.T.: 5.398 min
Delta R.T.: 0.002 min
Response: 414709227
Conc: 51.44 ng/ml



#10 gamma-Chlordane

R.T.: 6.229 min
Delta R.T.: 0.000 min
Response: 191166677
Conc: 52.04 ng/ml m




#11 alpha-Chlordane

R.T.: 5.455 min
Delta R.T.: 0.001 min
Response: 403794414
Conc: 50.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#11 alpha-Chlordane

R.T.: 6.304 min
Delta R.T.: 0.001 min
Response: 186584271
Conc: 51.88 ng/ml




#12 4,4'-DDE

R.T.: 5.621 min
Delta R.T.: 0.000 min
Response: 374346016
Conc: 54.07 ng/ml



#12 4,4'-DDE

R.T.: 6.458 min
Delta R.T.: 0.001 min
Response: 185910126
Conc: 51.30 ng/ml




#13 Dielldrin

R.T.: 5.752 min
Delta R.T.: 0.000 min
Response: 407704065
Conc: 52.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#13 Dielldrin

R.T.: 6.614 min
Delta R.T.: 0.001 min
Response: 187644542
Conc: 51.75 ng/ml




#14 Endrin

R.T.: 6.009 min
Delta R.T.: 0.002 min
Response: 342834385
Conc: 47.61 ng/ml



#14 Endrin

R.T.: 6.833 min
Delta R.T.: 0.001 min
Response: 140161333
Conc: 44.90 ng/ml




#15 Endosulfan II

R.T.: 6.284 min
Delta R.T.: 0.000 min
Response: 335814848
Conc: 50.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#15 Endosulfan II

R.T.: 7.042 min
Delta R.T.: 0.001 min
Response: 156757723
Conc: 51.77 ng/ml




#16 4,4'-DDD

R.T.: 6.137 min
Delta R.T.: 0.002 min
Response: 317382473
Conc: 55.97 ng/ml



#16 4,4'-DDD

R.T.: 6.950 min
Delta R.T.: 0.001 min
Response: 157548538
Conc: 53.72 ng/ml




#17 4,4'-DDT

R.T.: 6.376 min
Delta R.T.: 0.002 min
Response: 251090864
Conc: 42.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#17 4,4'-DDT

R.T.: 7.250 min
Delta R.T.: 0.001 min
Response: 123161707
Conc: 41.93 ng/ml




#18 Endrin aldehyde

R.T.: 6.451 min
Delta R.T.: 0.001 min
Response: 269319215
Conc: 48.87 ng/ml



#18 Endrin aldehyde

R.T.: 7.166 min
Delta R.T.: 0.001 min
Response: 127849301
Conc: 50.97 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.664 min
Delta R.T.: 0.001 min
Response: 339575556
Conc: 50.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#19 Endosulfan Sulfate

R.T.: 7.390 min
Delta R.T.: 0.002 min
Response: 152780730
Conc: 50.82 ng/ml




#20 Methoxychlor

R.T.: 6.922 min
Delta R.T.: 0.002 min
Response: 148244960
Conc: 44.18 ng/ml



#20 Methoxychlor

R.T.: 7.707 min
Delta R.T.: 0.002 min
Response: 64250824
Conc: 42.60 ng/ml




#21 Endrin ketone

R.T.: 7.154 min
Delta R.T.: 0.000 min
Response: 373812905
Conc: 51.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Sohil
12/12/2018 9:08:58 AM




#21 Endrin ketone

R.T.: 7.864 min
Delta R.T.: 0.001 min
Response: 160552241
Conc: 52.53 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.203 min
Delta R.T.: 0.001 min
Response: 307083781
Conc: 47.03 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.229 min
Delta R.T.: 0.002 min
Response: 131648906
Conc: 50.47 ng/ml