

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121218\
 Data File : PL043061.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Dec 2018 01:12
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 13 03:25:49 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL120618.M
 Quant Title : GC Extractables
 QLast Update : Fri Dec 07 00:20:08 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.465	4.099	303.2E6	150.4E6	49.435	50.752
28)	SA Decachlor...	8.200	9.228	294.1E6	121.3E6	45.031	46.508
Target Compounds							
2)	A alpha-BHC	3.904	4.494	475.8E6	231.6E6	50.329	51.208
3)	MA gamma-BHC...	4.187	4.783	431.6E6	212.3E6	49.985	50.627
4)	MA Heptachlor	4.482	5.298	443.2E6	205.7E6	49.951	50.209
5)	MB Aldrin	4.728	5.607	422.5E6	207.0E6	49.829	50.713
6)	B beta-BHC	4.441	4.952	178.6E6	87195865	48.425	51.506
7)	B delta-BHC	4.643	5.173	410.5E6	211.2E6	50.686	49.144
8)	B Heptachlo...	5.171	5.995	388.9E6	196.6E6	49.056	51.853
9)	A Endosulfan I	5.508	6.355	352.5E6	171.6E6	48.117	50.551
10)	B gamma-Chl...	5.397	6.230	393.0E6	186.7E6	48.745	50.827
11)	B alpha-Chl...	5.454	6.304	377.9E6	180.7E6	47.603	50.236
12)	B 4,4'-DDE	5.620	6.458	349.5E6	179.7E6	50.482	49.600
13)	MA Dieldrin	5.751	6.614	383.7E6	174.2E6	49.353	48.048
14)	MA Endrin	6.007	6.832	318.7E6	129.3E6	44.264	41.408
15)	B Endosulfa...	6.282	7.041	320.5E6	154.4E6	48.180	50.991
16)	A 4,4'-DDD	6.136	6.950	297.6E6	149.9E6	52.477	51.121
17)	MA 4,4'-DDT	6.374	7.250	270.8E6	134.6E6	45.525	45.834
18)	B Endrin al...	6.450	7.165	270.6E6	127.5E6	49.104	50.838
19)	B Endosulfa...	6.663	7.389	321.2E6	153.1E6	47.948	50.937
20)	A Methoxychlor	6.920	7.706	148.9E6	68384740	44.384	45.338
21)	B Endrin ke...	7.152	7.863	361.5E6	160.2E6	49.995	52.399



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121218\
Data File : PL043061.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Dec 2018 01:12
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 13 03:25:49 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL120618.M
Quant Title : GC Extractables
QLast Update : Fri Dec 07 00:20:08 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.465 min
Delta R.T.: 0.001 min
Response: 303179866
Conc: 49.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.099 min
Delta R.T.: 0.000 min
Response: 150424209
Conc: 50.75 ng/ml




#2 alpha-BHC

R.T.: 3.904 min
Delta R.T.: 0.000 min
Response: 475780784
Conc: 50.33 ng/ml



#2 alpha-BHC


R.T.: 4.494 min
Delta R.T.: 0.000 min
Response: 231638865
Conc: 51.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.187 min
Delta R.T.: 0.000 min
Response: 431593395
Conc: 49.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.783 min
Delta R.T.: 0.000 min
Response: 212340649
Conc: 50.63 ng/ml




#4 Heptachlor

R.T.: 4.482 min
Delta R.T.: 0.000 min
Response: 443198330
Conc: 49.95 ng/ml



#4 Heptachlor


R.T.: 5.298 min
Delta R.T.: 0.000 min
Response: 205674915
Conc: 50.21 ng/ml



#5 Aldrin


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 422483880
Conc: 49.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.607 min
Delta R.T.: 0.000 min
Response: 207009091
Conc: 50.71 ng/ml




#6 beta-BHC

R.T.: 4.441 min
Delta R.T.: 0.000 min
Response: 178615205
Conc: 48.42 ng/ml



#6 beta-BHC


R.T.: 4.952 min
Delta R.T.: 0.000 min
Response: 87195865
Conc: 51.51 ng/ml



#7 delta-BHC


R.T.: 4.643 min
Delta R.T.: 0.000 min
Response: 410468018
Conc: 50.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.173 min
Delta R.T.: 0.000 min
Response: 211198943
Conc: 49.14 ng/ml




#8 Heptachlor epoxide

R.T.: 5.171 min
Delta R.T.: 0.000 min
Response: 388861942
Conc: 49.06 ng/ml



#8 Heptachlor epoxide


R.T.: 5.995 min
Delta R.T.: 0.000 min
Response: 196625201
Conc: 51.85 ng/ml



#9 Endosulfan I


R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 352495257
Conc: 48.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.355 min
Delta R.T.: 0.000 min
Response: 171639200
Conc: 50.55 ng/ml




#10 gamma-Chlordane

R.T.: 5.397 min
Delta R.T.: 0.000 min
Response: 392968552
Conc: 48.74 ng/ml



#10 gamma-Chlordane


R.T.: 6.230 min
Delta R.T.: 0.000 min
Response: 186716878
Conc: 50.83 ng/ml



#11 alpha-Chlordane


R.T.: 5.454 min
Delta R.T.: 0.000 min
Response: 377929341
Conc: 47.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.304 min
Delta R.T.: 0.000 min
Response: 180671942
Conc: 50.24 ng/ml




#12 4,4'-DDE

R.T.: 5.620 min
Delta R.T.: 0.000 min
Response: 349487852
Conc: 50.48 ng/ml



#12 4,4'-DDE


R.T.: 6.458 min
Delta R.T.: 0.000 min
Response: 179738095
Conc: 49.60 ng/ml



#13 Dieldrin


R.T.: 5.751 min
Delta R.T.: 0.000 min
Response: 383710229
Conc: 49.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.614 min
Delta R.T.: 0.000 min
Response: 174207722
Conc: 48.05 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: 0.000 min
Response: 318721777
Conc: 44.26 ng/ml



#14 Endrin


R.T.: 6.832 min
Delta R.T.: 0.000 min
Response: 129273166
Conc: 41.41 ng/ml



#15 Endosulfan II


R.T.: 6.282 min
Delta R.T.: 0.000 min
Response: 320500599
Conc: 48.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 7.041 min
Delta R.T.: 0.000 min
Response: 154395507
Conc: 50.99 ng/ml




#16 4,4'-DDD

R.T.: 6.136 min
Delta R.T.: 0.000 min
Response: 297603593
Conc: 52.48 ng/ml



#16 4,4'-DDD


R.T.: 6.950 min
Delta R.T.: 0.000 min
Response: 149917662
Conc: 51.12 ng/ml



#17 4,4'-DDT


R.T.: 6.374 min
Delta R.T.: 0.000 min
Response: 270824797
Conc: 45.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.250 min
Delta R.T.: 0.000 min
Response: 134617913
Conc: 45.83 ng/ml




#18 Endrin aldehyde

R.T.: 6.450 min
Delta R.T.: 0.000 min
Response: 270597629
Conc: 49.10 ng/ml



#18 Endrin aldehyde


R.T.: 7.165 min
Delta R.T.: 0.000 min
Response: 127516215
Conc: 50.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.663 min
Delta R.T.: 0.000 min
Response: 321192289
Conc: 47.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.389 min
Delta R.T.: 0.000 min
Response: 153147796
Conc: 50.94 ng/ml




#20 Methoxychlor

R.T.: 6.920 min
Delta R.T.: 0.000 min
Response: 148926792
Conc: 44.38 ng/ml



#20 Methoxychlor


R.T.: 7.706 min
Delta R.T.: 0.000 min
Response: 68384740
Conc: 45.34 ng/ml



#21 Endrin ketone


R.T.: 7.152 min
Delta R.T.: 0.000 min
Response: 361495319
Conc: 49.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.863 min
Delta R.T.: 0.000 min
Response: 160164859
Conc: 52.40 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.200 min
Delta R.T.: 0.000 min
Response: 294050883
Conc: 45.03 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.228 min
Delta R.T.: 0.000 min
Response: 121316232
Conc: 46.51 ng/ml