

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121318\
 Data File : PL043123.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Dec 2018 00:37
 Operator : AJ\SJ
 Sample : J6371-05MSD
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 EB04-14-16MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 14 03:22:48 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL120618.M
 Quant Title : GC Extractables
 QLast Update : Fri Dec 07 00:20:08 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.464	4.097	128.5E6	69587752	20.955	23.478
28)	SA Decachlor...	8.198	9.223	127.7E6	51607773	19.552	19.784
Target Compounds							
2)	A alpha-BHC	3.903	4.493	513.7E6	240.7E6	54.336	53.205
3)	MA gamma-BHC...	4.186	4.781	475.9E6	236.4E6	55.115	56.359
4)	MA Heptachlor	4.481	5.296	478.1E6	224.7E6	53.887	54.846
5)	MB Aldrin	4.727	5.605	434.7E6	229.8E6	51.276	56.285
6)	B beta-BHC	4.440	4.950	196.2E6	98383289	53.185	58.114
7)	B delta-BHC	4.642	5.171	387.4E6	210.7E6	47.843	49.017
8)	B Heptachlo...	5.169	5.993	426.9E6	210.7E6	53.858	55.568
9)	A Endosulfan I	5.507	6.353	389.6E6	190.4E6	53.187	56.074
10)	B gamma-Chl...	5.395	6.228	433.2E6	204.8E6	53.737	55.743
11)	B alpha-Chl...	5.453	6.301	423.2E6	200.7E6	53.300	55.803
12)	B 4,4'-DDE	5.619	6.455	391.7E6	204.1E6	56.578	56.318
13)	MA Dieldrin	5.750	6.611	423.3E6	204.0E6	54.442	56.258
14)	MA Endrin	6.005	6.830	367.1E6	161.8E6	50.982	51.839
15)	B Endosulfa...	6.281	7.039	344.4E6	164.5E6	51.775	54.337
16)	A 4,4'-DDD	6.135	6.947	325.3E6	184.6E6	57.362	62.950
17)	MA 4,4'-DDT	6.373	7.247	279.8E6	140.2E6	47.034	47.745
18)	B Endrin al...	6.448	7.163	278.1E6	135.4E6	50.461	53.992
19)	B Endosulfa...	6.661	7.386	325.7E6	154.3E6	48.626	51.310
20)	A Methoxychlor	6.918	7.703	140.9E6	73258172	41.986	48.569
21)	B Endrin ke...	7.150	7.860	380.5E6	168.3E6	52.621	55.065
23)	Chlordane-1	4.338	5.171	1313178	210.7E6	4.887	1490.486 #
24)	Chlordane-2	4.845	5.605	2218796	229.8E6	7.730	1601.717 #
25)	Chlordane-3	5.395	6.228	433.2E6	204.8E6	521.295	416.994
26)	Chlordane-4	5.453	6.301	423.2E6	200.7E6	559.659	351.630 #
27)	Chlordane-5	6.281	7.163	344.4E6	135.4E6	1435.927	1155.139


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121318\
Data File : PL043123.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Dec 2018 00:37
Operator : AJ\SJ
Sample : J6371-05MSD
Misc :
ALS Vial : 55 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
EB04-14-16MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 14 03:22:48 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL120618.M
Quant Title : GC Extractables
QLast Update : Fri Dec 07 00:20:08 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.464 min
Delta R.T.: 0.000 min
Response: 128515521
Conc: 20.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#1 Tetrachloro-m-xylene

R.T.: 4.097 min
Delta R.T.: -0.002 min
Response: 69587752
Conc: 23.48 ng/ml




#2 alpha-BHC

R.T.: 3.903 min
Delta R.T.: 0.000 min
Response: 513659151
Conc: 54.34 ng/ml



#2 alpha-BHC


R.T.: 4.493 min
Delta R.T.: -0.001 min
Response: 240671762
Conc: 53.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.186 min
Delta R.T.: 0.000 min
Response: 475890651
Conc: 55.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#3 gamma-BHC (Lindane)

R.T.: 4.781 min
Delta R.T.: -0.002 min
Response: 236380577
Conc: 56.36 ng/ml




#4 Heptachlor

R.T.: 4.481 min
Delta R.T.: 0.000 min
Response: 478122791
Conc: 53.89 ng/ml



#4 Heptachlor


R.T.: 5.296 min
Delta R.T.: -0.002 min
Response: 224668105
Conc: 54.85 ng/ml



#5 Aldrin


R.T.: 4.727 min
Delta R.T.: -0.001 min
Response: 434745169
Conc: 51.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#5 Aldrin

R.T.: 5.605 min
Delta R.T.: -0.002 min
Response: 229753342
Conc: 56.28 ng/ml




#6 beta-BHC

R.T.: 4.440 min
Delta R.T.: 0.000 min
Response: 196173374
Conc: 53.19 ng/ml



#6 beta-BHC


R.T.: 4.950 min
Delta R.T.: -0.001 min
Response: 98383289
Conc: 58.11 ng/ml



#7 delta-BHC


R.T.: 4.642 min
Delta R.T.: 0.000 min
Response: 387445280
Conc: 47.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#7 delta-BHC

R.T.: 5.171 min
Delta R.T.: -0.002 min
Response: 210654799
Conc: 49.02 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: -0.001 min
Response: 426927269
Conc: 53.86 ng/ml



#8 Heptachlor epoxide


R.T.: 5.993 min
Delta R.T.: -0.002 min
Response: 210712508
Conc: 55.57 ng/ml



#9 Endosulfan I


R.T.: 5.507 min
Delta R.T.: -0.001 min
Response: 389637581
Conc: 53.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#9 Endosulfan I

R.T.: 6.353 min
Delta R.T.: -0.002 min
Response: 190389339
Conc: 56.07 ng/ml




#10 gamma-Chlordane

R.T.: 5.395 min
Delta R.T.: -0.001 min
Response: 433217413
Conc: 53.74 ng/ml



#10 gamma-Chlordane


R.T.: 6.228 min
Delta R.T.: -0.002 min
Response: 204775141
Conc: 55.74 ng/ml



#11 alpha-Chlordane


R.T.: 5.453 min
Delta R.T.: -0.001 min
Response: 423156873
Conc: 53.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#11 alpha-Chlordane

R.T.: 6.301 min
Delta R.T.: -0.002 min
Response: 200692844
Conc: 55.80 ng/ml




#12 4,4'-DDE

R.T.: 5.619 min
Delta R.T.: -0.002 min
Response: 391688951
Conc: 56.58 ng/ml



#12 4,4'-DDE


R.T.: 6.455 min
Delta R.T.: -0.002 min
Response: 204082783
Conc: 56.32 ng/ml



#13 Dieldrin


R.T.: 5.750 min
Delta R.T.: -0.001 min
Response: 423272532
Conc: 54.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#13 Dieldrin

R.T.: 6.611 min
Delta R.T.: -0.002 min
Response: 203973498
Conc: 56.26 ng/ml




#14 Endrin

R.T.: 6.005 min
Delta R.T.: -0.002 min
Response: 367095476
Conc: 50.98 ng/ml



#14 Endrin


R.T.: 6.830 min
Delta R.T.: -0.002 min
Response: 161838235
Conc: 51.84 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: -0.002 min
Response: 344414223
Conc: 51.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#15 Endosulfan II

R.T.: 7.039 min
Delta R.T.: -0.002 min
Response: 164526968
Conc: 54.34 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: -0.001 min
Response: 325302528
Conc: 57.36 ng/ml



#16 4,4'-DDD


R.T.: 6.947 min
Delta R.T.: -0.002 min
Response: 184604969
Conc: 62.95 ng/ml



#17 4,4'-DDT


R.T.: 6.373 min
Delta R.T.: -0.001 min
Response: 279801990
Conc: 47.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#17 4,4'-DDT

R.T.: 7.247 min
Delta R.T.: -0.002 min
Response: 140229380
Conc: 47.74 ng/ml




#18 Endrin aldehyde

R.T.: 6.448 min
Delta R.T.: -0.002 min
Response: 278077347
Conc: 50.46 ng/ml



#18 Endrin aldehyde


R.T.: 7.163 min
Delta R.T.: -0.002 min
Response: 135427363
Conc: 53.99 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.661 min
Delta R.T.: -0.002 min
Response: 325734923
Conc: 48.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#19 Endosulfan Sulfate

R.T.: 7.386 min
Delta R.T.: -0.002 min
Response: 154269180
Conc: 51.31 ng/ml




#20 Methoxychlor

R.T.: 6.918 min
Delta R.T.: -0.002 min
Response: 140880012
Conc: 41.99 ng/ml



#20 Methoxychlor


R.T.: 7.703 min
Delta R.T.: -0.002 min
Response: 73258172
Conc: 48.57 ng/ml



#21 Endrin ketone


R.T.: 7.150 min
Delta R.T.: -0.003 min
Response: 380483257
Conc: 52.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#21 Endrin ketone

R.T.: 7.860 min
Delta R.T.: -0.002 min
Response: 168312659
Conc: 55.07 ng/ml




#23 Chlordane-1

R.T.: 4.338 min
Delta R.T.: 0.006 min
Response: 1313178
Conc: 4.89 ng/ml



#23 Chlordane-1


R.T.: 5.171 min
Delta R.T.: 0.063 min
Response: 210654799
Conc: 1490.49 ng/ml



#24 Chlordane-2


R.T.: 4.845 min
Delta R.T.: 0.014 min
Response: 2218796
Conc: 7.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#24 Chlordane-2

R.T.: 5.605 min
Delta R.T.: 0.026 min
Response: 229753342
Conc: 1601.72 ng/ml




#25 Chlordane-3

R.T.: 5.395 min
Delta R.T.: -0.003 min
Response: 433217413
Conc: 521.29 ng/ml



#25 Chlordane-3


R.T.: 6.228 min
Delta R.T.: -0.002 min
Response: 204775141
Conc: 416.99 ng/ml



#26 Chlordane-4


R.T.: 5.453 min
Delta R.T.: -0.002 min
Response: 423156873
Conc: 559.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD




#26 Chlordane-4

R.T.: 6.301 min
Delta R.T.: -0.004 min
Response: 200692844
Conc: 351.63 ng/ml




#27 Chlordane-5

R.T.: 6.281 min
Delta R.T.: -0.009 min
Response: 344414223
Conc: 1435.93 ng/ml



#27 Chlordane-5


R.T.: 7.163 min
Delta R.T.: 0.047 min
Response: 135427363
Conc: 1155.14 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.198 min
Delta R.T.: -0.003 min
Response: 127676845
Conc: 19.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
EB04-14-16MSD



#28 Decachlorobiphenyl

R.T.: 9.223 min
Delta R.T.: -0.004 min
Response: 51607773
Conc: 19.78 ng/ml