

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121420\
 Data File : PL063571.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Dec 2020 09:07
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 15 02:39:00 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL121020.M
 Quant Title : GC Extractables
 QLast Update : Thu Dec 10 15:57:40 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.950	89177510	164.7E6	52.405	52.539
28)	SA Decachlor...	8.127	8.992	85427453	120.0E6	42.420	47.649
Target Compounds							
2)	A alpha-BHC	3.842	4.337	131.5E6	252.4E6	52.443	53.318
3)	MA gamma-BHC...	4.122	4.619	118.3E6	236.2E6	51.891	52.971
4)	MA Heptachlor	4.419	5.125	109.6E6	217.6E6	51.070	53.004
5)	MB Aldrin	4.663	5.428	100.1E6	210.7E6	52.495	54.448
6)	B beta-BHC	4.372	4.791	49842939	102.9E6	51.332	51.782
7)	B delta-BHC	4.573	5.006	112.7E6	217.9E6	51.755	53.832
8)	B Heptachlo...	5.102	5.813	96715326	189.4E6	51.985	52.284
9)	A Endosulfan I	5.437	6.168	90286250	173.7E6	51.729	52.038
10)	B gamma-Chl...	5.327	6.048	96454293	186.4E6	51.857	52.523
11)	B alpha-Chl...	5.385	6.120	96532748	185.3E6	51.923	52.270
12)	B 4,4'-DDE	5.550	6.279	88628403	182.3E6	52.182	52.064
13)	MA Dieldrin	5.678	6.426	94013339	178.0E6	51.641	51.800
14)	MA Endrin	5.933	6.643	80936186	141.4E6	48.222	48.358
15)	B Endosulfa...	6.205	6.853	87589460	148.6E6	49.491	46.649
16)	A 4,4'-DDD	6.062	6.769	81913518	145.8E6	54.570	53.800
17)	MA 4,4'-DDT	6.300	7.067	62768732	112.8E6	45.742	44.104
18)	B Endrin al...	6.372	6.977	75120174	126.8E6	49.007	49.706
19)	B Endosulfa...	6.584	7.200	85185624	135.6E6	49.673	48.748
20)	A Methoxychlor	6.845	7.527	41022905	61496214	46.103	44.094
21)	B Endrin ke...	7.071	7.669	100.5E6	140.2E6	50.311	48.058
22)	Mirex	7.257	8.123	75194925	94177633	47.361	47.267
24)	Chlordane-2	0.000	5.428f	0	210.7E6	N.D.	1669.215 #
25)	Chlordane-3	5.327	6.048	96454293	186.4E6	556.710	404.556 #
26)	Chlordane-4	5.385	6.120	96532748	185.3E6	659.943	337.882 #
27)	Chlordane-5	6.205	0.000	87589460	0	1405.004	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121420\
Data File : PL063571.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Dec 2020 09:07
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 15 02:39:00 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL121020.M
Quant Title : GC Extractables
QLast Update : Thu Dec 10 15:57:40 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: 0.000 min
Response: 89177510
Conc: 52.40 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 164665204
Conc: 52.54 ng/ml




#2 alpha-BHC

R.T.: 3.842 min
Delta R.T.: 0.000 min
Response: 131450159
Conc: 52.44 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 252383648
Conc: 53.32 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.122 min
Delta R.T.: 0.000 min
Response: 118265398
Conc: 51.89 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.619 min
Delta R.T.: 0.000 min
Response: 236160403
Conc: 52.97 ng/ml




#4 Heptachlor

R.T.: 4.419 min
Delta R.T.: 0.000 min
Response: 109639711
Conc: 51.07 ng/ml



#4 Heptachlor


R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 217642571
Conc: 53.00 ng/ml



#5 Aldrin


R.T.: 4.663 min
Delta R.T.: 0.000 min
Response: 100096486
Conc: 52.49 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 210662703
Conc: 54.45 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 49842939
Conc: 51.33 ng/ml



#6 beta-BHC


R.T.: 4.791 min
Delta R.T.: 0.000 min
Response: 102864137
Conc: 51.78 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 112669064
Conc: 51.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 217873298
Conc: 53.83 ng/ml




#8 Heptachlor epoxide

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 96715326
Conc: 51.99 ng/ml



#8 Heptachlor epoxide


R.T.: 5.813 min
Delta R.T.: 0.000 min
Response: 189368201
Conc: 52.28 ng/ml



#9 Endosulfan I


R.T.: 5.437 min
Delta R.T.: 0.000 min
Response: 90286250
Conc: 51.73 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 6.168 min
Delta R.T.: -0.001 min
Response: 173684128
Conc: 52.04 ng/ml




#10 gamma-Chlordane

R.T.: 5.327 min
Delta R.T.: 0.000 min
Response: 96454293
Conc: 51.86 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 186412546
Conc: 52.52 ng/ml



#11 alpha-Chlordane


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 96532748
Conc: 51.92 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 185250438
Conc: 52.27 ng/ml




#12 4,4'-DDE

R.T.: 5.550 min
Delta R.T.: 0.000 min
Response: 88628403
Conc: 52.18 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 182345251
Conc: 52.06 ng/ml



#13 Dieldrin


R.T.: 5.678 min
Delta R.T.: 0.000 min
Response: 94013339
Conc: 51.64 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 177960283
Conc: 51.80 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 80936186
Conc: 48.22 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 141447110
Conc: 48.36 ng/ml



#15 Endosulfan II


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 87589460
Conc: 49.49 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 148577861
Conc: 46.65 ng/ml




#16 4,4'-DDD

R.T.: 6.062 min
Delta R.T.: 0.000 min
Response: 81913518
Conc: 54.57 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 145823643
Conc: 53.80 ng/ml



#17 4,4'-DDT


R.T.: 6.300 min
Delta R.T.: 0.000 min
Response: 62768732
Conc: 45.74 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.000 min
Response: 112769555
Conc: 44.10 ng/ml




#18 Endrin aldehyde

R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 75120174
Conc: 49.01 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 126841285
Conc: 49.71 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.584 min
Delta R.T.: 0.000 min
Response: 85185624
Conc: 49.67 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 135607011
Conc: 48.75 ng/ml




#20 Methoxychlor

R.T.: 6.845 min
Delta R.T.: 0.000 min
Response: 41022905
Conc: 46.10 ng/ml



#20 Methoxychlor


R.T.: 7.527 min
Delta R.T.: 0.000 min
Response: 61496214
Conc: 44.09 ng/ml



#21 Endrin ketone


R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 100460691
Conc: 50.31 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.669 min
Delta R.T.: 0.000 min
Response: 140175847
Conc: 48.06 ng/ml




#22 Mirex

R.T.: 7.257 min
Delta R.T.: 0.000 min
Response: 75194925
Conc: 47.36 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.000 min
Response: 94177633
Conc: 47.27 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.763 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 5.428 min
Delta R.T.: 0.025 min
Response: 210662703
Conc: 1669.22 ng/ml




#25 Chlordane-3

R.T.: 5.327 min
Delta R.T.: 0.001 min
Response: 96454293
Conc: 556.71 ng/ml



#25 Chlordane-3


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 186412546
Conc: 404.56 ng/ml



#26 Chlordane-4


R.T.: 5.385 min
Delta R.T.: 0.001 min
Response: 96532748
Conc: 659.94 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 185250438
Conc: 337.88 ng/ml




#27 Chlordane-5

R.T.: 6.205 min
Delta R.T.: -0.007 min
Response: 87589460
Conc: 1405.00 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.923 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.000 min
Response: 85427453
Conc: 42.42 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.992 min
Delta R.T.: 0.000 min
Response: 119995424
Conc: 47.65 ng/ml