

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121523\
 Data File : PL087179.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Dec 2023 00:05
 Operator : AR\AJ
 Sample : PSTDICC005
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC005

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 16 03:14:51 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL121523.M
 Quant Title : GC Extractables
 QLast Update : Sat Dec 16 02:54:33 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.428	2.683	18648446	8268994	4.933	4.887
28)	SA Decachlor...	8.987	7.876	17532557	8923499	5.253	5.459
Target Compounds							
2)	A alpha-BHC	3.884	3.188	22714293	10159716	4.054	3.970
3)	MA gamma-BHC...	4.219	3.520	23606575	10593536	4.394	4.241
4)	MA Heptachlor	4.811	3.862	25513226	11029872	4.749	4.521
5)	MB Aldrin	5.155	4.143	24205482	10590544	4.590	4.301
6)	B beta-BHC	4.418	3.821	13145152	5281124	5.851	5.074
7)	B delta-BHC	4.665	4.051	23799961	10407556	4.481	4.115
8)	B Heptachlo...	5.585	4.651	22117481	10468456	4.638	4.635
9)	A Endosulfan I	5.972	5.022	21781432	11025349	4.870	5.149
10)	B gamma-Chl...	5.843	4.905	23418582	11039139	4.812	4.817
11)	B alpha-Chl...	5.923	4.969	23495545	11511899	4.884	5.011
12)	B 4,4'-DDE	6.104	5.167	18860235	8483973	4.490	4.160
13)	MA Dieldrin	6.250	5.290	21245857	9776551	4.518	4.281
14)	MA Endrin	6.480	5.565	17827671	8938170	4.590	4.385
15)	B Endosulfa...	6.701	5.862	21071863	9752205	5.360	5.041
16)	A 4,4'-DDD	6.625	5.725	14921103	7147105	4.462	4.209
17)	MA 4,4'-DDT	6.941	5.978	17357158	8168440	4.573	4.348
18)	B Endrin al...	6.832	6.045	14752419	8003544	5.141	5.528
19)	B Endosulfa...	7.069	6.270	19607372	9200113	5.024	4.892
20)	A Methoxychlor	7.427	6.565	10069396	5159172	5.243	5.071
21)	B Endrin ke...	7.556	6.776	19224506	9957644	4.707	4.629
22)	Mirex	8.033	6.959	17799061	9681149	5.365	5.580


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121523\
Data File : PL087179.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Dec 2023 00:05
Operator : AR\AJ
Sample : PSTDICC005
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC005

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 16 03:14:51 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL121523.M
Quant Title : GC Extractables
QLast Update : Sat Dec 16 02:54:33 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.428 min
Delta R.T.: -0.001 min
Response: 18648446
Conc: 4.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#1 Tetrachloro-m-xylene

R.T.: 2.683 min
Delta R.T.: 0.000 min
Response: 8268994
Conc: 4.89 ng/ml




#2 alpha-BHC

R.T.: 3.884 min
Delta R.T.: -0.001 min
Response: 22714293
Conc: 4.05 ng/ml



#2 alpha-BHC


R.T.: 3.188 min
Delta R.T.: 0.000 min
Response: 10159716
Conc: 3.97 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.219 min
Delta R.T.: -0.001 min
Response: 23606575
Conc: 4.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#3 gamma-BHC (Lindane)

R.T.: 3.520 min
Delta R.T.: 0.000 min
Response: 10593536
Conc: 4.24 ng/ml




#4 Heptachlor

R.T.: 4.811 min
Delta R.T.: -0.001 min
Response: 25513226
Conc: 4.75 ng/ml



#4 Heptachlor


R.T.: 3.862 min
Delta R.T.: 0.000 min
Response: 11029872
Conc: 4.52 ng/ml



#5 Aldrin


R.T.: 5.155 min
Delta R.T.: -0.001 min
Response: 24205482
Conc: 4.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#5 Aldrin

R.T.: 4.143 min
Delta R.T.: 0.000 min
Response: 10590544
Conc: 4.30 ng/ml




#6 beta-BHC

R.T.: 4.418 min
Delta R.T.: -0.001 min
Response: 13145152
Conc: 5.85 ng/ml



#6 beta-BHC


R.T.: 3.821 min
Delta R.T.: 0.000 min
Response: 5281124
Conc: 5.07 ng/ml



#7 delta-BHC


R.T.: 4.665 min
Delta R.T.: -0.001 min
Response: 23799961
Conc: 4.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#7 delta-BHC

R.T.: 4.051 min
Delta R.T.: 0.000 min
Response: 10407556
Conc: 4.11 ng/ml




#8 Heptachlor epoxide

R.T.: 5.585 min
Delta R.T.: -0.001 min
Response: 22117481
Conc: 4.64 ng/ml



#8 Heptachlor epoxide


R.T.: 4.651 min
Delta R.T.: 0.000 min
Response: 10468456
Conc: 4.63 ng/ml



#9 Endosulfan I


R.T.: 5.972 min
Delta R.T.: -0.002 min
Response: 21781432
Conc: 4.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#9 Endosulfan I

R.T.: 5.022 min
Delta R.T.: -0.001 min
Response: 11025349
Conc: 5.15 ng/ml




#10 gamma-Chlordane

R.T.: 5.843 min
Delta R.T.: 0.000 min
Response: 23418582
Conc: 4.81 ng/ml



#10 gamma-Chlordane


R.T.: 4.905 min
Delta R.T.: -0.001 min
Response: 11039139
Conc: 4.82 ng/ml



#11 alpha-Chlordane


R.T.: 5.923 min
Delta R.T.: -0.001 min
Response: 23495545
Conc: 4.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#11 alpha-Chlordane

R.T.: 4.969 min
Delta R.T.: 0.000 min
Response: 11511899
Conc: 5.01 ng/ml




#12 4,4'-DDE

R.T.: 6.104 min
Delta R.T.: -0.002 min
Response: 18860235
Conc: 4.49 ng/ml



#12 4,4'-DDE


R.T.: 5.167 min
Delta R.T.: -0.001 min
Response: 8483973
Conc: 4.16 ng/ml



#13 Dieldrin


R.T.: 6.250 min
Delta R.T.: -0.002 min
Response: 21245857
Conc: 4.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#13 Dieldrin

R.T.: 5.290 min
Delta R.T.: -0.001 min
Response: 9776551
Conc: 4.28 ng/ml




#14 Endrin

R.T.: 6.480 min
Delta R.T.: 0.000 min
Response: 17827671
Conc: 4.59 ng/ml



#14 Endrin


R.T.: 5.565 min
Delta R.T.: -0.002 min
Response: 8938170
Conc: 4.39 ng/ml



#15 Endosulfan II


R.T.: 6.701 min
Delta R.T.: 0.000 min
Response: 21071863
Conc: 5.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#15 Endosulfan II

R.T.: 5.862 min
Delta R.T.: -0.001 min
Response: 9752205
Conc: 5.04 ng/ml




#16 4,4'-DDD

R.T.: 6.625 min
Delta R.T.: 0.000 min
Response: 14921103
Conc: 4.46 ng/ml



#16 4,4'-DDD


R.T.: 5.725 min
Delta R.T.: -0.002 min
Response: 7147105
Conc: 4.21 ng/ml



#17 4,4'-DDT


R.T.: 6.941 min
Delta R.T.: -0.002 min
Response: 17357158
Conc: 4.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#17 4,4'-DDT

R.T.: 5.978 min
Delta R.T.: -0.001 min
Response: 8168440
Conc: 4.35 ng/ml




#18 Endrin aldehyde

R.T.: 6.832 min
Delta R.T.: -0.001 min
Response: 14752419
Conc: 5.14 ng/ml



#18 Endrin aldehyde


R.T.: 6.045 min
Delta R.T.: 0.000 min
Response: 8003544
Conc: 5.53 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.069 min
Delta R.T.: -0.002 min
Response: 19607372
Conc: 5.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#19 Endosulfan Sulfate

R.T.: 6.270 min
Delta R.T.: 0.000 min
Response: 9200113
Conc: 4.89 ng/ml




#20 Methoxychlor

R.T.: 7.427 min
Delta R.T.: -0.001 min
Response: 10069396
Conc: 5.24 ng/ml



#20 Methoxychlor


R.T.: 6.565 min
Delta R.T.: -0.001 min
Response: 5159172
Conc: 5.07 ng/ml



#21 Endrin ketone


R.T.: 7.556 min
Delta R.T.: 0.000 min
Response: 19224506
Conc: 4.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#21 Endrin ketone

R.T.: 6.776 min
Delta R.T.: 0.000 min
Response: 9957644
Conc: 4.63 ng/ml




#22 Mirex

R.T.: 8.033 min
Delta R.T.: 0.000 min
Response: 17799061
Conc: 5.36 ng/ml



#22 Mirex


R.T.: 6.959 min
Delta R.T.: 0.000 min
Response: 9681149
Conc: 5.58 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.987 min
Delta R.T.: -0.002 min
Response: 17532557
Conc: 5.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005



#28 Decachlorobiphenyl

R.T.: 7.876 min
Delta R.T.: 0.000 min
Response: 8923499
Conc: 5.46 ng/ml