

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121924\
 Data File : PL093457.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Dec 2024 20:30
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 19 21:56:23 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112524.M
 Quant Title : GC Extractables
 QLast Update : Mon Nov 25 15:18:43 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.774	123.6E6	145.1E6	47.551	50.298
28)	SA Decachlor...	9.052	7.910	89798628	151.9E6	51.652	53.180
Target Compounds							
2)	A alpha-BHC	3.993	3.277	171.8E6	216.6E6	48.137	50.729
3)	MA gamma-BHC...	4.326	3.607	163.0E6	209.2E6	48.244	50.537
4)	MA Heptachlor	4.915	3.945	141.3E6	199.0E6	46.243	49.195
5)	MB Aldrin	5.256	4.225	142.1E6	199.9E6	47.237	50.245
6)	B beta-BHC	4.524	3.907	71675259	88338717	47.475	49.660
7)	B delta-BHC	4.771	4.135	154.2E6	211.9E6	46.596	49.666
8)	B Heptachlo...	5.682	4.727	128.4E6	183.4E6	46.254	50.362
9)	A Endosulfan I	6.067	5.097	115.0E6	168.4E6	47.226	50.369
10)	B gamma-Chl...	5.938	4.978	121.7E6	185.7E6	47.226	50.117
11)	B alpha-Chl...	6.017	5.041	122.1E6	182.9E6	47.120	50.378
12)	B 4,4'-DDE	6.191	5.230	112.4E6	180.2E6	48.059	50.324
13)	MA Dieldrin	6.342	5.361	121.3E6	185.3E6	47.306	50.282
14)	MA Endrin	6.572	5.636	100.7E6	158.7E6	48.028	49.774
15)	B Endosulfa...	6.791	5.931	104.4E6	160.5E6	47.877	50.649
16)	A 4,4'-DDD	6.707	5.785	93264621	146.3E6	50.901	52.198
17)	MA 4,4'-DDT	7.021	6.034	87465841	138.1E6	45.370	46.642
18)	B Endrin al...	6.922	6.111	86328015	130.3E6	47.784	49.702
19)	B Endosulfa...	7.156	6.334	98334432	152.8E6	47.443	50.256
20)	A Methoxychlor	7.498	6.610	47899303	73415889	45.842	48.080
21)	B Endrin ke...	7.641	6.838	111.1E6	178.4E6	48.962	53.144
22)	Mirex	8.114	7.019	88018308	141.2E6	48.730	52.542
23)	Chlordane-1	0.000	3.787	0	35262	N.D.	0.303 #
24)	Chlordane-2	5.256f	4.363	142.1E6	361161	1238.863	2.695 #
25)	Chlordane-3	5.938	4.978	121.7E6	185.7E6	319.161	462.124 #
26)	Chlordane-4	6.017	5.041	122.1E6	182.9E6	262.664	468.879 #
27)	Chlordane-5	0.000	5.931	0	160.5E6	N.D.	1171.373 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL121924\
Data File : PL093457.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Dec 2024 20:30
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 19 21:56:23 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112524.M
Quant Title : GC Extractables
QLast Update : Mon Nov 25 15:18:43 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.538 min
Delta R.T.: 0.002 min
Response: 123584120
Conc: 47.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.774 min
Delta R.T.: 0.000 min
Response: 145061141
Conc: 50.30 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: 0.001 min
Response: 171772464
Conc: 48.14 ng/ml



#2 alpha-BHC


R.T.: 3.277 min
Delta R.T.: 0.000 min
Response: 216582370
Conc: 50.73 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: 0.001 min
Response: 162999607
Conc: 48.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.607 min
Delta R.T.: 0.000 min
Response: 209210690
Conc: 50.54 ng/ml




#4 Heptachlor

R.T.: 4.915 min
Delta R.T.: 0.001 min
Response: 141324182
Conc: 46.24 ng/ml



#4 Heptachlor


R.T.: 3.945 min
Delta R.T.: 0.000 min
Response: 199020437
Conc: 49.20 ng/ml



#5 Aldrin


R.T.: 5.256 min
Delta R.T.: 0.000 min
Response: 142050048
Conc: 47.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.225 min
Delta R.T.: 0.000 min
Response: 199917838
Conc: 50.25 ng/ml




#6 beta-BHC

R.T.: 4.524 min
Delta R.T.: 0.002 min
Response: 71675259
Conc: 47.48 ng/ml



#6 beta-BHC


R.T.: 3.907 min
Delta R.T.: 0.000 min
Response: 88338717
Conc: 49.66 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: 0.002 min
Response: 154168459
Conc: 46.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.135 min
Delta R.T.: 0.000 min
Response: 211898950
Conc: 49.67 ng/ml




#8 Heptachlor epoxide

R.T.: 5.682 min
Delta R.T.: 0.000 min
Response: 128431726
Conc: 46.25 ng/ml



#8 Heptachlor epoxide


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 183428488
Conc: 50.36 ng/ml



#9 Endosulfan I


R.T.: 6.067 min
Delta R.T.: 0.000 min
Response: 114956540
Conc: 47.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.097 min
Delta R.T.: 0.000 min
Response: 168382234
Conc: 50.37 ng/ml




#10 gamma-Chlordane

R.T.: 5.938 min
Delta R.T.: 0.000 min
Response: 121671645
Conc: 47.23 ng/ml



#10 gamma-Chlordane


R.T.: 4.978 min
Delta R.T.: 0.000 min
Response: 185688349
Conc: 50.12 ng/ml



#11 alpha-Chlordane


R.T.: 6.017 min
Delta R.T.: 0.000 min
Response: 122092385
Conc: 47.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 182886682
Conc: 50.38 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: 0.000 min
Response: 112425516
Conc: 48.06 ng/ml



#12 4,4'-DDE


R.T.: 5.230 min
Delta R.T.: 0.000 min
Response: 180162559
Conc: 50.32 ng/ml



#13 Dieldrin


R.T.: 6.342 min
Delta R.T.: 0.000 min
Response: 121251426
Conc: 47.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.361 min
Delta R.T.: 0.000 min
Response: 185315011
Conc: 50.28 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: 0.000 min
Response: 100737560
Conc: 48.03 ng/ml



#14 Endrin


R.T.: 5.636 min
Delta R.T.: 0.000 min
Response: 158740767
Conc: 49.77 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: 0.000 min
Response: 104395370
Conc: 47.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.931 min
Delta R.T.: 0.000 min
Response: 160506811
Conc: 50.65 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: 0.000 min
Response: 93264621
Conc: 50.90 ng/ml



#16 4,4'-DDD


R.T.: 5.785 min
Delta R.T.: 0.000 min
Response: 146331989
Conc: 52.20 ng/ml



#17 4,4'-DDT


R.T.: 7.021 min
Delta R.T.: 0.000 min
Response: 87465841
Conc: 45.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.034 min
Delta R.T.: 0.000 min
Response: 138144295
Conc: 46.64 ng/ml




#18 Endrin aldehyde

R.T.: 6.922 min
Delta R.T.: 0.000 min
Response: 86328015
Conc: 47.78 ng/ml



#18 Endrin aldehyde


R.T.: 6.111 min
Delta R.T.: 0.000 min
Response: 130334238
Conc: 49.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.156 min
Delta R.T.: 0.000 min
Response: 98334432
Conc: 47.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.334 min
Delta R.T.: 0.000 min
Response: 152759881
Conc: 50.26 ng/ml




#20 Methoxychlor

R.T.: 7.498 min
Delta R.T.: 0.000 min
Response: 47899303
Conc: 45.84 ng/ml



#20 Methoxychlor


R.T.: 6.610 min
Delta R.T.: 0.000 min
Response: 73415889
Conc: 48.08 ng/ml



#21 Endrin ketone


R.T.: 7.641 min
Delta R.T.: 0.000 min
Response: 111108088
Conc: 48.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.838 min
Delta R.T.: 0.000 min
Response: 178404011
Conc: 53.14 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: 0.000 min
Response: 88018308
Conc: 48.73 ng/ml



#22 Mirex


R.T.: 7.019 min
Delta R.T.: -0.001 min
Response: 141156029
Conc: 52.54 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.698 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.787 min
Delta R.T.: 0.016 min
Response: 35262
Conc: 0.30 ng/ml




#24 Chlordane-2

R.T.: 5.256 min
Delta R.T.: 0.027 min
Response: 142050048
Conc: 1238.86 ng/ml



#24 Chlordane-2


R.T.: 4.363 min
Delta R.T.: 0.015 min
Response: 361161
Conc: 2.70 ng/ml



#25 Chlordane-3


R.T.: 5.938 min
Delta R.T.: 0.000 min
Response: 121671645
Conc: 319.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.978 min
Delta R.T.: 0.000 min
Response: 185688349
Conc: 462.12 ng/ml




#26 Chlordane-4

R.T.: 6.017 min
Delta R.T.: -0.004 min
Response: 122092385
Conc: 262.66 ng/ml



#26 Chlordane-4


R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 182886682
Conc: 468.88 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.870 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.931 min
Delta R.T.: -0.005 min
Response: 160506811
Conc: 1171.37 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.052 min
Delta R.T.: -0.002 min
Response: 89798628
Conc: 51.65 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.910 min
Delta R.T.: -0.002 min
Response: 151906927
Conc: 53.18 ng/ml