

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL122123\
 Data File : PL087336.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Dec 2023 17:43
 Operator : AR\AJ
 Sample : PB157972BL
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB157972BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 22 00:30:04 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL121523.M
 Quant Title : GC Extractables
 QLast Update : Sat Dec 16 04:03:23 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.422	2.679	49393870	20346742	13.125	12.087
28)	SA Decachlor...	8.980	7.867	45391738	19675346	13.312	11.649
Target Compounds							
3)	MA gamma-BHC...	0.000	3.512	0	46320	N.D.	0.019 #
4)	MA Heptachlor	0.000	3.868	0	8493	N.D.	0.004 #
5)	MB Aldrin	0.000	4.146	0	26337	N.D.	0.011 #
7)	B delta-BHC	0.000	4.052	0	28251	N.D.	0.012 #
8)	B Heptachlo...	0.000	4.638	0	23833	N.D.	0.011 #
9)	A Endosulfan I	0.000	5.026	0	23794166	N.D.	11.010 #
10)	B gamma-Chl...	0.000	4.881f	0	18014	N.D.	0.008 #
14)	MA Endrin	0.000	5.578	0	81854	N.D.	0.041 #
16)	A 4,4'-DDD	0.000	5.741	0	11577	N.D.	0.007 #
17)	MA 4,4'-DDT	0.000	5.998f	0	21567	N.D.	0.012 #
18)	B Endrin al...	0.000	6.042	0	131394	N.D.	0.090 #
20)	A Methoxychlor	0.000	6.578	0	2415	N.D.	0.002 #
21)	B Endrin ke...	0.000	6.767	0	20519	N.D.	0.010 #
22)	Mirex	0.000	6.972	0	10320	N.D.	0.006 #
23)	Chlordane-1	0.000	3.677	0	36142	N.D.	0.583 #
25)	Chlordane-3	0.000	4.881f	0	18014	N.D.	0.081 #
27)	Chlordane-5	0.000	5.666f	0	17683	N.D.	0.273 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL122123\
Data File : PL087336.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Dec 2023 17:43
Operator : AR\AJ
Sample : PB157972BL
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB157972BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 22 00:30:04 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL121523.M
Quant Title : GC Extractables
QLast Update : Sat Dec 16 04:03:23 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.422 min
Delta R.T.: -0.007 min
Response: 49393870
Conc: 13.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#1 Tetrachloro-m-xylene

R.T.: 2.679 min
Delta R.T.: -0.005 min
Response: 20346742
Conc: 12.09 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 0.000 min
Exp R.T.: 4.220 min
Response: 0
Conc: N.D.



#3 gamma-BHC (Lindane)


R.T.: 3.512 min
Delta R.T.: -0.008 min
Response: 46320
Conc: 0.02 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 4.813 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#4 Heptachlor

R.T.: 3.868 min
Delta R.T.: 0.005 min
Response: 8493
Conc: 0.00 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T.: 5.156 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 4.146 min
Delta R.T.: 0.003 min
Response: 26337
Conc: 0.01 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.666 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#7 delta-BHC

R.T.: 4.052 min
Delta R.T.: 0.000 min
Response: 28251
Conc: 0.01 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.587 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.638 min
Delta R.T.: -0.015 min
Response: 23833
Conc: 0.01 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 5.973 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#9 Endosulfan I

R.T.: 5.026 min
Delta R.T.: 0.003 min
Response: 23794166
Conc: 11.01 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.844 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.881 min
Delta R.T.: -0.024 min
Response: 18014
Conc: 0.01 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.480 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#14 Endrin

R.T.: 5.578 min
Delta R.T.: 0.012 min
Response: 81854
Conc: 0.04 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.626 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.741 min
Delta R.T.: 0.015 min
Response: 11577
Conc: 0.01 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 6.943 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#17 4,4'-DDT

R.T.: 5.998 min
Delta R.T.: 0.018 min
Response: 21567
Conc: 0.01 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.833 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.042 min
Delta R.T.: -0.004 min
Response: 131394
Conc: 0.09 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 7.428 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#20 Methoxychlor

R.T.: 6.578 min
Delta R.T.: 0.012 min
Response: 2415
Conc: 0.00 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.557 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 6.767 min
Delta R.T.: -0.009 min
Response: 20519
Conc: 0.01 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.034 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#22 Mirex

R.T.: 6.972 min
Delta R.T.: 0.014 min
Response: 10320
Conc: 0.01 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.594 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.677 min
Delta R.T.: -0.009 min
Response: 36142
Conc: 0.58 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.843 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB157972BL




#25 Chlordane-3

R.T.: 4.881 min
Delta R.T.: -0.022 min
Response: 18014
Conc: 0.08 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.779 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.666 min
Delta R.T.: 0.025 min
Response: 17683
Conc: 0.27 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.980 min
Delta R.T.: -0.009 min
Response: 45391738
Conc: 13.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB157972BL



#28 Decachlorobiphenyl

R.T.: 7.867 min
Delta R.T.: -0.008 min
Response: 19675346
Conc: 11.65 ng/ml