

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091824\
 Data File : PL091815.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Sep 2024 16:35
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 19 01:44:39 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 09 19:26:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.780	75993235	89052368	48.758	47.614
28)	SA Decachlor...	9.059	7.922	54115157	85195472	44.527	46.138
Target Compounds							
2)	A alpha-BHC	3.997	3.284	103.8E6	125.9E6	48.049	47.320
3)	MA gamma-BHC...	4.330	3.614	96435724	118.5E6	46.911	48.181
4)	MA Heptachlor	4.919	3.954	93583453	117.8E6	49.964	48.904
5)	MB Aldrin	5.260	4.234	87261152	111.7E6	46.850	48.958
6)	B beta-BHC	4.527	3.913	45458414	52580657	49.953	48.130
7)	B delta-BHC	4.774	4.143	94371854	114.8E6	49.122	49.894
8)	B Heptachlo...	5.687	4.737	82259154	99228926	49.295	47.079
9)	A Endosulfan I	6.073	5.107	76416402	90993047	49.044	47.163
10)	B gamma-Chl...	5.943	4.987	82194347	104.1E6	49.195	47.181
11)	B alpha-Chl...	6.022	5.051	81801201	101.2E6	50.751	48.893
12)	B 4,4'-DDE	6.195	5.240	73747637	96067807	50.559	50.650
13)	MA Dieldrin	6.348	5.371	80179449	98551372	49.137	47.947
14)	MA Endrin	6.577	5.647	65161296	86212390	49.005	45.683
15)	B Endosulfa...	6.797	5.941	72217950	86393657	46.592	48.840
16)	A 4,4'-DDD	6.713	5.794	63953190	79250192	50.454	47.292
17)	MA 4,4'-DDT	7.027	6.045	63549671	77991133	48.447	48.539
18)	B Endrin al...	6.927	6.120	56088883	66771463	47.208	48.844
19)	B Endosulfa...	7.162	6.344	66111187	82748103	47.344	48.218
20)	A Methoxychlor	7.502	6.620	34191087	43450188	50.544	49.054
21)	B Endrin ke...	7.646	6.849	73843952	97111507	47.755	48.280
22)	Mirex	8.120	7.030	56497196	78132258	47.182	44.062
24)	Chlordane-2	5.260f	4.370	87261152	1578558	1134.998	21.061 #
25)	Chlordane-3	5.943	4.987	82194347	104.1E6	319.948	446.368 #
26)	Chlordane-4	6.022	5.051	81801201	101.2E6	276.209	485.099 #
27)	Chlordane-5	0.000	5.941	0	86393657	N.D.	1205.595 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091824\
Data File : PL091815.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Sep 2024 16:35
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 19 01:44:39 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
Quant Title : GC Extractables
QLast Update : Mon Sep 09 19:26:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 75993235
Conc: 48.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.780 min
Delta R.T.: -0.002 min
Response: 89052368
Conc: 47.61 ng/ml




#2 alpha-BHC

R.T.: 3.997 min
Delta R.T.: -0.002 min
Response: 103782778
Conc: 48.05 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 125851453
Conc: 47.32 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.002 min
Response: 96435724
Conc: 46.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.614 min
Delta R.T.: -0.002 min
Response: 118500338
Conc: 48.18 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.002 min
Response: 93583453
Conc: 49.96 ng/ml



#4 Heptachlor


R.T.: 3.954 min
Delta R.T.: -0.002 min
Response: 117776682
Conc: 48.90 ng/ml



#5 Aldrin


R.T.: 5.260 min
Delta R.T.: -0.002 min
Response: 87261152
Conc: 46.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.234 min
Delta R.T.: -0.002 min
Response: 111698116
Conc: 48.96 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: -0.002 min
Response: 45458414
Conc: 49.95 ng/ml



#6 beta-BHC


R.T.: 3.913 min
Delta R.T.: -0.002 min
Response: 52580657
Conc: 48.13 ng/ml



#7 delta-BHC


R.T.: 4.774 min
Delta R.T.: -0.002 min
Response: 94371854
Conc: 49.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.143 min
Delta R.T.: -0.002 min
Response: 114792813
Conc: 49.89 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: -0.002 min
Response: 82259154
Conc: 49.29 ng/ml



#8 Heptachlor epoxide


R.T.: 4.737 min
Delta R.T.: -0.003 min
Response: 99228926
Conc: 47.08 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: -0.002 min
Response: 76416402
Conc: 49.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.107 min
Delta R.T.: -0.002 min
Response: 90993047
Conc: 47.16 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: -0.002 min
Response: 82194347
Conc: 49.20 ng/ml



#10 gamma-Chlordane


R.T.: 4.987 min
Delta R.T.: -0.003 min
Response: 104066620
Conc: 47.18 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: -0.001 min
Response: 81801201
Conc: 50.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.051 min
Delta R.T.: -0.003 min
Response: 101159159
Conc: 48.89 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: -0.001 min
Response: 73747637
Conc: 50.56 ng/ml



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: -0.002 min
Response: 96067807
Conc: 50.65 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: -0.001 min
Response: 80179449
Conc: 49.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.371 min
Delta R.T.: -0.003 min
Response: 98551372
Conc: 47.95 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: -0.001 min
Response: 65161296
Conc: 49.00 ng/ml



#14 Endrin


R.T.: 5.647 min
Delta R.T.: -0.002 min
Response: 86212390
Conc: 45.68 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: -0.001 min
Response: 72217950
Conc: 46.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: -0.002 min
Response: 86393657
Conc: 48.84 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: -0.001 min
Response: 63953190
Conc: 50.45 ng/ml



#16 4,4'-DDD


R.T.: 5.794 min
Delta R.T.: -0.002 min
Response: 79250192
Conc: 47.29 ng/ml



#17 4,4'-DDT


R.T.: 7.027 min
Delta R.T.: -0.001 min
Response: 63549671
Conc: 48.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.045 min
Delta R.T.: -0.003 min
Response: 77991133
Conc: 48.54 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: -0.002 min
Response: 56088883
Conc: 47.21 ng/ml



#18 Endrin aldehyde


R.T.: 6.120 min
Delta R.T.: -0.003 min
Response: 66771463
Conc: 48.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.162 min
Delta R.T.: 0.000 min
Response: 66111187
Conc: 47.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.344 min
Delta R.T.: -0.002 min
Response: 82748103
Conc: 48.22 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: 0.000 min
Response: 34191087
Conc: 50.54 ng/ml



#20 Methoxychlor


R.T.: 6.620 min
Delta R.T.: -0.002 min
Response: 43450188
Conc: 49.05 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: 0.000 min
Response: 73843952
Conc: 47.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.849 min
Delta R.T.: -0.002 min
Response: 97111507
Conc: 48.28 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: 0.000 min
Response: 56497196
Conc: 47.18 ng/ml



#22 Mirex


R.T.: 7.030 min
Delta R.T.: -0.002 min
Response: 78132258
Conc: 44.06 ng/ml



#24 Chlordane-2


R.T.: 5.260 min
Delta R.T.: 0.024 min
Response: 87261152
Conc: 1135.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.370 min
Delta R.T.: 0.011 min
Response: 1578558
Conc: 21.06 ng/ml




#25 Chlordane-3

R.T.: 5.943 min
Delta R.T.: -0.003 min
Response: 82194347
Conc: 319.95 ng/ml



#25 Chlordane-3


R.T.: 4.987 min
Delta R.T.: -0.003 min
Response: 104066620
Conc: 446.37 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 81801201
Conc: 276.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.051 min
Delta R.T.: -0.002 min
Response: 101159159
Conc: 485.10 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.941 min
Delta R.T.: -0.008 min
Response: 86393657
Conc: 1205.60 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: -0.002 min
Response: 54115157
Conc: 44.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.922 min
Delta R.T.: -0.002 min
Response: 85195472
Conc: 46.14 ng/ml