

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091824\
 Data File : PL091842.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Sep 2024 23:23
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 19 01:58:43 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
 Quant Title : GC Extractables
 QLast Update : Mon Sep 09 19:26:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.781	70377602	82978547	45.155	44.366
28)	SA Decachlor...	9.060	7.923	54413971	83433942	44.773	45.184
Target Compounds							
2)	A alpha-BHC	3.998	3.284	96981224	117.9E6	44.900	44.318
3)	MA gamma-BHC...	4.330	3.614	88827864	110.3E6	43.210	44.858
4)	MA Heptachlor	4.919	3.954	87706001	109.2E6	46.826	45.345
5)	MB Aldrin	5.262	4.234	83391075	104.7E6	44.772	45.888
6)	B beta-BHC	4.527	3.914	42515592	48918428	46.719	44.778
7)	B delta-BHC	4.775	4.143	88555407	106.9E6	46.095	46.443
8)	B Heptachlo...	5.687	4.737	79277455	93855474	47.508	44.529
9)	A Endosulfan I	6.073	5.107	72671083	85838826	46.641	44.491
10)	B gamma-Chl...	5.944	4.988	78381798	98633130	46.913	44.718
11)	B alpha-Chl...	6.023	5.051	77928430	95295683	48.348	46.059
12)	B 4,4'-DDE	6.196	5.240	70190625	92195679	48.120	48.608
13)	MA Dieldrin	6.348	5.372	76899472	93237456	47.127	45.361
14)	MA Endrin	6.578	5.647	62378874	82082301	46.912	43.494
15)	B Endosulfa...	6.797	5.942	71113864	82593607	45.880	46.692
16)	A 4,4'-DDD	6.713	5.795	62105495	76370705	48.997	45.574
17)	MA 4,4'-DDT	7.027	6.046	61733210	73386894	47.062	45.673
18)	B Endrin al...	6.927	6.121	55595318	64160805	46.792	46.934
19)	B Endosulfa...	7.161	6.344	65082491	79963108	46.608	46.595
20)	A Methoxychlor	7.503	6.621	33264468	41435663	49.174	46.780
21)	B Endrin ke...	7.647	6.850	73632899	93941353	47.618	46.704
22)	Mirex	8.121	7.031	56755175	75574983	47.397	42.620
24)	Chlordane-2	5.262f	4.371	83391075	5081348	1084.661	67.795 #
25)	Chlordane-3	5.944	4.988	78381798	98633130	305.107	423.062 #
26)	Chlordane-4	6.023	5.051	77928430	95295683	263.133	456.981 #
27)	Chlordane-5	0.000	5.942	0	82593607	N.D.	1152.567 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL091842\
Data File : PL091842.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Sep 2024 23:23
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 19 01:58:43 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090924.M
Quant Title : GC Extractables
QLast Update : Mon Sep 09 19:26:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 70377602
Conc: 45.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.781 min
Delta R.T.: -0.002 min
Response: 82978547
Conc: 44.37 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: -0.002 min
Response: 96981224
Conc: 44.90 ng/ml



#2 alpha-BHC


R.T.: 3.284 min
Delta R.T.: -0.002 min
Response: 117866123
Conc: 44.32 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.002 min
Response: 88827864
Conc: 43.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.614 min
Delta R.T.: -0.002 min
Response: 110326670
Conc: 44.86 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.002 min
Response: 87706001
Conc: 46.83 ng/ml



#4 Heptachlor


R.T.: 3.954 min
Delta R.T.: -0.002 min
Response: 109204133
Conc: 45.34 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 83391075
Conc: 44.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.234 min
Delta R.T.: -0.002 min
Response: 104693839
Conc: 45.89 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: -0.001 min
Response: 42515592
Conc: 46.72 ng/ml



#6 beta-BHC


R.T.: 3.914 min
Delta R.T.: -0.002 min
Response: 48918428
Conc: 44.78 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: -0.001 min
Response: 88555407
Conc: 46.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.143 min
Delta R.T.: -0.002 min
Response: 106852935
Conc: 46.44 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: -0.001 min
Response: 79277455
Conc: 47.51 ng/ml



#8 Heptachlor epoxide


R.T.: 4.737 min
Delta R.T.: -0.002 min
Response: 93855474
Conc: 44.53 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: -0.001 min
Response: 72671083
Conc: 46.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.107 min
Delta R.T.: -0.002 min
Response: 85838826
Conc: 44.49 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: -0.001 min
Response: 78381798
Conc: 46.91 ng/ml



#10 gamma-Chlordane


R.T.: 4.988 min
Delta R.T.: -0.002 min
Response: 98633130
Conc: 44.72 ng/ml



#11 alpha-Chlordane


R.T.: 6.023 min
Delta R.T.: 0.000 min
Response: 77928430
Conc: 48.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.051 min
Delta R.T.: -0.002 min
Response: 95295683
Conc: 46.06 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: 0.000 min
Response: 70190625
Conc: 48.12 ng/ml



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: -0.002 min
Response: 92195679
Conc: 48.61 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: -0.001 min
Response: 76899472
Conc: 47.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.372 min
Delta R.T.: -0.002 min
Response: 93237456
Conc: 45.36 ng/ml




#14 Endrin

R.T.: 6.578 min
Delta R.T.: 0.000 min
Response: 62378874
Conc: 46.91 ng/ml



#14 Endrin


R.T.: 5.647 min
Delta R.T.: -0.002 min
Response: 82082301
Conc: 43.49 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: 0.000 min
Response: 71113864
Conc: 45.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.942 min
Delta R.T.: -0.001 min
Response: 82593607
Conc: 46.69 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: -0.001 min
Response: 62105495
Conc: 49.00 ng/ml



#16 4,4'-DDD


R.T.: 5.795 min
Delta R.T.: -0.002 min
Response: 76370705
Conc: 45.57 ng/ml



#17 4,4'-DDT


R.T.: 7.027 min
Delta R.T.: -0.001 min
Response: 61733210
Conc: 47.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: -0.002 min
Response: 73386894
Conc: 45.67 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: -0.001 min
Response: 55595318
Conc: 46.79 ng/ml



#18 Endrin aldehyde


R.T.: 6.121 min
Delta R.T.: -0.001 min
Response: 64160805
Conc: 46.93 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.161 min
Delta R.T.: -0.001 min
Response: 65082491
Conc: 46.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.344 min
Delta R.T.: -0.001 min
Response: 79963108
Conc: 46.60 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.000 min
Response: 33264468
Conc: 49.17 ng/ml



#20 Methoxychlor


R.T.: 6.621 min
Delta R.T.: -0.002 min
Response: 41435663
Conc: 46.78 ng/ml



#21 Endrin ketone


R.T.: 7.647 min
Delta R.T.: 0.000 min
Response: 73632899
Conc: 47.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.850 min
Delta R.T.: -0.002 min
Response: 93941353
Conc: 46.70 ng/ml




#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 56755175
Conc: 47.40 ng/ml



#22 Mirex


R.T.: 7.031 min
Delta R.T.: -0.002 min
Response: 75574983
Conc: 42.62 ng/ml



#24 Chlordane-2


R.T.: 5.262 min
Delta R.T.: 0.026 min
Response: 83391075
Conc: 1084.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.371 min
Delta R.T.: 0.012 min
Response: 5081348
Conc: 67.80 ng/ml




#25 Chlordane-3

R.T.: 5.944 min
Delta R.T.: -0.002 min
Response: 78381798
Conc: 305.11 ng/ml



#25 Chlordane-3


R.T.: 4.988 min
Delta R.T.: -0.002 min
Response: 98633130
Conc: 423.06 ng/ml



#26 Chlordane-4


R.T.: 6.023 min
Delta R.T.: -0.005 min
Response: 77928430
Conc: 263.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.051 min
Delta R.T.: -0.001 min
Response: 95295683
Conc: 456.98 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.942 min
Delta R.T.: -0.007 min
Response: 82593607
Conc: 1152.57 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 54413971
Conc: 44.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.923 min
Delta R.T.: -0.001 min
Response: 83433942
Conc: 45.18 ng/ml