

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082218\
 Data File : PL039439.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Aug 2018 21:48
 Operator : AJ\SJ
 Sample : J4278-12
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 23 01:07:55 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081318.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 15 15:04:22 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.304	3.907	122.4E6	52426341	17.504	19.556
28)	SA Decachlor...	7.962	8.896	125.1E6	50034591	17.809	21.561
Target Compounds							
3)	MA gamma-BHC...	4.046f	0.000	15740874	0	1.484	N.D. #
6)	B beta-BHC	4.221f	0.000	22768351	0	4.901	N.D. #
7)	B delta-BHC	0.000	4.931	0	7026113	N.D.	1.765 #
9)	A Endosulfan I	5.325	0.000	9891599	0	1.130	N.D. #
15)	B Endosulfa...	6.054	0.000	6915365	0	0.795	N.D. #
19)	B Endosulfa...	6.457	0.000	46716816	0	5.741	N.D. #
20)	A Methoxychlor	6.638f	0.000	71560934	0	17.487	N.D. #
21)	B Endrin ke...	6.882f	0.000	12709345	0	1.477	N.D. #
23)	Chlordane-1	0.000	4.931	0	7026113	N.D.	56.238 #
27)	Chlordane-5	6.054	0.000	6915365	0	21.322	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082218\
Data File : PL039439.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Aug 2018 21:48
Operator : AJ\SJ
Sample : J4278-12
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 23 01:07:55 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081318.M
Quant Title : GC Extractables
QLast Update : Wed Aug 15 15:04:22 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.304 min
Delta R.T.: -0.002 min
Response: 122359439
Conc: 17.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.907 min
Delta R.T.: 0.000 min
Response: 52426341
Conc: 19.56 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.046 min
Delta R.T.: 0.037 min
Response: 15740874
Conc: 1.48 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.563 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.221 min
Delta R.T.: -0.043 min
Response: 22768351
Conc: 4.90 ng/ml

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 0.000 min
Exp R.T. : 4.726 min
Response: 0
Conc: N.D.




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 4.457 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 4.931 min
Delta R.T.: -0.008 min
Response: 7026113
Conc: 1.76 ng/ml



#9 Endosulfan I


R.T.: 5.325 min
Delta R.T.: 0.030 min
Response: 9891599
Conc: 1.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 6.102 min
Response: 0
Conc: N.D.




#15 Endosulfan II

R.T.: 6.054 min
Delta R.T.: -0.007 min
Response: 6915365
Conc: 0.80 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T. : 6.773 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.457 min
Delta R.T.: 0.017 min
Response: 46716816
Conc: 5.74 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T. : 7.117 min
Response: 0
Conc: N.D.




#20 Methoxychlor

R.T.: 6.638 min
Delta R.T.: -0.066 min
Response: 71560934
Conc: 17.49 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T. : 7.446 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 6.882 min
Delta R.T.: -0.040 min
Response: 12709345
Conc: 1.48 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 7.580 min
Response: 0
Conc: N.D.




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.145 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 4.931 min
Delta R.T.: 0.046 min
Response: 7026113
Conc: 56.24 ng/ml



#27 Chlordane-5


R.T.: 6.054 min
Delta R.T.: -0.010 min
Response: 6915365
Conc: 21.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.848 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.962 min
Delta R.T.: -0.003 min
Response: 125079613
Conc: 17.81 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.896 min
Delta R.T.: 0.000 min
Response: 50034591
Conc: 21.56 ng/ml