

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031825\
 Data File : PL094720.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Mar 2025 09:08
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 19 01:39:42 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.771	55583282	69018381	19.636	19.337
28)	SA Decachlor...	9.054	7.905	43560459	72691715	20.670	17.996
Target Compounds							
2)	A alpha-BHC	3.994	3.273	41741383	49561384	10.052	9.193
3)	MA gamma-BHC...	4.326	3.603	40175460	47704847	10.068	9.282
6)	B beta-BHC	4.525	3.904	18721129	23550481	10.146	10.602
14)	MA Endrin	6.573	5.632	107.6E6	190.1E6	38.817	43.562
16)	A 4,4'-DDD	0.000	5.780	0	6639086	N.D.	1.846 #
17)	MA 4,4'-DDT	7.023	6.030	208.5E6	387.0E6	87.658	95.983
18)	B Endrin al...	0.000	6.106	0	6363905	N.D.	1.891 #
20)	A Methoxychlor	7.500	6.605	252.8E6	467.4E6	211.141	220.342
21)	B Endrin ke...	7.641	6.834	8138685	11965672	3.079	2.507



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031825\
Data File : PL094720.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Mar 2025 09:08
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 19 01:39:42 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.538 min
Delta R.T.: 0.000 min
Response: 55583282
Conc: 19.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 2.771 min
Delta R.T.: 0.000 min
Response: 69018381
Conc: 19.34 ng/ml




#2 alpha-BHC

R.T.: 3.994 min
Delta R.T.: 0.000 min
Response: 41741383
Conc: 10.05 ng/ml



#2 alpha-BHC


R.T.: 3.273 min
Delta R.T.: 0.000 min
Response: 49561384
Conc: 9.19 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 40175460
Conc: 10.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 3.603 min
Delta R.T.: -0.001 min
Response: 47704847
Conc: 9.28 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 18721129
Conc: 10.15 ng/ml



#6 beta-BHC


R.T.: 3.904 min
Delta R.T.: -0.001 min
Response: 23550481
Conc: 10.60 ng/ml



#14 Endrin


R.T.: 6.573 min
Delta R.T.: 0.000 min
Response: 107602284
Conc: 38.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 5.632 min
Delta R.T.: -0.001 min
Response: 190091275
Conc: 43.56 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T. : 6.710 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.780 min
Delta R.T.: -0.002 min
Response: 6639086
Conc: 1.85 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: -0.001 min
Response: 208498901
Conc: 87.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 6.030 min
Delta R.T.: -0.002 min
Response: 387015142
Conc: 95.98 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T. : 6.924 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.106 min
Delta R.T.: -0.002 min
Response: 6363905
Conc: 1.89 ng/ml



#20 Methoxychlor


R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 252751103
Conc: 211.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 6.605 min
Delta R.T.: -0.002 min
Response: 467359849
Conc: 220.34 ng/ml




#21 Endrin ketone

R.T.: 7.641 min
Delta R.T.: -0.002 min
Response: 8138685
Conc: 3.08 ng/ml



#21 Endrin ketone


R.T.: 6.834 min
Delta R.T.: -0.002 min
Response: 11965672
Conc: 2.51 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: -0.002 min
Response: 43560459
Conc: 20.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 7.905 min
Delta R.T.: -0.002 min
Response: 72691715
Conc: 18.00 ng/ml