

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL053022\
 Data File : PL075250.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 May 2022 13:14
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 31 03:20:45 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052822.M
 Quant Title : GC Extractables
 QLast Update : Tue May 31 02:52:42 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.640	4.641	12924536	33000399	21.990	20.832
28)	SA Decachlor...	11.639	10.389	11904049	28235466	22.202	20.576
Target Compounds							
2)	A alpha-BHC	6.225	5.342	8163359	20641721	9.892	9.537
3)	MA gamma-BHC...	6.623	5.763	7985698	20641187	10.203	9.828
5)	MB Aldrin	0.000	6.521f	0	170188	N.D.	0.088 #
6)	B beta-BHC	6.875	6.141	4094641	10814460	10.998	11.142
7)	B delta-BHC	0.000	6.403	0	574925	N.D.	0.268 #
8)	B Heptachlo...	8.125	0.000	6320041	0	9.257	N.D. #
12)	B 4,4'-DDE	0.000	7.628	0	337411	N.D.	0.207 #
13)	MA Dieldrin	0.000	7.764	0	4640561	N.D.	2.675 #
14)	MA Endrin	9.061	8.049	29021204	76084255	54.651	48.875
15)	B Endosulfa...	9.305	8.384f	329620	332691	0.584	0.211 #
16)	A 4,4'-DDD	9.200	8.213	1259998	3334403	2.548	2.495
17)	MA 4,4'-DDT	9.520	8.474	55944597	142.3E6	96.047	99.478
18)	B Endrin al...	9.429	8.549	359438	736063	0.818	0.611 #
19)	B Endosulfa...	0.000	8.775	0	354004	N.D.	0.237 #
20)	A Methoxychlor	10.006	9.067	76386440	184.1E6	249.396	226.675
21)	B Endrin ke...	10.172	9.293	1310780	-1714283	2.135	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL053022\
Data File : PL075250.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 May 2022 13:14
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 31 03:20:45 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL052822.M
Quant Title : GC Extractables
QLast Update : Tue May 31 02:52:42 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.640 min
Delta R.T.: -0.001 min
Response: 12924536
Conc: 21.99 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.641 min
Delta R.T.: -0.001 min
Response: 33000399
Conc: 20.83 ng/ml




#2 alpha-BHC

R.T.: 6.225 min
Delta R.T.: 0.000 min
Response: 8163359
Conc: 9.89 ng/ml



#2 alpha-BHC


R.T.: 5.342 min
Delta R.T.: -0.002 min
Response: 20641721
Conc: 9.54 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.623 min
Delta R.T.: 0.000 min
Response: 7985698
Conc: 10.20 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 5.763 min
Delta R.T.: -0.001 min
Response: 20641187
Conc: 9.83 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 7.654 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 6.521 min
Delta R.T.: 0.023 min
Response: 170188
Conc: 0.09 ng/ml



#6 beta-BHC


R.T.: 6.875 min
Delta R.T.: 0.000 min
Response: 4094641
Conc: 11.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 6.141 min
Delta R.T.: -0.001 min
Response: 10814460
Conc: 11.14 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 7.146 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 6.403 min
Delta R.T.: 0.000 min
Response: 574925
Conc: 0.27 ng/ml



#8 Heptachlor epoxide


R.T.: 8.125 min
Delta R.T.: 0.003 min
Response: 6320041
Conc: 9.26 ng/ml

Instrument :
ECD_L
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 7.072 min
Response: 0
Conc: N.D.




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T. : 8.660 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 7.628 min
Delta R.T.: -0.002 min
Response: 337411
Conc: 0.21 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 8.821 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 7.764 min
Delta R.T.: 0.004 min
Response: 4640561
Conc: 2.67 ng/ml




#14 Endrin

R.T.: 9.061 min
Delta R.T.: -0.002 min
Response: 29021204
Conc: 54.65 ng/ml



#14 Endrin


R.T.: 8.049 min
Delta R.T.: -0.002 min
Response: 76084255
Conc: 48.88 ng/ml



#15 Endosulfan II


R.T.: 9.305 min
Delta R.T.: 0.009 min
Response: 329620
Conc: 0.58 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 8.384 min
Delta R.T.: 0.023 min
Response: 332691
Conc: 0.21 ng/ml




#16 4,4'-DDD

R.T.: 9.200 min
Delta R.T.: -0.001 min
Response: 1259998
Conc: 2.55 ng/ml



#16 4,4'-DDD


R.T.: 8.213 min
Delta R.T.: -0.002 min
Response: 3334403
Conc: 2.49 ng/ml



#17 4,4'-DDT


R.T.: 9.520 min
Delta R.T.: -0.001 min
Response: 55944597
Conc: 96.05 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 8.474 min
Delta R.T.: -0.002 min
Response: 142267905
Conc: 99.48 ng/ml




#18 Endrin aldehyde

R.T.: 9.429 min
Delta R.T.: -0.002 min
Response: 359438
Conc: 0.82 ng/ml



#18 Endrin aldehyde


R.T.: 8.549 min
Delta R.T.: 0.000 min
Response: 736063
Conc: 0.61 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 9.669 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 8.775 min
Delta R.T.: -0.003 min
Response: 354004
Conc: 0.24 ng/ml




#20 Methoxychlor

R.T.: 10.006 min
Delta R.T.: -0.002 min
Response: 76386440
Conc: 249.40 ng/ml



#20 Methoxychlor


R.T.: 9.067 min
Delta R.T.: -0.002 min
Response: 184071240
Conc: 226.67 ng/ml



#21 Endrin ketone


R.T.: 10.172 min
Delta R.T.: 0.001 min
Response: 1310780
Conc: 2.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 9.293 min
Delta R.T.: -0.005 min
Response: -1714283
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 11.639 min
Delta R.T.: -0.002 min
Response: 11904049
Conc: 22.20 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.389 min
Delta R.T.: -0.003 min
Response: 28235466
Conc: 20.58 ng/ml