

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062018\
 Data File : PL037138.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jun 2018 10:30
 Operator : UA\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 20 15:45:08 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL062018.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 20 13:36:45 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.337	3.937	146.5E6	50278042	18.519	18.172
28)	SA Decachlor...	8.021	8.951	117.3E6	38598181	19.437	19.455
Target Compounds							
2)	A alpha-BHC	3.768	4.316	111.9E6	32906039	9.142	8.480
3)	MA gamma-BHC...	4.044	4.596	91182541	31766661	8.840	9.198
4)	MA Heptachlor	4.298	0.000	42360896	0	4.135	N.D. #
6)	B beta-BHC	4.298	4.757	42360896	14738302	9.288	9.139
10)	B gamma-Chl...	5.169f	0.000	12922865	0	1.380	N.D. #
14)	MA Endrin	5.835	6.611	364.4E6	108.9E6	46.264	47.352
16)	A 4,4'-DDD	5.974	0.000	7665691	0	1.143	N.D. #
17)	MA 4,4'-DDT	6.205	7.033	697.6E6	222.1E6	108.055	104.873
20)	A Methoxychlor	6.755	7.488	842.2E6	260.4E6	247.766	232.605
25)	Chlordane-3	5.169	0.000	12922865	0	12.158	N.D. #
27)	Chlordane-5	5.835	0.000	364.4E6	0	2811.464	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062018\
Data File : PL037138.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jun 2018 10:30
Operator : UA\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 20 15:45:08 2018
Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL062018.M
Quant Title : GC Extractables
QLast Update : Wed Jun 20 13:36:45 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.337 min
Delta R.T.: 0.000 min
Response: 146491086
Conc: 18.52 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.937 min
Delta R.T.: 0.000 min
Response: 50278042
Conc: 18.17 ng/ml




#2 alpha-BHC

R.T.: 3.768 min
Delta R.T.: 0.000 min
Response: 111924797
Conc: 9.14 ng/ml



#2 alpha-BHC


R.T.: 4.316 min
Delta R.T.: 0.000 min
Response: 32906039
Conc: 8.48 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.044 min
Delta R.T.: 0.000 min
Response: 91182541
Conc: 8.84 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.596 min
Delta R.T.: 0.000 min
Response: 31766661
Conc: 9.20 ng/ml




#4 Heptachlor

R.T.: 4.298 min
Delta R.T.: -0.032 min
Response: 42360896
Conc: 4.13 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 5.108 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.298 min
Delta R.T.: 0.000 min
Response: 42360896
Conc: 9.29 ng/ml

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 4.757 min
Delta R.T.: 0.000 min
Response: 14738302
Conc: 9.14 ng/ml




#10 gamma-Chlordane

R.T.: 5.169 min
Delta R.T.: -0.064 min
Response: 12922865
Conc: 1.38 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.023 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.835 min
Delta R.T.: 0.000 min
Response: 364449308
Conc: 46.26 ng/ml

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 6.611 min
Delta R.T.: 0.000 min
Response: 108874304
Conc: 47.35 ng/ml




#16 4,4'-DDD

R.T.: 5.974 min
Delta R.T.: 0.004 min
Response: 7665691
Conc: 1.14 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.734 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 697636993
Conc: 108.05 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.033 min
Delta R.T.: 0.000 min
Response: 222140344
Conc: 104.87 ng/ml




#20 Methoxychlor

R.T.: 6.755 min
Delta R.T.: 0.000 min
Response: 842155813
Conc: 247.77 ng/ml



#20 Methoxychlor


R.T.: 7.488 min
Delta R.T.: 0.000 min
Response: 260364962
Conc: 232.60 ng/ml



#25 Chlordane-3


R.T.: 5.169 min
Delta R.T.: -0.064 min
Response: 12922865
Conc: 12.16 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T. : 6.023 min
Response: 0
Conc: N.D.




#27 Chlordane-5

R.T.: 5.835 min
Delta R.T.: -0.062 min
Response: 364449308
Conc: 2811.46 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.890 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.021 min
Delta R.T.: 0.000 min
Response: 117283873
Conc: 19.44 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.951 min
Delta R.T.: 0.000 min
Response: 38598181
Conc: 19.46 ng/ml