

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062018\
 Data File : PL037142.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jun 2018 11:26
 Operator : UA\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 20 11:57:51 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL062018.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 20 11:57:31 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.337	3.938	384.8E6	136.1E6	50.000	50.000
28)	SA Decachlor...	8.021	8.951	285.9E6	94293795	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.768	4.317	602.8E6	195.1E6	50.000	50.000
3)	MA gamma-BHC...	4.045	4.597	517.7E6	172.3E6	50.000	50.000
4)	MA Heptachlor	4.330	5.108	506.5E6	167.9E6	50.000	50.000
5)	MB Aldrin	4.571	5.411	507.5E6	155.1E6	50.000	50.000
6)	B beta-BHC	4.299	4.758	226.1E6	78308800	50.000	50.000
7)	B delta-BHC	4.494	4.972	527.5E6	139.6E6	50.000	50.000
8)	B Heptachlo...	5.010	5.790	457.4E6	135.7E6	50.000	50.000
9)	A Endosulfan I	5.341	6.144	414.2E6	125.2E6	50.000	50.000
10)	B gamma-Chl...	5.233	6.023	460.9E6	138.9E6	50.000	50.000
11)	B alpha-Chl...	5.290	6.097	446.1E6	140.3E6	50.000	50.000
12)	B 4,4'-DDE	5.459	6.252	435.8E6	126.4E6	50.000	50.000
13)	MA Dieldrin	5.581	6.398	442.2E6	132.0E6	50.000	50.000
14)	MA Endrin	5.835	6.612	392.3E6	113.0E6	50.000	50.000
15)	B Endosulfa...	6.110	6.814	362.1E6	116.2E6	50.000	50.000
16)	A 4,4'-DDD	5.970	6.734	330.1E6	100.2E6	50.000	50.000
17)	MA 4,4'-DDT	6.205	7.033	325.4E6	104.3E6	50.000	50.000
18)	B Endrin al...	6.278	6.937	277.7E6	96916542	50.000	50.000
19)	B Endosulfa...	6.489	7.159	325.5E6	105.0E6	50.000	50.000
20)	A Methoxychlor	6.755	7.488	168.4E6	54438462	50.000	50.000
21)	B Endrin ke...	6.974	7.623	352.4E6	98673903	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062018\
Data File : PL037142.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jun 2018 11:26
Operator : UA\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 20 11:57:51 2018
Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL062018.M
Quant Title : GC Extractables
QLast Update : Wed Jun 20 11:57:31 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.337 min
Delta R.T.: 0.000 min
Response: 384845209
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.938 min
Delta R.T.: 0.000 min
Response: 136066190
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.768 min
Delta R.T.: 0.000 min
Response: 602796862
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.317 min
Delta R.T.: 0.000 min
Response: 195142523
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.045 min
Delta R.T.: 0.000 min
Response: 517671126
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.597 min
Delta R.T.: 0.000 min
Response: 172251210
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 506498295
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.108 min
Delta R.T.: 0.000 min
Response: 167879347
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.571 min
Delta R.T.: 0.000 min
Response: 507458698
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.411 min
Delta R.T.: 0.000 min
Response: 155122556
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.299 min
Delta R.T.: 0.000 min
Response: 226090668
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.758 min
Delta R.T.: 0.000 min
Response: 78308800
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.494 min
Delta R.T.: 0.000 min
Response: 527523382
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 4.972 min
Delta R.T.: 0.000 min
Response: 139593207
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.010 min
Delta R.T.: 0.000 min
Response: 457432165
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.790 min
Delta R.T.: 0.000 min
Response: 135740801
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.341 min
Delta R.T.: 0.000 min
Response: 414208268
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.144 min
Delta R.T.: 0.000 min
Response: 125193645
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.233 min
Delta R.T.: 0.000 min
Response: 460853416
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.023 min
Delta R.T.: 0.000 min
Response: 138934696
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.290 min
Delta R.T.: 0.000 min
Response: 446050109
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.097 min
Delta R.T.: 0.000 min
Response: 140273721
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.459 min
Delta R.T.: 0.000 min
Response: 435834689
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 126402165
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.581 min
Delta R.T.: 0.000 min
Response: 442203183
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.398 min
Delta R.T.: 0.000 min
Response: 131965895
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.835 min
Delta R.T.: 0.000 min
Response: 392283560
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.612 min
Delta R.T.: 0.000 min
Response: 112998945
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.110 min
Delta R.T.: 0.000 min
Response: 362142261
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.814 min
Delta R.T.: 0.000 min
Response: 116151647
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.970 min
Delta R.T.: 0.000 min
Response: 330114347
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.734 min
Delta R.T.: 0.000 min
Response: 100234904
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 325425680
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.033 min
Delta R.T.: 0.000 min
Response: 104336369
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.278 min
Delta R.T.: 0.000 min
Response: 277747753
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.937 min
Delta R.T.: 0.000 min
Response: 96916542
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.489 min
Delta R.T.: 0.000 min
Response: 325479447
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 105023683
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.755 min
Delta R.T.: 0.000 min
Response: 168363352
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.488 min
Delta R.T.: 0.000 min
Response: 54438462
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.974 min
Delta R.T.: 0.000 min
Response: 352363939
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.623 min
Delta R.T.: 0.000 min
Response: 98673903
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.021 min
Delta R.T.: 0.000 min
Response: 285901042
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.951 min
Delta R.T.: 0.000 min
Response: 94293795
Conc: 50.00 ng/ml