

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071025\
 Data File : PL096325.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Jul 2025 20:03
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 11 02:38:04 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.829	190.5E6	265.1E6	52.196	45.926
28)	SA Decachlor...	9.020	7.995	144.1E6	229.9E6	51.218	46.098
Target Compounds							
2)	A alpha-BHC	3.985	3.335	276.1E6	393.4E6	53.683	46.642
3)	MA gamma-BHC...	4.314	3.667	266.7E6	365.0E6	53.549	46.348
4)	MA Heptachlor	4.906	4.016	246.7E6	346.8E6	53.850	45.585
5)	MB Aldrin	5.246	4.299	254.4E6	339.1E6	52.628	46.478
6)	B beta-BHC	4.500	3.963	110.9E6	157.0E6	53.348	45.840
7)	B delta-BHC	4.746	4.196	243.3E6	355.7E6	54.297	46.185
8)	B Heptachlo...	5.665	4.801	248.0E6	304.4E6	59.778	45.535
9)	A Endosulfan I	6.047	5.172	212.3E6	283.9E6	52.588	39.568
10)	B gamma-Chl...	5.919	5.053	236.3E6	321.3E6	53.406	45.778
11)	B alpha-Chl...	6.000	5.117	230.8E6	316.0E6	52.701	42.026
12)	B 4,4'-DDE	6.169	5.306	192.6E6	296.7E6	51.942	45.901
13)	MA Dieldrin	6.319	5.437	221.8E6	312.2E6	52.447	45.785
14)	MA Endrin	6.546	5.711	164.1E6	262.9E6	52.751	43.127
15)	B Endosulfa...	6.757	6.003	194.4E6	268.6E6	56.028	45.812
16)	A 4,4'-DDD	6.677	5.859	167.5E6	259.2E6	57.539	50.530
17)	MA 4,4'-DDT	6.991	6.111	152.9E6	236.8E6	50.372	41.289
18)	B Endrin al...	6.886	6.181	135.2E6	201.3E6	60.468	45.191 #
19)	B Endosulfa...	7.120	6.405	163.9E6	258.5E6	53.590	45.960
20)	A Methoxychlor	7.464	6.684	77177043	126.6E6	48.989	41.674
21)	B Endrin ke...	7.599	6.909	179.4E6	306.6E6	54.341	49.042
22)	Mirex	8.079	7.100	142.2E6	226.4E6	51.118	45.571
24)	Chlordane-2	5.246f	0.000	254.4E6	0	1299.367	N.D. #
25)	Chlordane-3	5.919	5.053	236.3E6	321.3E6	320.743	399.417
26)	Chlordane-4	6.000	5.117	230.8E6	316.0E6	257.202	420.591 #
27)	Chlordane-5	0.000	6.003	0	268.6E6	N.D.	947.737 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071025\
Data File : PL096325.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Jul 2025 20:03
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 11 02:38:04 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 190462929
Conc: 52.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.829 min
Delta R.T.: 0.000 min
Response: 265051237
Conc: 45.93 ng/ml




#2 alpha-BHC

R.T.: 3.985 min
Delta R.T.: 0.001 min
Response: 276100593
Conc: 53.68 ng/ml



#2 alpha-BHC


R.T.: 3.335 min
Delta R.T.: 0.000 min
Response: 393397867
Conc: 46.64 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.314 min
Delta R.T.: 0.000 min
Response: 266652991
Conc: 53.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.667 min
Delta R.T.: 0.000 min
Response: 365034387
Conc: 46.35 ng/ml




#4 Heptachlor

R.T.: 4.906 min
Delta R.T.: 0.000 min
Response: 246697355
Conc: 53.85 ng/ml



#4 Heptachlor


R.T.: 4.016 min
Delta R.T.: 0.000 min
Response: 346800585
Conc: 45.59 ng/ml



#5 Aldrin


R.T.: 5.246 min
Delta R.T.: 0.000 min
Response: 254390223
Conc: 52.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.299 min
Delta R.T.: 0.000 min
Response: 339083428
Conc: 46.48 ng/ml




#6 beta-BHC

R.T.: 4.500 min
Delta R.T.: 0.000 min
Response: 110899269
Conc: 53.35 ng/ml



#6 beta-BHC


R.T.: 3.963 min
Delta R.T.: 0.000 min
Response: 156952060
Conc: 45.84 ng/ml



#7 delta-BHC


R.T.: 4.746 min
Delta R.T.: 0.001 min
Response: 243323363
Conc: 54.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.196 min
Delta R.T.: 0.000 min
Response: 355711819
Conc: 46.18 ng/ml




#8 Heptachlor epoxide

R.T.: 5.665 min
Delta R.T.: 0.000 min
Response: 248027003
Conc: 59.78 ng/ml



#8 Heptachlor epoxide


R.T.: 4.801 min
Delta R.T.: 0.000 min
Response: 304394173
Conc: 45.53 ng/ml



#9 Endosulfan I


R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 212312820
Conc: 52.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.172 min
Delta R.T.: 0.000 min
Response: 283863257
Conc: 39.57 ng/ml




#10 gamma-Chlordane

R.T.: 5.919 min
Delta R.T.: 0.000 min
Response: 236308851
Conc: 53.41 ng/ml



#10 gamma-Chlordane


R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 321346042
Conc: 45.78 ng/ml



#11 alpha-Chlordane


R.T.: 6.000 min
Delta R.T.: 0.000 min
Response: 230768119
Conc: 52.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.117 min
Delta R.T.: -0.001 min
Response: 316043200
Conc: 42.03 ng/ml




#12 4,4'-DDE

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 192573780
Conc: 51.94 ng/ml



#12 4,4'-DDE


R.T.: 5.306 min
Delta R.T.: 0.000 min
Response: 296690967
Conc: 45.90 ng/ml



#13 Dieldrin


R.T.: 6.319 min
Delta R.T.: 0.000 min
Response: 221765158
Conc: 52.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.437 min
Delta R.T.: 0.000 min
Response: 312218232
Conc: 45.78 ng/ml




#14 Endrin

R.T.: 6.546 min
Delta R.T.: 0.000 min
Response: 164065782
Conc: 52.75 ng/ml



#14 Endrin


R.T.: 5.711 min
Delta R.T.: 0.000 min
Response: 262923527
Conc: 43.13 ng/ml



#15 Endosulfan II


R.T.: 6.757 min
Delta R.T.: 0.000 min
Response: 194420286
Conc: 56.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.003 min
Delta R.T.: 0.000 min
Response: 268636442
Conc: 45.81 ng/ml




#16 4,4'-DDD

R.T.: 6.677 min
Delta R.T.: 0.000 min
Response: 167536965
Conc: 57.54 ng/ml



#16 4,4'-DDD


R.T.: 5.859 min
Delta R.T.: 0.000 min
Response: 259151950
Conc: 50.53 ng/ml



#17 4,4'-DDT


R.T.: 6.991 min
Delta R.T.: 0.000 min
Response: 152890079
Conc: 50.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.111 min
Delta R.T.: -0.001 min
Response: 236796310
Conc: 41.29 ng/ml




#18 Endrin aldehyde

R.T.: 6.886 min
Delta R.T.: 0.000 min
Response: 135178934
Conc: 60.47 ng/ml



#18 Endrin aldehyde


R.T.: 6.181 min
Delta R.T.: 0.000 min
Response: 201309109
Conc: 45.19 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.120 min
Delta R.T.: 0.000 min
Response: 163923266
Conc: 53.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.405 min
Delta R.T.: 0.000 min
Response: 258497624
Conc: 45.96 ng/ml




#20 Methoxychlor

R.T.: 7.464 min
Delta R.T.: 0.000 min
Response: 77177043
Conc: 48.99 ng/ml



#20 Methoxychlor


R.T.: 6.684 min
Delta R.T.: -0.001 min
Response: 126597175
Conc: 41.67 ng/ml



#21 Endrin ketone


R.T.: 7.599 min
Delta R.T.: 0.000 min
Response: 179414709
Conc: 54.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.909 min
Delta R.T.: 0.000 min
Response: 306620533
Conc: 49.04 ng/ml




#22 Mirex

R.T.: 8.079 min
Delta R.T.: 0.000 min
Response: 142222588
Conc: 51.12 ng/ml



#22 Mirex


R.T.: 7.100 min
Delta R.T.: -0.001 min
Response: 226404637
Conc: 45.57 ng/ml



#24 Chlordane-2


R.T.: 5.246 min
Delta R.T.: 0.029 min
Response: 254390223
Conc: 1299.37 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.420 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.919 min
Delta R.T.: -0.001 min
Response: 236308851
Conc: 320.74 ng/ml



#25 Chlordane-3


R.T.: 5.053 min
Delta R.T.: -0.002 min
Response: 321346042
Conc: 399.42 ng/ml



#26 Chlordane-4


R.T.: 6.000 min
Delta R.T.: -0.005 min
Response: 230768119
Conc: 257.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.117 min
Delta R.T.: 0.000 min
Response: 316043200
Conc: 420.59 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.841 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.003 min
Delta R.T.: -0.009 min
Response: 268636442
Conc: 947.74 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.020 min
Delta R.T.: 0.000 min
Response: 144080629
Conc: 51.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.995 min
Delta R.T.: -0.001 min
Response: 229868503
Conc: 46.10 ng/ml