

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081124\
 Data File : PL090950.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Aug 2024 05:33
 Operator : AR\AJ
 Sample : P3478-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 10 05:48:22 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080524.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 06 10:55:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.787	41963241	36605676	21.673	21.174
28)	SA Decachlor...	9.056	7.927	28739714	32674959	20.003	19.576
Target Compounds							
2)	A alpha-BHC	4.000	3.290	156.7E6	149.6E6	56.739	60.723
3)	MA gamma-BHC...	4.333	3.620	86808127	141.6E6	33.006	60.494 #
4)	MA Heptachlor	4.921	3.960	126.4E6	123.3E6	51.098	53.173
5)	MB Aldrin	5.263	4.240	118.5E6	118.5E6	49.298	53.427
6)	B beta-BHC	4.528	3.919	68843673	62192053	54.686	58.471
7)	B delta-BHC	4.776	4.149	140.4E6	137.0E6	56.072	61.283
8)	B Heptachlo...	5.689	4.743	127.5E6	117.9E6	56.090	57.834
9)	A Endosulfan I	6.074	5.113	116.8E6	111.2E6	55.722	57.563
10)	B gamma-Chl...	5.944	4.993	126.9E6	122.9E6	56.168	57.537
11)	B alpha-Chl...	6.024	5.057	123.8E6	122.1E6	55.282	57.228
12)	B 4,4'-DDE	6.196	5.246	111.3E6	109.7E6	56.158	58.477
13)	MA Dieldrin	6.348	5.377	121.0E6	120.4E6	55.161	58.303
14)	MA Endrin	6.578	5.652	102.4E6	108.9E6	55.905	59.597
15)	B Endosulfa...	6.797	5.946	107.1E6	104.9E6	53.415	57.740
16)	A 4,4'-DDD	6.712	5.800	89949377	89843291	54.562	57.899
17)	MA 4,4'-DDT	7.026	6.050	100.6E6	99264842	56.410	59.860
18)	B Endrin al...	6.926	6.126	80330838	79227801	53.339	55.959
19)	B Endosulfa...	7.160	6.348	99143879	100.8E6	55.276	57.762
20)	A Methoxychlor	7.501	6.625	53204530	52855823	55.756	57.263
21)	B Endrin ke...	7.645	6.853	109.1E6	114.6E6	55.060	57.829
22)	Mirex	8.119	7.035	83577256	93035448	53.765	55.401
23)	Chlordane-1	0.000	3.766f	0	115681	N.D.	1.716 #
24)	Chlordane-2	5.263f	4.376	118.5E6	2159487	1175.002	25.964 #
25)	Chlordane-3	5.944	4.993	126.9E6	122.9E6	385.934	548.731 #
26)	Chlordane-4	6.024	5.057	123.8E6	122.1E6	308.946	570.668 #
27)	Chlordane-5	0.000	5.725	0	105477	N.D.	1.578 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 41963241
Conc: 21.67 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.787 min
Delta R.T.: 0.000 min
Response: 36605676
Conc: 21.17 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 156723988
Conc: 56.74 ng/ml



#2 alpha-BHC


R.T.: 3.290 min
Delta R.T.: 0.000 min
Response: 149587103
Conc: 60.72 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.333 min
Delta R.T.: 0.000 min
Response: 86808127
Conc: 33.01 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.620 min
Delta R.T.: 0.000 min
Response: 141629679
Conc: 60.49 ng/ml




#4 Heptachlor

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 126368550
Conc: 51.10 ng/ml



#4 Heptachlor


R.T.: 3.960 min
Delta R.T.: -0.001 min
Response: 123284433
Conc: 53.17 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: -0.001 min
Response: 118501173
Conc: 49.30 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.240 min
Delta R.T.: -0.001 min
Response: 118453479
Conc: 53.43 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: 0.000 min
Response: 68843673
Conc: 54.69 ng/ml



#6 beta-BHC


R.T.: 3.919 min
Delta R.T.: 0.000 min
Response: 62192053
Conc: 58.47 ng/ml



#7 delta-BHC


R.T.: 4.776 min
Delta R.T.: 0.000 min
Response: 140376036
Conc: 56.07 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.149 min
Delta R.T.: 0.000 min
Response: 136954951
Conc: 61.28 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 127460801
Conc: 56.09 ng/ml



#8 Heptachlor epoxide


R.T.: 4.743 min
Delta R.T.: -0.002 min
Response: 117884769
Conc: 57.83 ng/ml



#9 Endosulfan I


R.T.: 6.074 min
Delta R.T.: -0.001 min
Response: 116803896
Conc: 55.72 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.113 min
Delta R.T.: -0.002 min
Response: 111158199
Conc: 57.56 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: -0.001 min
Response: 126915103
Conc: 56.17 ng/ml



#10 gamma-Chlordane


R.T.: 4.993 min
Delta R.T.: -0.002 min
Response: 122877353
Conc: 57.54 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 123808158
Conc: 55.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.057 min
Delta R.T.: -0.002 min
Response: 122099401
Conc: 57.23 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: -0.001 min
Response: 111325277
Conc: 56.16 ng/ml



#12 4,4'-DDE


R.T.: 5.246 min
Delta R.T.: -0.002 min
Response: 109696489
Conc: 58.48 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: -0.002 min
Response: 120986988
Conc: 55.16 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.377 min
Delta R.T.: -0.002 min
Response: 120381772
Conc: 58.30 ng/ml




#14 Endrin

R.T.: 6.578 min
Delta R.T.: -0.001 min
Response: 102386771
Conc: 55.91 ng/ml



#14 Endrin


R.T.: 5.652 min
Delta R.T.: -0.002 min
Response: 108896461
Conc: 59.60 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: -0.002 min
Response: 107115992
Conc: 53.42 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.946 min
Delta R.T.: -0.002 min
Response: 104871688
Conc: 57.74 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 89949377
Conc: 54.56 ng/ml



#16 4,4'-DDD


R.T.: 5.800 min
Delta R.T.: -0.002 min
Response: 89843291
Conc: 57.90 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 100567479
Conc: 56.41 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.050 min
Delta R.T.: -0.002 min
Response: 99264842
Conc: 59.86 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: -0.002 min
Response: 80330838
Conc: 53.34 ng/ml



#18 Endrin aldehyde


R.T.: 6.126 min
Delta R.T.: -0.002 min
Response: 79227801
Conc: 55.96 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: -0.002 min
Response: 99143879
Conc: 55.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.348 min
Delta R.T.: -0.003 min
Response: 100834715
Conc: 57.76 ng/ml




#20 Methoxychlor

R.T.: 7.501 min
Delta R.T.: -0.002 min
Response: 53204530
Conc: 55.76 ng/ml



#20 Methoxychlor


R.T.: 6.625 min
Delta R.T.: -0.003 min
Response: 52855823
Conc: 57.26 ng/ml



#21 Endrin ketone


R.T.: 7.645 min
Delta R.T.: -0.003 min
Response: 109094839
Conc: 55.06 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.853 min
Delta R.T.: -0.004 min
Response: 114611864
Conc: 57.83 ng/ml




#22 Mirex

R.T.: 8.119 min
Delta R.T.: -0.002 min
Response: 83577256
Conc: 53.77 ng/ml



#22 Mirex


R.T.: 7.035 min
Delta R.T.: -0.003 min
Response: 93035448
Conc: 55.40 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.705 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.766 min
Delta R.T.: -0.019 min
Response: 115681
Conc: 1.72 ng/ml




#24 Chlordane-2

R.T.: 5.263 min
Delta R.T.: 0.030 min
Response: 118501173
Conc: 1175.00 ng/ml



#24 Chlordane-2


R.T.: 4.376 min
Delta R.T.: 0.014 min
Response: 2159487
Conc: 25.96 ng/ml



#25 Chlordane-3


R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 126915103
Conc: 385.93 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.993 min
Delta R.T.: 0.000 min
Response: 122877353
Conc: 548.73 ng/ml




#26 Chlordane-4

R.T.: 6.024 min
Delta R.T.: -0.002 min
Response: 123808158
Conc: 308.95 ng/ml



#26 Chlordane-4


R.T.: 5.057 min
Delta R.T.: 0.002 min
Response: 122099401
Conc: 570.67 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.873 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.725 min
Delta R.T.: 0.005 min
Response: 105477
Conc: 1.58 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: -0.004 min
Response: 28739714
Conc: 20.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.927 min
Delta R.T.: -0.004 min
Response: 32674959
Conc: 19.58 ng/ml