

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081124\
 Data File : PL090957.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Aug 2024 07:51
 Operator : AR\AJ
 Sample : PB162610BL
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB162601BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 12 01:54:50 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080524.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 06 10:55:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.786	42994838	36739020	22.205	21.251
28)	SA Decachlor...	9.056	7.927	33909389	37490385	23.602	22.460
Target Compounds							
2)	A alpha-BHC	0.000	3.275f	0	343689	N.D.	0.140 #
3)	MA gamma-BHC...	0.000	3.636	0	513538	N.D.	0.219 #
4)	MA Heptachlor	0.000	3.970	0	16711	N.D.	0.007 #
5)	MB Aldrin	0.000	4.248	0	186222	N.D.	0.084 #
8)	B Heptachlo...	0.000	4.738	0	26732	N.D.	0.013 #
9)	A Endosulfan I	0.000	5.110	0	38557	N.D.	0.020 #
10)	B gamma-Chl...	0.000	5.003	0	36915	N.D.	0.017 #
11)	B alpha-Chl...	0.000	5.049	0	57382	N.D.	0.027 #
12)	B 4,4'-DDE	0.000	5.258	0	28934	N.D.	0.015 #
13)	MA Dieldrin	0.000	5.367	0	44939	N.D.	0.022 #
14)	MA Endrin	0.000	5.648	0	8047	N.D.	0.004 #
15)	B Endosulfa...	0.000	5.956	0	19198	N.D.	0.011 #
16)	A 4,4'-DDD	0.000	5.798	0	36800	N.D.	0.024 #
17)	MA 4,4'-DDT	0.000	6.053	0	1380	N.D.	0.001 #
18)	B Endrin al...	0.000	6.124	0	62778	N.D.	0.044 #
19)	B Endosulfa...	0.000	6.346	0	21999	N.D.	0.013 #
21)	B Endrin ke...	0.000	6.839f	0	5859	N.D.	0.003 #
22)	Mirex	0.000	7.064f	0	103205	N.D.	0.061 #
23)	Chlordane-1	0.000	3.772	0	49902	N.D.	0.740 #
24)	Chlordane-2	0.000	4.338f	0	728012	N.D.	8.753 #
25)	Chlordane-3	0.000	5.003	0	36915	N.D.	0.165 #
26)	Chlordane-4	0.000	5.049	0	57382	N.D.	0.268 #
27)	Chlordane-5	0.000	5.748f	0	888802	N.D.	13.299 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081124\
Data File : PL090957.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Aug 2024 07:51
Operator : AR\AJ
Sample : PB162610BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB162601BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 12 01:54:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080524.M
Quant Title : GC Extractables
QLast Update : Tue Aug 06 10:55:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 42994838
Conc: 22.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#1 Tetrachloro-m-xylene

R.T.: 2.786 min
Delta R.T.: 0.000 min
Response: 36739020
Conc: 21.25 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 4.001 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.275 min
Delta R.T.: -0.015 min
Response: 343689
Conc: 0.14 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.333 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#3 gamma-BHC (Lindane)

R.T.: 3.636 min
Delta R.T.: 0.015 min
Response: 513538
Conc: 0.22 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.922 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.970 min
Delta R.T.: 0.009 min
Response: 16711
Conc: 0.01 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.264 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#5 Aldrin

R.T.: 4.248 min
Delta R.T.: 0.007 min
Response: 186222
Conc: 0.08 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.690 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.738 min
Delta R.T.: -0.006 min
Response: 26732
Conc: 0.01 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.075 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#9 Endosulfan I

R.T.: 5.110 min
Delta R.T.: -0.004 min
Response: 38557
Conc: 0.02 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.945 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 5.003 min
Delta R.T.: 0.008 min
Response: 36915
Conc: 0.02 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.024 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: -0.009 min
Response: 57382
Conc: 0.03 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.197 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.258 min
Delta R.T.: 0.010 min
Response: 28934
Conc: 0.02 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.350 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#13 Dieldrin

R.T.: 5.367 min
Delta R.T.: -0.012 min
Response: 44939
Conc: 0.02 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.580 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.648 min
Delta R.T.: -0.006 min
Response: 8047
Conc: 0.00 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.799 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#15 Endosulfan II

R.T.: 5.956 min
Delta R.T.: 0.008 min
Response: 19198
Conc: 0.01 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.714 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.798 min
Delta R.T.: -0.004 min
Response: 36800
Conc: 0.02 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.028 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#17 4,4'-DDT

R.T.: 6.053 min
Delta R.T.: 0.000 min
Response: 1380
Conc: 0.00 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.929 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.124 min
Delta R.T.: -0.004 min
Response: 62778
Conc: 0.04 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 7.163 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#19 Endosulfan Sulfate

R.T.: 6.346 min
Delta R.T.: -0.005 min
Response: 21999
Conc: 0.01 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.648 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 6.839 min
Delta R.T.: -0.018 min
Response: 5859
Conc: 0.00 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.121 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#22 Mirex

R.T.: 7.064 min
Delta R.T.: 0.026 min
Response: 103205
Conc: 0.06 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.705 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.772 min
Delta R.T.: -0.013 min
Response: 49902
Conc: 0.74 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.233 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#24 Chlordane-2

R.T.: 4.338 min
Delta R.T.: -0.024 min
Response: 728012
Conc: 8.75 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.943 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 5.003 min
Delta R.T.: 0.011 min
Response: 36915
Conc: 0.16 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162601BL




#26 Chlordane-4

R.T.: 5.049 min
Delta R.T.: -0.006 min
Response: 57382
Conc: 0.27 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.873 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.748 min
Delta R.T.: 0.028 min
Response: 888802
Conc: 13.30 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: -0.004 min
Response: 33909389
Conc: 23.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB162601BL



#28 Decachlorobiphenyl

R.T.: 7.927 min
Delta R.T.: -0.005 min
Response: 37490385
Conc: 22.46 ng/ml