

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081124\
 Data File : PL090967.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Aug 2024 10:07
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 12 01:58:40 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080524.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 06 10:55:36 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.787	46445687	40365921	23.988	23.349
28)	SA Decachlor...	9.061	7.931	36085934	36586116	25.116	21.919
Target Compounds							
2)	A alpha-BHC	0.000	3.276	0	94134	N.D.	0.038 #
3)	MA gamma-BHC...	0.000	3.637f	0	699419	N.D.	0.299 #
4)	MA Heptachlor	4.914	0.000	5639782	0	2.280	N.D. #
5)	MB Aldrin	0.000	4.263f	0	836745	N.D.	0.377 #
7)	B delta-BHC	0.000	4.147	0	77741	N.D.	0.035 #
8)	B Heptachlo...	5.687	4.767f	5591591	23996	2.461	0.012 #
9)	A Endosulfan I	0.000	5.140f	0	60490	N.D.	0.031 #
10)	B gamma-Chl...	0.000	4.994	0	84296	N.D.	0.039 #
11)	B alpha-Chl...	0.000	5.057	0	309857	N.D.	0.145 #
12)	B 4,4'-DDE	0.000	5.247	0	213854	N.D.	0.114 #
13)	MA Dieldrin	0.000	5.367	0	126250	N.D.	0.061 #
14)	MA Endrin	0.000	5.672f	0	217642	N.D.	0.119 #
15)	B Endosulfa...	0.000	5.947	0	72449	N.D.	0.040 #
16)	A 4,4'-DDD	0.000	5.798	0	41110	N.D.	0.026 #
17)	MA 4,4'-DDT	0.000	6.055	0	80653	N.D.	0.049 #
18)	B Endrin al...	0.000	6.134	0	41513	N.D.	0.029 #
19)	B Endosulfa...	0.000	6.348	0	153006	N.D.	0.088 #
22)	Mirex	0.000	7.037	0	24931	N.D.	0.015 #
23)	Chlordane-1	0.000	3.782	0	79808	N.D.	1.184 #
24)	Chlordane-2	0.000	4.342f	0	1191066	N.D.	14.320 #
25)	Chlordane-3	0.000	4.994	0	84296	N.D.	0.376 #
26)	Chlordane-4	0.000	5.057	0	309857	N.D.	1.448 #
27)	Chlordane-5	0.000	5.709	0	21658	N.D.	0.324 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081124\
Data File : PL090967.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Aug 2024 10:07
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 12 01:58:40 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080524.M
Quant Title : GC Extractables
QLast Update : Tue Aug 06 10:55:36 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 46445687
Conc: 23.99 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.787 min
Delta R.T.: 0.000 min
Response: 40365921
Conc: 23.35 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 4.001 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.276 min
Delta R.T.: -0.015 min
Response: 94134
Conc: 0.04 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T. : 4.333 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.637 min
Delta R.T.: 0.016 min
Response: 699419
Conc: 0.30 ng/ml




#4 Heptachlor

R.T.: 4.914 min
Delta R.T.: -0.009 min
Response: 5639782
Conc: 2.28 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T. : 3.961 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.264 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.263 min
Delta R.T.: 0.021 min
Response: 836745
Conc: 0.38 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.776 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 4.147 min
Delta R.T.: -0.003 min
Response: 77741
Conc: 0.03 ng/ml



#8 Heptachlor epoxide


R.T.: 5.687 min
Delta R.T.: -0.003 min
Response: 5591591
Conc: 2.46 ng/ml

Instrument :
ECD_L
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 4.767 min
Delta R.T.: 0.022 min
Response: 23996
Conc: 0.01 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 6.075 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 5.140 min
Delta R.T.: 0.026 min
Response: 60490
Conc: 0.03 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.945 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#10 gamma-Chlordane

R.T.: 4.994 min
Delta R.T.: 0.000 min
Response: 84296
Conc: 0.04 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 6.024 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.057 min
Delta R.T.: -0.001 min
Response: 309857
Conc: 0.15 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 6.197 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#12 4,4'-DDE

R.T.: 5.247 min
Delta R.T.: 0.000 min
Response: 213854
Conc: 0.11 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 6.350 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 5.367 min
Delta R.T.: -0.013 min
Response: 126250
Conc: 0.06 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.580 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 5.672 min
Delta R.T.: 0.018 min
Response: 217642
Conc: 0.12 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T.: 6.799 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 5.947 min
Delta R.T.: -0.002 min
Response: 72449
Conc: 0.04 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.714 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#16 4,4'-DDD

R.T.: 5.798 min
Delta R.T.: -0.004 min
Response: 41110
Conc: 0.03 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 7.028 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.055 min
Delta R.T.: 0.003 min
Response: 80653
Conc: 0.05 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.929 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#18 Endrin aldehyde

R.T.: 6.134 min
Delta R.T.: 0.006 min
Response: 41513
Conc: 0.03 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 7.163 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.348 min
Delta R.T.: -0.002 min
Response: 153006
Conc: 0.09 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.121 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#22 Mirex

R.T.: 7.037 min
Delta R.T.: -0.002 min
Response: 24931
Conc: 0.01 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.705 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.782 min
Delta R.T.: -0.003 min
Response: 79808
Conc: 1.18 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.233 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 4.342 min
Delta R.T.: -0.020 min
Response: 1191066
Conc: 14.32 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.943 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 4.994 min
Delta R.T.: 0.002 min
Response: 84296
Conc: 0.38 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.057 min
Delta R.T.: 0.002 min
Response: 309857
Conc: 1.45 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.873 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.709 min
Delta R.T.: -0.011 min
Response: 21658
Conc: 0.32 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.061 min
Delta R.T.: 0.000 min
Response: 36085934
Conc: 25.12 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.931 min
Delta R.T.: 0.000 min
Response: 36586116
Conc: 21.92 ng/ml