

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090923\
 Data File : PL085186.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Sep 2023 14:10
 Operator : AR\AJ
 Sample : PB155362BSD
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB155362BSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 07 17:57:19 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090523.M
 Quant Title : GC Extractables
 QLast Update : Tue Sep 05 15:22:36 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.476	2.684	40362622	19071762	16.502	16.786
2)	SA Decachlor...	9.027	7.864	31802907	24707720	19.777	18.562
Target Compounds							
2)	A alpha-BHC	3.934	3.189	182.2E6	89964173	52.887	55.007
3)	MA gamma-BHC...	4.268	3.519	167.1E6	83716659	50.330	52.454
4)	MA Heptachlor	4.860	3.860	175.3E6	84195133	53.154	55.478
5)	MB Aldrin	5.203	4.140	156.9E6	81033404	51.016	53.009
6)	B beta-BHC	4.468	3.822	71123048	35305714	50.324	52.032
7)	B delta-BHC	4.714	4.050	159.9E6	83328636	50.603	53.291
8)	B Heptachlo...	5.633	4.646	139.5E6	74527964	53.458	54.309
9)	A Endosulfan I	6.019	5.016	127.0E6	72427185	52.890	52.854
10)	B gamma-Chl...	5.890	4.899	137.3E6	76342061	52.870	55.348
11)	B alpha-Chl...	5.970	4.963	134.5E6	76630761	52.267	51.279
12)	B 4,4'-DDE	6.149	5.161	114.3E6	70347775	54.969	56.547
13)	MA Dieldrin	6.296	5.283	126.0E6	75124929	51.706	53.437
14)	MA Endrin	6.526	5.559	106.2E6	68503978	51.419	53.593
15)	B Endosulfa...	6.746	5.856	102.1E6	63920195	50.469	51.623
16)	A 4,4'-DDD	6.668	5.719	87594994	60982207	56.893	58.045
17)	MA 4,4'-DDT	6.984	5.971	94460753	64199817	56.073	55.067
18)	B Endrin al...	6.877	6.038	79816835	54539999	51.926	53.396
19)	B Endosulfa...	7.113	6.263	100.1E6	66749442	53.472	55.625
20)	A Methoxychlor	7.466	6.556	47623763	35192449	52.414	52.314
21)	B Endrin ke...	7.598	6.768	103.7E6	80213754	52.951	54.383
22)	Mirex	8.073	6.948	85081317	61803637	51.086	52.189



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090923\
Data File : PL085186.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Sep 2023 14:10
Operator : AR\AJ
Sample : PB155362BSD
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB155362BSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 07 17:57:19 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090523.M
Quant Title : GC Extractables
QLast Update : Tue Sep 05 15:22:36 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.476 min
Delta R.T.: 0.000 min
Response: 40362622
Conc: 16.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#1 Tetrachloro-m-xylene

R.T.: 2.684 min
Delta R.T.: 0.000 min
Response: 19071762
Conc: 16.79 ng/ml




#2 alpha-BHC

R.T.: 3.934 min
Delta R.T.: 0.000 min
Response: 182239431
Conc: 52.89 ng/ml



#2 alpha-BHC


R.T.: 3.189 min
Delta R.T.: 0.000 min
Response: 89964173
Conc: 55.01 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.268 min
Delta R.T.: 0.000 min
Response: 167079487
Conc: 50.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#3 gamma-BHC (Lindane)

R.T.: 3.519 min
Delta R.T.: 0.000 min
Response: 83716659
Conc: 52.45 ng/ml




#4 Heptachlor

R.T.: 4.860 min
Delta R.T.: 0.000 min
Response: 175266992
Conc: 53.15 ng/ml



#4 Heptachlor


R.T.: 3.860 min
Delta R.T.: 0.000 min
Response: 84195133
Conc: 55.48 ng/ml



#5 Aldrin


R.T.: 5.203 min
Delta R.T.: 0.000 min
Response: 156867501
Conc: 51.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#5 Aldrin

R.T.: 4.140 min
Delta R.T.: 0.000 min
Response: 81033404
Conc: 53.01 ng/ml




#6 beta-BHC

R.T.: 4.468 min
Delta R.T.: 0.000 min
Response: 71123048
Conc: 50.32 ng/ml



#6 beta-BHC


R.T.: 3.822 min
Delta R.T.: 0.000 min
Response: 35305714
Conc: 52.03 ng/ml



#7 delta-BHC


R.T.: 4.714 min
Delta R.T.: 0.000 min
Response: 159934714
Conc: 50.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#7 delta-BHC

R.T.: 4.050 min
Delta R.T.: 0.000 min
Response: 83328636
Conc: 53.29 ng/ml




#8 Heptachlor epoxide

R.T.: 5.633 min
Delta R.T.: 0.000 min
Response: 139521519
Conc: 53.46 ng/ml



#8 Heptachlor epoxide


R.T.: 4.646 min
Delta R.T.: 0.000 min
Response: 74527964
Conc: 54.31 ng/ml



#9 Endosulfan I


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 127024743
Conc: 52.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#9 Endosulfan I

R.T.: 5.016 min
Delta R.T.: 0.000 min
Response: 72427185
Conc: 52.85 ng/ml




#10 gamma-Chlordane

R.T.: 5.890 min
Delta R.T.: 0.000 min
Response: 137344825
Conc: 52.87 ng/ml



#10 gamma-Chlordane


R.T.: 4.899 min
Delta R.T.: 0.000 min
Response: 76342061
Conc: 55.35 ng/ml



#11 alpha-Chlordane


R.T.: 5.970 min
Delta R.T.: 0.000 min
Response: 134484380
Conc: 52.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#11 alpha-Chlordane

R.T.: 4.963 min
Delta R.T.: 0.000 min
Response: 76630761
Conc: 51.28 ng/ml




#12 4,4'-DDE

R.T.: 6.149 min
Delta R.T.: 0.000 min
Response: 114264242
Conc: 54.97 ng/ml



#12 4,4'-DDE


R.T.: 5.161 min
Delta R.T.: 0.000 min
Response: 70347775
Conc: 56.55 ng/ml



#13 Dieldrin


R.T.: 6.296 min
Delta R.T.: 0.000 min
Response: 125981963
Conc: 51.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#13 Dieldrin

R.T.: 5.283 min
Delta R.T.: 0.000 min
Response: 75124929
Conc: 53.44 ng/ml




#14 Endrin

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 106213099
Conc: 51.42 ng/ml



#14 Endrin


R.T.: 5.559 min
Delta R.T.: 0.000 min
Response: 68503978
Conc: 53.59 ng/ml



#15 Endosulfan II


R.T.: 6.746 min
Delta R.T.: 0.000 min
Response: 102125974
Conc: 50.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#15 Endosulfan II

R.T.: 5.856 min
Delta R.T.: 0.000 min
Response: 63920195
Conc: 51.62 ng/ml




#16 4,4'-DDD

R.T.: 6.668 min
Delta R.T.: 0.000 min
Response: 87594994
Conc: 56.89 ng/ml



#16 4,4'-DDD


R.T.: 5.719 min
Delta R.T.: 0.000 min
Response: 60982207
Conc: 58.04 ng/ml



#17 4,4'-DDT


R.T.: 6.984 min
Delta R.T.: 0.000 min
Response: 94460753
Conc: 56.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#17 4,4'-DDT

R.T.: 5.971 min
Delta R.T.: 0.000 min
Response: 64199817
Conc: 55.07 ng/ml




#18 Endrin aldehyde

R.T.: 6.877 min
Delta R.T.: 0.000 min
Response: 79816835
Conc: 51.93 ng/ml



#18 Endrin aldehyde


R.T.: 6.038 min
Delta R.T.: 0.000 min
Response: 54539999
Conc: 53.40 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.113 min
Delta R.T.: 0.000 min
Response: 100088918
Conc: 53.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#19 Endosulfan Sulfate

R.T.: 6.263 min
Delta R.T.: 0.000 min
Response: 66749442
Conc: 55.62 ng/ml




#20 Methoxychlor

R.T.: 7.466 min
Delta R.T.: 0.000 min
Response: 47623763
Conc: 52.41 ng/ml



#20 Methoxychlor


R.T.: 6.556 min
Delta R.T.: 0.000 min
Response: 35192449
Conc: 52.31 ng/ml



#21 Endrin ketone


R.T.: 7.598 min
Delta R.T.: 0.000 min
Response: 103724645
Conc: 52.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD




#21 Endrin ketone

R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 80213754
Conc: 54.38 ng/ml




#22 Mirex

R.T.: 8.073 min
Delta R.T.: 0.000 min
Response: 85081317
Conc: 51.09 ng/ml



#22 Mirex


R.T.: 6.948 min
Delta R.T.: 0.000 min
Response: 61803637
Conc: 52.19 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.027 min
Delta R.T.: 0.000 min
Response: 31802907
Conc: 19.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB155362BSD



#28 Decachlorobiphenyl

R.T.: 7.864 min
Delta R.T.: 0.000 min
Response: 24707720
Conc: 18.56 ng/ml