

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL092225\
 Data File : PL097328.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Sep 2025 18:11
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 23 01:47:30 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092025.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 19 05:40:25 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.527	2.824	232.0E6	322.4E6	51.248	49.032
2)	SA Decachlor...	9.001	7.984	159.5E6	230.5E6	48.729	40.496
Target Compounds							
2)	A alpha-BHC	3.974	3.329	362.2E6	499.4E6	51.831	50.157
3)	MA gamma-BHC...	4.302	3.661	340.0E6	462.3E6	51.413	49.634
4)	MA Heptachlor	4.892	4.009	332.4E6	447.4E6	49.840	48.077
5)	MB Aldrin	5.232	4.291	318.6E6	428.3E6	50.303	49.349
6)	B beta-BHC	4.489	3.957	141.1E6	196.9E6	51.762	48.472
7)	B delta-BHC	0.000	4.189	0	457.6E6	N.D.	49.783 #
8)	B Heptachlo...	5.651	4.792	289.5E6	388.1E6	50.367	48.925
9)	A Endosulfan I	6.033	5.163	252.6E6	363.4E6	48.750	47.298
10)	B gamma-Chl...	5.905	5.044	282.8E6	425.3E6	50.028	48.697
11)	B alpha-Chl...	5.986	5.108	277.1E6	406.0E6	48.784	48.919
12)	B 4,4'-DDE	6.156	5.297	240.2E6	372.2E6	50.406	48.428
13)	MA Dieldrin	6.305	5.427	267.8E6	395.0E6	48.858	48.307
14)	MA Endrin	6.531	5.702	214.4E6	334.6E6	46.481	44.546
15)	B Endosulfa...	6.745	5.994	230.4E6	328.0E6	46.849	46.131
16)	A 4,4'-DDD	6.664	5.849	196.3E6	311.7E6	52.066	48.328
17)	MA 4,4'-DDT	6.979	6.102	192.9E6	303.4E6	45.633	43.844
18)	B Endrin al...	6.874	6.172	149.5E6	235.9E6	48.491	44.193
19)	B Endosulfa...	7.107	6.396	196.2E6	311.1E6	48.060	45.418
20)	A Methoxychlor	7.452	6.674	91835427	154.7E6	44.038	41.036
21)	B Endrin ke...	7.587	6.899	207.6E6	333.6E6	48.909	44.299
22)	Mirex	8.065	7.089	158.3E6	248.2E6	44.594	41.509
24)	Chlordane-2	5.232f	0.000	318.6E6	0	1435.363	N.D. #
25)	Chlordane-3	5.905	5.044	282.8E6	425.3E6	346.767	475.625 #
26)	Chlordane-4	5.986	5.108	277.1E6	406.0E6	277.027	533.192 #
27)	Chlordane-5	0.000	5.994	0	328.0E6	N.D.	1100.001 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.527 min
Delta R.T.: 0.000 min
Response: 232006208
Conc: 51.25 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.824 min
Delta R.T.: 0.000 min
Response: 322411497
Conc: 49.03 ng/ml




#2 alpha-BHC

R.T.: 3.974 min
Delta R.T.: 0.000 min
Response: 362166874
Conc: 51.83 ng/ml



#2 alpha-BHC


R.T.: 3.329 min
Delta R.T.: 0.000 min
Response: 499438547
Conc: 50.16 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.302 min
Delta R.T.: 0.000 min
Response: 340001779
Conc: 51.41 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.661 min
Delta R.T.: 0.000 min
Response: 462324501
Conc: 49.63 ng/ml




#4 Heptachlor

R.T.: 4.892 min
Delta R.T.: 0.000 min
Response: 332438832
Conc: 49.84 ng/ml



#4 Heptachlor


R.T.: 4.009 min
Delta R.T.: 0.000 min
Response: 447365231
Conc: 48.08 ng/ml



#5 Aldrin


R.T.: 5.232 min
Delta R.T.: 0.000 min
Response: 318612721
Conc: 50.30 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.291 min
Delta R.T.: 0.000 min
Response: 428318820
Conc: 49.35 ng/ml




#6 beta-BHC

R.T.: 4.489 min
Delta R.T.: 0.000 min
Response: 141113869
Conc: 51.76 ng/ml



#6 beta-BHC


R.T.: 3.957 min
Delta R.T.: 0.000 min
Response: 196896293
Conc: 48.47 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.735 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.189 min
Delta R.T.: 0.000 min
Response: 457620588
Conc: 49.78 ng/ml




#8 Heptachlor epoxide

R.T.: 5.651 min
Delta R.T.: 0.000 min
Response: 289455354
Conc: 50.37 ng/ml



#8 Heptachlor epoxide


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 388051666
Conc: 48.93 ng/ml



#9 Endosulfan I


R.T.: 6.033 min
Delta R.T.: 0.000 min
Response: 252590524
Conc: 48.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 363420538
Conc: 47.30 ng/ml




#10 gamma-Chlordane

R.T.: 5.905 min
Delta R.T.: 0.000 min
Response: 282836453
Conc: 50.03 ng/ml



#10 gamma-Chlordane


R.T.: 5.044 min
Delta R.T.: 0.000 min
Response: 425312106
Conc: 48.70 ng/ml



#11 alpha-Chlordane


R.T.: 5.986 min
Delta R.T.: 0.000 min
Response: 277089307
Conc: 48.78 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.108 min
Delta R.T.: 0.000 min
Response: 406049396
Conc: 48.92 ng/ml




#12 4,4'-DDE

R.T.: 6.156 min
Delta R.T.: 0.000 min
Response: 240168887
Conc: 50.41 ng/ml



#12 4,4'-DDE


R.T.: 5.297 min
Delta R.T.: 0.000 min
Response: 372156411
Conc: 48.43 ng/ml



#13 Dieldrin


R.T.: 6.305 min
Delta R.T.: 0.000 min
Response: 267846651
Conc: 48.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.427 min
Delta R.T.: 0.000 min
Response: 394997288
Conc: 48.31 ng/ml




#14 Endrin

R.T.: 6.531 min
Delta R.T.: 0.000 min
Response: 214424312
Conc: 46.48 ng/ml



#14 Endrin


R.T.: 5.702 min
Delta R.T.: 0.000 min
Response: 334564862
Conc: 44.55 ng/ml



#15 Endosulfan II


R.T.: 6.745 min
Delta R.T.: 0.000 min
Response: 230419485
Conc: 46.85 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.994 min
Delta R.T.: 0.000 min
Response: 327957353
Conc: 46.13 ng/ml




#16 4,4'-DDD

R.T.: 6.664 min
Delta R.T.: 0.000 min
Response: 196315306
Conc: 52.07 ng/ml



#16 4,4'-DDD


R.T.: 5.849 min
Delta R.T.: 0.000 min
Response: 311668439
Conc: 48.33 ng/ml



#17 4,4'-DDT


R.T.: 6.979 min
Delta R.T.: 0.000 min
Response: 192901499
Conc: 45.63 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.102 min
Delta R.T.: 0.000 min
Response: 303421014
Conc: 43.84 ng/ml




#18 Endrin aldehyde

R.T.: 6.874 min
Delta R.T.: 0.000 min
Response: 149489778
Conc: 48.49 ng/ml



#18 Endrin aldehyde


R.T.: 6.172 min
Delta R.T.: 0.000 min
Response: 235874593
Conc: 44.19 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.107 min
Delta R.T.: 0.000 min
Response: 196217033
Conc: 48.06 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.396 min
Delta R.T.: 0.000 min
Response: 311102119
Conc: 45.42 ng/ml




#20 Methoxychlor

R.T.: 7.452 min
Delta R.T.: 0.000 min
Response: 91835427
Conc: 44.04 ng/ml



#20 Methoxychlor


R.T.: 6.674 min
Delta R.T.: 0.000 min
Response: 154684718
Conc: 41.04 ng/ml



#21 Endrin ketone


R.T.: 7.587 min
Delta R.T.: 0.000 min
Response: 207587285
Conc: 48.91 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.899 min
Delta R.T.: 0.000 min
Response: 333587486
Conc: 44.30 ng/ml




#22 Mirex

R.T.: 8.065 min
Delta R.T.: 0.000 min
Response: 158321492
Conc: 44.59 ng/ml



#22 Mirex


R.T.: 7.089 min
Delta R.T.: 0.000 min
Response: 248172002
Conc: 41.51 ng/ml



#24 Chlordane-2


R.T.: 5.232 min
Delta R.T.: 0.028 min
Response: 318612721
Conc: 1435.36 ng/m

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.412 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.905 min
Delta R.T.: -0.002 min
Response: 282836453
Conc: 346.77 ng/ml



#25 Chlordane-3


R.T.: 5.044 min
Delta R.T.: 0.000 min
Response: 425312106
Conc: 475.62 ng/ml



#26 Chlordane-4


R.T.: 5.986 min
Delta R.T.: -0.005 min
Response: 277089307
Conc: 277.03 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.108 min
Delta R.T.: 0.000 min
Response: 406049396
Conc: 533.19 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.828 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.994 min
Delta R.T.: -0.008 min
Response: 327957353
Conc: 1100.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.001 min
Delta R.T.: 0.000 min
Response: 159452049
Conc: 48.73 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.984 min
Delta R.T.: 0.000 min
Response: 230484749
Conc: 40.50 ng/ml