

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100620\
 Data File : PL062082.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Oct 2020 19:08
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 07 04:13:01 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 23 13:58:40 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.458	4.008	83828977	131.0E6	49.139	48.024
28)	SA Decachlor...	8.209	9.095	80852704	115.3E6	49.702	52.385
Target Compounds							
2)	A alpha-BHC	3.894	4.397	120.4E6	197.5E6	49.376	49.434
3)	MA gamma-BHC...	4.177	4.683	109.1E6	182.4E6	49.860	49.260
4)	MA Heptachlor	4.478	5.193	98669962	172.8E6	48.352	49.894
5)	MB Aldrin	4.726	5.499	91355092	161.9E6	50.632	49.991
6)	B beta-BHC	4.428	4.854	45991072	74788202	50.356	49.530
7)	B delta-BHC	4.632	5.072	102.6E6	161.6E6	50.030	63.422 #
8)	B Heptachlo...	5.169	5.887	88031592	151.4E6	50.423	61.085
9)	A Endosulfan I	5.507	6.245	81808663	137.3E6	50.485	49.699
10)	B gamma-Chl...	5.396	6.122	87490307	150.3E6	50.378	51.173
11)	B alpha-Chl...	5.454	6.195	87696092	149.0E6	50.485	49.622
12)	B 4,4'-DDE	5.619	6.353	79921411	136.7E6	50.851	50.071
13)	MA Dieldrin	5.750	6.503	84830295	140.4E6	50.437	49.484
14)	MA Endrin	6.007	6.721	69695705	105.8E6	43.801	43.379
15)	B Endosulfa...	6.279	6.931	77986820	120.7E6	48.235	46.689
16)	A 4,4'-DDD	6.134	6.844	72823865	115.4E6	55.002	51.915
17)	MA 4,4'-DDT	6.374	7.144	54745272	90708662	43.397	41.423
18)	B Endrin al...	6.448	7.056	67853267	105.5E6	48.253	49.277
19)	B Endosulfa...	6.661	7.279	76257561	114.6E6	49.292	48.920
20)	A Methoxychlor	6.921	7.605	34649472	52917696	42.855	41.999
21)	B Endrin ke...	7.151	7.752	92971292	126.9E6	54.401	54.074
22)	Mirex	7.339	8.207	67978745	90908577	48.490	51.595



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL100620\
Data File : PL062082.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Oct 2020 19:08
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 07 04:13:01 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL092320.M
Quant Title : GC Extractables
QLast Update : Wed Sep 23 13:58:40 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.458 min
Delta R.T.: 0.000 min
Response: 83828977
Conc: 49.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.008 min
Delta R.T.: 0.000 min
Response: 131020858
Conc: 48.02 ng/ml




#2 alpha-BHC

R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 120350130
Conc: 49.38 ng/ml



#2 alpha-BHC


R.T.: 4.397 min
Delta R.T.: 0.000 min
Response: 197454122
Conc: 49.43 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.177 min
Delta R.T.: 0.000 min
Response: 109054347
Conc: 49.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.683 min
Delta R.T.: 0.001 min
Response: 182355519
Conc: 49.26 ng/ml




#4 Heptachlor

R.T.: 4.478 min
Delta R.T.: 0.000 min
Response: 98669962
Conc: 48.35 ng/ml



#4 Heptachlor

R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 172775744
Conc: 49.89 ng/ml



#5 Aldrin


R.T.: 4.726 min

Delta R.T.: 0.000 min

Response: 91355092

Conc: 50.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.499 min

Delta R.T.: 0.000 min

Response: 161944558

Conc: 49.99 ng/ml




#6 beta-BHC

R.T.: 4.428 min

Delta R.T.: 0.000 min

Response: 45991072

Conc: 50.36 ng/ml




#6 beta-BHC

R.T.: 4.854 min

Delta R.T.: 0.000 min

Response: 74788202


Conc: 49.53 ng/ml



#7 delta-BHC


R.T.: 4.632 min
Delta R.T.: 0.000 min
Response: 102573028
Conc: 50.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.072 min
Delta R.T.: 0.000 min
Response: 161605189
Conc: 63.42 ng/ml




#8 Heptachlor epoxide

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 88031592
Conc: 50.42 ng/ml



#8 Heptachlor epoxide


R.T.: 5.887 min
Delta R.T.: 0.000 min
Response: 151391259
Conc: 61.09 ng/ml



#9 Endosulfan I


R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 81808663
Conc: 50.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.245 min
Delta R.T.: 0.000 min
Response: 137294557
Conc: 49.70 ng/ml




#10 gamma-Chlordane

R.T.: 5.396 min
Delta R.T.: 0.000 min
Response: 87490307
Conc: 50.38 ng/ml



#10 gamma-Chlordane


R.T.: 6.122 min
Delta R.T.: 0.000 min
Response: 150276484
Conc: 51.17 ng/ml



#11 alpha-Chlordane


R.T.: 5.454 min
Delta R.T.: -0.001 min
Response: 87696092
Conc: 50.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 149040231
Conc: 49.62 ng/ml




#12 4,4'-DDE

R.T.: 5.619 min
Delta R.T.: 0.000 min
Response: 79921411
Conc: 50.85 ng/ml



#12 4,4'-DDE


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 136682688
Conc: 50.07 ng/ml



#13 Dieldrin


R.T.: 5.750 min
Delta R.T.: 0.000 min
Response: 84830295
Conc: 50.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.503 min
Delta R.T.: 0.000 min
Response: 140381709
Conc: 49.48 ng/ml




#14 Endrin

R.T.: 6.007 min
Delta R.T.: -0.001 min
Response: 69695705
Conc: 43.80 ng/ml



#14 Endrin


R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 105827484
Conc: 43.38 ng/ml



#15 Endosulfan II


R.T.: 6.279 min
Delta R.T.: -0.001 min
Response: 77986820
Conc: 48.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.931 min
Delta R.T.: 0.000 min
Response: 120675749
Conc: 46.69 ng/ml




#16 4,4'-DDD

R.T.: 6.134 min
Delta R.T.: -0.001 min
Response: 72823865
Conc: 55.00 ng/ml



#16 4,4'-DDD


R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 115411166
Conc: 51.91 ng/ml



#17 4,4'-DDT


R.T.: 6.374 min
Delta R.T.: -0.002 min
Response: 54745272
Conc: 43.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.144 min
Delta R.T.: 0.000 min
Response: 90708662
Conc: 41.42 ng/ml




#18 Endrin aldehyde

R.T.: 6.448 min
Delta R.T.: -0.001 min
Response: 67853267
Conc: 48.25 ng/ml



#18 Endrin aldehyde


R.T.: 7.056 min
Delta R.T.: 0.000 min
Response: 105475581
Conc: 49.28 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.661 min
Delta R.T.: -0.001 min
Response: 76257561
Conc: 49.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.279 min
Delta R.T.: 0.000 min
Response: 114551645
Conc: 48.92 ng/ml




#20 Methoxychlor

R.T.: 6.921 min
Delta R.T.: -0.002 min
Response: 34649472
Conc: 42.86 ng/ml



#20 Methoxychlor


R.T.: 7.605 min
Delta R.T.: 0.000 min
Response: 52917696
Conc: 42.00 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 92971292
Conc: 54.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.752 min
Delta R.T.: 0.000 min
Response: 126911787
Conc: 54.07 ng/ml




#22 Mirex

R.T.: 7.339 min
Delta R.T.: -0.002 min
Response: 67978745
Conc: 48.49 ng/ml



#22 Mirex


R.T.: 8.207 min
Delta R.T.: 0.000 min
Response: 90908577
Conc: 51.60 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.209 min
Delta R.T.: -0.003 min
Response: 80852704
Conc: 49.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.095 min
Delta R.T.: 0.000 min
Response: 115319264
Conc: 52.39 ng/ml