

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101322\
 Data File : PL078320.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Oct 2022 12:30
 Operator : AR\AJ
 Sample : N5082-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 FLORENCE-COMP-1-FLORENCE-VOC-1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 13 23:25:05 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101222.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 12 15:30:54 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	2.621	18723400	30261925	11.329	11.449
28)	SA Decachlor...	8.903	7.718	19123839	25828836	12.388	11.882
Target Compounds							
8)	B Heptachlo...	5.569	0.000	378757	0	0.249	N.D. #
10)	B gamma-Chl...	0.000	4.812f	0	1317619	N.D.	0.440 #
11)	B alpha-Chl...	5.898	0.000	372259	0	0.208	N.D. #
12)	B 4,4'-DDE	0.000	5.045	0	414537	N.D.	0.145 #
14)	MA Endrin	0.000	5.462f	0	254464	N.D.	0.110 #
15)	B Endosulfa...	6.707f	0.000	546295	0	0.408	N.D. #
17)	MA 4,4'-DDT	0.000	5.842	0	375696	N.D.	0.166 #
21)	B Endrin ke...	7.568f	0.000	1938555	0	1.243	N.D. #
25)	Chlordane-3	0.000	4.812f	0	1317619	N.D.	4.307 #
26)	Chlordane-4	5.898	0.000	372259	0	1.166	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL101322\
Data File : PL078320.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Oct 2022 12:30
Operator : AR\AJ
Sample : N5082-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
FLORENCE-COMP-1-FLORENCE-VOC-1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 13 23:25:05 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101222.M
Quant Title : GC Extractables
QLast Update : Wed Oct 12 15:30:54 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 18723400
Conc: 11.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
FLORENCE-COMP-1-FLORENCE-VOC-1




#1 Tetrachloro-m-xylene

R.T.: 2.621 min
Delta R.T.: 0.000 min
Response: 30261925
Conc: 11.45 ng/ml




#8 Heptachlor epoxide

R.T.: 5.569 min
Delta R.T.: 0.007 min
Response: 378757
Conc: 0.25 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T. : 4.540 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.818 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
FLORENCE-COMP-1-FLORENCE-VOC-1




#10 gamma-Chlordane

R.T.: 4.812 min
Delta R.T.: 0.023 min
Response: 1317619
Conc: 0.44 ng/ml




#11 alpha-Chlordane

R.T.: 5.898 min
Delta R.T.: 0.004 min
Response: 372259
Conc: 0.21 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 4.852 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 6.075 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
FLORENCE-COMP-1-FLORENCE-VOC-1




#12 4,4'-DDE

R.T.: 5.045 min
Delta R.T.: 0.000 min
Response: 414537
Conc: 0.15 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.458 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.462 min
Delta R.T.: 0.021 min
Response: 254464
Conc: 0.11 ng/ml



#15 Endosulfan II


R.T.: 6.707 min
Delta R.T.: 0.022 min
Response: 546295
Conc: 0.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
FLORENCE-COMP-1-FLORENCE-VOC-1




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 5.737 min
Response: 0
Conc: N.D.




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T. : 6.909 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 5.842 min
Delta R.T.: -0.005 min
Response: 375696
Conc: 0.17 ng/ml



#21 Endrin ketone


R.T.: 7.568 min
Delta R.T.: 0.029 min
Response: 1938555
Conc: 1.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
FLORENCE-COMP-1-FLORENCE-VOC-1




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 6.638 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T. : 5.823 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 4.812 min
Delta R.T.: 0.021 min
Response: 1317619
Conc: 4.31 ng/ml



#26 Chlordane-4


R.T.: 5.898 min
Delta R.T.: -0.003 min
Response: 372259
Conc: 1.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
FLORENCE-COMP-1-FLORENCE-VOC-1




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 4.852 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.903 min
Delta R.T.: 0.002 min
Response: 19123839
Conc: 12.39 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.718 min
Delta R.T.: 0.002 min
Response: 25828836
Conc: 11.88 ng/ml