

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0010120\
 Data File : P0065182.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 31 Dec 2019 20:51
 Operator : AJ/MA
 Sample : PB125835BS
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB125835BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 01 02:10:49 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0123119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Dec 31 07:42:34 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.178	3.451	424077	524780	20.106	20.773
2)	SA Decachlor...	9.697	8.368	608470	768114	19.939	19.959
Target Compounds							
3)	L1 AR-1016-1	5.331	4.515	222529	267252	207.274	208.328
4)	L1 AR-1016-2	5.352	4.533	333642	380391	214.378	210.588
5)	L1 AR-1016-3	5.413	4.706	201563	207175	210.729	205.684
6)	L1 AR-1016-4	5.511	4.749	164317	130813	208.160	148.358 #
7)	L1 AR-1016-5	5.801	4.958	180033	257876	218.454	234.136
8)	L2 AR-1221-1	0.000	3.660	0	20102	N.D.	70.254 #
9)	L2 AR-1221-2	4.472	3.744	23019	30464	125.367	136.045
10)	L2 AR-1221-3	4.546	3.819	91570	113063	154.332	158.718
11)	L3 AR-1232-1	4.546	3.819	91570	113063	97.859	101.403
12)	L3 AR-1232-2	5.066	4.533	136067	380391	268.838	286.096
13)	L3 AR-1232-3	5.352	4.706	333642	207175	291.439	289.684
14)	L3 AR-1232-4	5.511	4.788	164317	218431	286.611	323.156
15)	L3 AR-1232-5	5.601	4.958	148978	257876	340.887	349.767
16)	L4 AR-1242-1	5.331	4.515	222529	267252	281.427	282.545
17)	L4 AR-1242-2	5.352	4.533	333642	380391	289.158	287.659
18)	L4 AR-1242-3	5.413	4.706	201563	207175	280.388	282.784
19)	L4 AR-1242-4	5.511	4.788	164317	218431	278.660	282.128
20)	L4 AR-1242-5	6.239	5.305	37426	193067	49.802	180.493 #
21)	L5 AR-1248-1	5.331	4.515	222529	267252	359.389	354.756
22)	L5 AR-1248-2	5.601	4.749	148978	130813	164.924	120.551 #
23)	L5 AR-1248-3	5.801	4.788	180033	218431	174.681	195.844
24)	L5 AR-1248-4	6.201	4.958	48253	257876	37.263	190.349 #
25)	L5 AR-1248-5	6.239	5.331	37426	122207	29.988	84.959 #
26)	L6 AR-1254-1	6.175	5.305	192801	193067	148.181	82.575 #
27)	L6 AR-1254-2	6.391	5.452	143624	240679	67.789	112.902 #
28)	L6 AR-1254-3	6.755	5.865	148953	400521	62.178	111.162 #
29)	L6 AR-1254-4	7.037	6.078	173609	73580	93.251	31.641 #
30)	L6 AR-1254-5	7.452	6.491	540207	693520	266.255	205.616
31)	L7 AR-1260-1	6.915	5.979	385367	552323	230.598	232.718
32)	L7 AR-1260-2	7.172	6.167	514758	672701	250.548	220.493
33)	L7 AR-1260-3	7.527	6.318	345166	571375	216.283	212.727
34)	L7 AR-1260-4	7.751	6.785	427952	498916	230.270	215.306
35)	L7 AR-1260-5	8.057	7.028	750818	1135279	211.125	209.890
36)	L8 AR-1262-1	7.527	6.582	345166	271054	137.934	182.313 #
37)	L8 AR-1262-2	8.057	7.028	750818	1135279	170.152	170.032
38)	L8 AR-1262-3	8.356	7.307	485251	257900	163.691	99.907 #
39)	L8 AR-1262-4	8.408	7.371	293722	816088	131.133	169.011 #
40)	L8 AR-1262-5	9.026	7.863	228198	266441	146.803	134.256
41)	L9 AR-1268-1	8.356	7.307	485251	257900	101.247	36.410 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0010120\
 Data File : P0065182.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 31 Dec 2019 20:51
 Operator : AJ/MA
 Sample : PB125835BS
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB125835BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 01 02:10:49 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0123119.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Dec 31 07:42:34 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.408	7.371	293722	816088	66.822	126.784 #
43) L9	AR-1268-3	0.000	7.575	0	20744	N.D.	3.959 #
44) L9	AR-1268-4	9.026	7.863	228198	266441	143.602	125.795
45) L9	AR-1268-5	9.398	8.135	56330	62386	5.160	4.199



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0010120\
Data File : P0065182.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 31 Dec 2019 20:51
Operator : AJ/MA
Sample : PB125835BS
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB125835BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 01 02:10:49 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO123119.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Dec 31 07:42:34 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.178 min
Delta R.T.: -0.001 min
Response: 424077
Conc: 20.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#1 Tetrachloro-m-xylene

R.T.: 3.451 min
Delta R.T.: -0.002 min
Response: 524780
Conc: 20.77 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.697 min
Delta R.T.: -0.002 min
Response: 608470
Conc: 19.94 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.368 min
Delta R.T.: 0.000 min
Response: 768114
Conc: 19.96 ng/ml



#3 AR-1016-1


R.T.: 5.331 min
Delta R.T.: 0.000 min
Response: 222529
Conc: 207.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#3 AR-1016-1

R.T.: 4.515 min
Delta R.T.: 0.000 min
Response: 267252
Conc: 208.33 ng/ml




#4 AR-1016-2

R.T.: 5.352 min
Delta R.T.: 0.000 min
Response: 333642
Conc: 214.38 ng/ml



#4 AR-1016-2


R.T.: 4.533 min
Delta R.T.: 0.000 min
Response: 380391
Conc: 210.59 ng/ml



#5 AR-1016-3


R.T.: 5.413 min
Delta R.T.: 0.000 min
Response: 201563
Conc: 210.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#5 AR-1016-3

R.T.: 4.706 min
Delta R.T.: 0.000 min
Response: 207175
Conc: 205.68 ng/ml




#6 AR-1016-4

R.T.: 5.511 min
Delta R.T.: 0.000 min
Response: 164317
Conc: 208.16 ng/ml



#6 AR-1016-4


R.T.: 4.749 min
Delta R.T.: 0.001 min
Response: 130813
Conc: 148.36 ng/ml



#7 AR-1016-5


R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 180033
Conc: 218.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#7 AR-1016-5

R.T.: 4.958 min
Delta R.T.: 0.000 min
Response: 257876
Conc: 234.14 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.387 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.660 min
Delta R.T.: -0.002 min
Response: 20102
Conc: 70.25 ng/ml



#9 AR-1221-2


R.T.: 4.472 min
Delta R.T.: 0.000 min
Response: 23019
Conc: 125.37 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#9 AR-1221-2

R.T.: 3.744 min
Delta R.T.: -0.001 min
Response: 30464
Conc: 136.04 ng/ml




#10 AR-1221-3

R.T.: 4.546 min
Delta R.T.: 0.000 min
Response: 91570
Conc: 154.33 ng/ml



#10 AR-1221-3


R.T.: 3.819 min
Delta R.T.: 0.000 min
Response: 113063
Conc: 158.72 ng/ml



#11 AR-1232-1


R.T.: 4.546 min
Delta R.T.: 0.000 min
Response: 91570
Conc: 97.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#11 AR-1232-1

R.T.: 3.819 min
Delta R.T.: 0.000 min
Response: 113063
Conc: 101.40 ng/ml




#12 AR-1232-2

R.T.: 5.066 min
Delta R.T.: 0.000 min
Response: 136067
Conc: 268.84 ng/ml



#12 AR-1232-2


R.T.: 4.533 min
Delta R.T.: 0.000 min
Response: 380391
Conc: 286.10 ng/ml



#13 AR-1232-3


R.T.: 5.352 min
Delta R.T.: 0.000 min
Response: 333642
Conc: 291.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#13 AR-1232-3

R.T.: 4.706 min
Delta R.T.: 0.000 min
Response: 207175
Conc: 289.68 ng/ml




#14 AR-1232-4

R.T.: 5.511 min
Delta R.T.: 0.000 min
Response: 164317
Conc: 286.61 ng/ml



#14 AR-1232-4


R.T.: 4.788 min
Delta R.T.: 0.000 min
Response: 218431
Conc: 323.16 ng/ml



#15 AR-1232-5


R.T.: 5.601 min
Delta R.T.: 0.000 min
Response: 148978
Conc: 340.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#15 AR-1232-5

R.T.: 4.958 min
Delta R.T.: 0.000 min
Response: 257876
Conc: 349.77 ng/ml




#16 AR-1242-1

R.T.: 5.331 min
Delta R.T.: -0.001 min
Response: 222529
Conc: 281.43 ng/ml



#16 AR-1242-1


R.T.: 4.515 min
Delta R.T.: 0.000 min
Response: 267252
Conc: 282.55 ng/ml



#17 AR-1242-2


R.T.: 5.352 min
Delta R.T.: 0.000 min
Response: 333642
Conc: 289.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#17 AR-1242-2

R.T.: 4.533 min
Delta R.T.: 0.000 min
Response: 380391
Conc: 287.66 ng/ml




#18 AR-1242-3

R.T.: 5.413 min
Delta R.T.: 0.000 min
Response: 201563
Conc: 280.39 ng/ml



#18 AR-1242-3


R.T.: 4.706 min
Delta R.T.: 0.000 min
Response: 207175
Conc: 282.78 ng/ml



#19 AR-1242-4


R.T.: 5.511 min
Delta R.T.: 0.000 min
Response: 164317
Conc: 278.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#19 AR-1242-4

R.T.: 4.788 min
Delta R.T.: 0.000 min
Response: 218431
Conc: 282.13 ng/ml




#20 AR-1242-5

R.T.: 6.239 min
Delta R.T.: 0.000 min
Response: 37426
Conc: 49.80 ng/ml



#20 AR-1242-5


R.T.: 5.305 min
Delta R.T.: 0.000 min
Response: 193067
Conc: 180.49 ng/ml



#21 AR-1248-1


R.T.: 5.331 min
Delta R.T.: 0.000 min
Response: 222529
Conc: 359.39 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#21 AR-1248-1

R.T.: 4.515 min
Delta R.T.: 0.000 min
Response: 267252
Conc: 354.76 ng/ml




#22 AR-1248-2

R.T.: 5.601 min
Delta R.T.: 0.000 min
Response: 148978
Conc: 164.92 ng/ml



#22 AR-1248-2


R.T.: 4.749 min
Delta R.T.: 0.003 min
Response: 130813
Conc: 120.55 ng/ml



#23 AR-1248-3


R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 180033
Conc: 174.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#23 AR-1248-3

R.T.: 4.788 min
Delta R.T.: 0.001 min
Response: 218431
Conc: 195.84 ng/ml




#24 AR-1248-4

R.T.: 6.201 min
Delta R.T.: 0.000 min
Response: 48253
Conc: 37.26 ng/ml



#24 AR-1248-4


R.T.: 4.958 min
Delta R.T.: 0.001 min
Response: 257876
Conc: 190.35 ng/ml



#25 AR-1248-5


R.T.: 6.239 min
Delta R.T.: 0.000 min
Response: 37426
Conc: 29.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#25 AR-1248-5

R.T.: 5.331 min
Delta R.T.: -0.014 min
Response: 122207
Conc: 84.96 ng/ml




#26 AR-1254-1

R.T.: 6.175 min
Delta R.T.: 0.002 min
Response: 192801
Conc: 148.18 ng/ml



#26 AR-1254-1


R.T.: 5.305 min
Delta R.T.: 0.000 min
Response: 193067
Conc: 82.58 ng/ml



#27 AR-1254-2


R.T.: 6.391 min
Delta R.T.: 0.000 min
Response: 143624
Conc: 67.79 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#27 AR-1254-2

R.T.: 5.452 min
Delta R.T.: 0.000 min
Response: 240679
Conc: 112.90 ng/ml




#28 AR-1254-3

R.T.: 6.755 min
Delta R.T.: 0.000 min
Response: 148953
Conc: 62.18 ng/ml



#28 AR-1254-3


R.T.: 5.865 min
Delta R.T.: 0.015 min
Response: 400521
Conc: 111.16 ng/ml



#29 AR-1254-4


R.T.: 7.037 min
Delta R.T.: 0.000 min
Response: 173609
Conc: 93.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#29 AR-1254-4

R.T.: 6.078 min
Delta R.T.: 0.000 min
Response: 73580
Conc: 31.64 ng/ml




#30 AR-1254-5

R.T.: 7.452 min
Delta R.T.: 0.000 min
Response: 540207
Conc: 266.25 ng/ml



#30 AR-1254-5


R.T.: 6.491 min
Delta R.T.: 0.000 min
Response: 693520
Conc: 205.62 ng/ml



#31 AR-1260-1


R.T.: 6.915 min
Delta R.T.: 0.000 min
Response: 385367
Conc: 230.60 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#31 AR-1260-1

R.T.: 5.979 min
Delta R.T.: 0.000 min
Response: 552323
Conc: 232.72 ng/ml




#32 AR-1260-2

R.T.: 7.172 min
Delta R.T.: 0.000 min
Response: 514758
Conc: 250.55 ng/ml



#32 AR-1260-2


R.T.: 6.167 min
Delta R.T.: 0.000 min
Response: 672701
Conc: 220.49 ng/ml



#33 AR-1260-3


R.T.: 7.527 min
Delta R.T.: 0.000 min
Response: 345166
Conc: 216.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#33 AR-1260-3

R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 571375
Conc: 212.73 ng/ml




#34 AR-1260-4

R.T.: 7.751 min
Delta R.T.: 0.000 min
Response: 427952
Conc: 230.27 ng/ml



#34 AR-1260-4


R.T.: 6.785 min
Delta R.T.: 0.000 min
Response: 498916
Conc: 215.31 ng/ml



#35 AR-1260-5


R.T.: 8.057 min
Delta R.T.: 0.000 min
Response: 750818
Conc: 211.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#35 AR-1260-5

R.T.: 7.028 min
Delta R.T.: 0.001 min
Response: 1135279
Conc: 209.89 ng/ml




#36 AR-1262-1

R.T.: 7.527 min
Delta R.T.: 0.000 min
Response: 345166
Conc: 137.93 ng/ml



#36 AR-1262-1


R.T.: 6.582 min
Delta R.T.: 0.001 min
Response: 271054
Conc: 182.31 ng/ml



#37 AR-1262-2


R.T.: 8.057 min
Delta R.T.: 0.000 min
Response: 750818
Conc: 170.15 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#37 AR-1262-2

R.T.: 7.028 min
Delta R.T.: 0.001 min
Response: 1135279
Conc: 170.03 ng/ml




#38 AR-1262-3

R.T.: 8.356 min
Delta R.T.: 0.014 min
Response: 485251
Conc: 163.69 ng/ml



#38 AR-1262-3


R.T.: 7.307 min
Delta R.T.: 0.000 min
Response: 257900
Conc: 99.91 ng/ml



#39 AR-1262-4


R.T.: 8.408 min
Delta R.T.: -0.017 min
Response: 293722
Conc: 131.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#39 AR-1262-4

R.T.: 7.371 min
Delta R.T.: 0.000 min
Response: 816088
Conc: 169.01 ng/ml




#40 AR-1262-5

R.T.: 9.026 min
Delta R.T.: 0.000 min
Response: 228198
Conc: 146.80 ng/ml



#40 AR-1262-5


R.T.: 7.863 min
Delta R.T.: 0.000 min
Response: 266441
Conc: 134.26 ng/ml



#41 AR-1268-1


R.T.: 8.356 min
Delta R.T.: 0.015 min
Response: 485251
Conc: 101.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#41 AR-1268-1

R.T.: 7.307 min
Delta R.T.: 0.000 min
Response: 257900
Conc: 36.41 ng/ml




#42 AR-1268-2

R.T.: 8.408 min
Delta R.T.: -0.020 min
Response: 293722
Conc: 66.82 ng/ml



#42 AR-1268-2


R.T.: 7.371 min
Delta R.T.: 0.000 min
Response: 816088
Conc: 126.78 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 8.635 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
PB125835BS




#43 AR-1268-3

R.T.: 7.575 min
Delta R.T.: 0.001 min
Response: 20744
Conc: 3.96 ng/ml




#44 AR-1268-4

R.T.: 9.026 min
Delta R.T.: 0.000 min
Response: 228198
Conc: 143.60 ng/ml



#44 AR-1268-4


R.T.: 7.863 min
Delta R.T.: 0.000 min
Response: 266441
Conc: 125.80 ng/ml



#45 AR-1268-5

R.T.: 9.398 min
Delta R.T.: 0.001 min
Response: 56330
Conc: 5.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB125835BS



#45 AR-1268-5

R.T.: 8.135 min
Delta R.T.: 0.000 min
Response: 62386
Conc: 4.20 ng/ml