

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0010420\
 Data File : P0065290.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 03 Jan 2020 23:11
 Operator : AJ/MA
 Sample : L1011-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 MC-010220-0-2-COMP-B3

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 04 04:11:33 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0010420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jan 04 04:01:28 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.167	3.440	433010	528849	23.713	24.041
2)	SA Decachlor...	9.678	8.351	606845	724508	17.910	17.471
Target Compounds							
3)	L1 AR-1016-1	0.000	4.494	0	425	N.D.	0.413 #
4)	L1 AR-1016-2	0.000	4.524	0	1230	N.D.	0.849 #
5)	L1 AR-1016-3	0.000	4.691	0	17286	N.D.	22.234 #
6)	L1 AR-1016-4	0.000	4.737	0	21586	N.D.	32.286 #
7)	L1 AR-1016-5	0.000	4.937	0	9525	N.D.	11.195 #
8)	L2 AR-1221-1	0.000	3.646	0	2484	N.D.	9.582 #
9)	L2 AR-1221-2	0.000	3.733	0	9908	N.D.	50.250 #
10)	L2 AR-1221-3	0.000	3.805	0	6090	N.D.	9.453 #
11)	L3 AR-1232-1	0.000	3.805	0	6090	N.D.	12.225 #
12)	L3 AR-1232-2	0.000	4.524	0	1230	N.D.	2.281 #
13)	L3 AR-1232-3	0.000	4.691	0	17286	N.D.	60.766 #
14)	L3 AR-1232-4	0.000	4.799	0	25546	N.D.	95.558 #
15)	L3 AR-1232-5	0.000	4.937	0	9525	N.D.	33.225 #
16)	L4 AR-1242-1	0.000	4.494	0	425	N.D.	0.624 #
17)	L4 AR-1242-2	0.000	4.524	0	1230	N.D.	1.283 #
18)	L4 AR-1242-3	0.000	4.691	0	17286	N.D.	33.724 #
19)	L4 AR-1242-4	0.000	4.799	0	25546	N.D.	48.876 #
20)	L4 AR-1242-5	6.191	5.294	147760	112690	271.350	155.050 #
21)	L5 AR-1248-1	0.000	4.494	0	425	N.D.	0.767 #
22)	L5 AR-1248-2	0.000	4.737	0	21586	N.D.	28.134 #
23)	L5 AR-1248-3	0.000	4.799	0	25546	N.D.	32.468 #
24)	L5 AR-1248-4	6.191	4.937	147760	9525	155.985	9.937 #
25)	L5 AR-1248-5	6.191	5.335	147760	49360	161.534	48.760 #
26)	L6 AR-1254-1	6.191	5.294	147760	112690	174.178	77.786 #
27)	L6 AR-1254-2	6.379	5.462	1130540	1459626	822.682	1103.494 #
28)	L6 AR-1254-3	6.754	5.855	849990	1264788	548.418	561.250
29)	L6 AR-1254-4	7.063	6.062	81782	95314	64.157	63.223
30)	L6 AR-1254-5	7.461	6.476	309009	279424	220.042	125.531 #
31)	L7 AR-1260-1	6.902	5.964	70632	143819	51.211	76.392 #
32)	L7 AR-1260-2	7.153	6.154	1601967	206130	913.049	84.845 #
33)	L7 AR-1260-3	7.514	6.302	69284	106100	49.019	49.018
34)	L7 AR-1260-4	7.735	6.770	80772	83963	46.259	41.851
35)	L7 AR-1260-5	8.043	7.011	109819	167226	32.747	33.780
36)	L8 AR-1262-1	7.514	6.567	69284	59116	41.882	62.707 #
37)	L8 AR-1262-2	8.043	7.011	109819	167226	34.293	37.217
38)	L8 AR-1262-3	8.341	7.293	80950	43640	35.560	25.929 #
39)	L8 AR-1262-4	0.000	7.355	0	130745	N.D.	38.018 #
40)	L8 AR-1262-5	0.000	7.848	0	41704	N.D.	24.457 #
41)	L9 AR-1268-1	8.341	7.293	80950	43640	19.898	8.217 #
42)	L9 AR-1268-2	0.000	7.355	0	130745	N.D.	25.740 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0010420\
 Data File : P0065290.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 03 Jan 2020 23:11
 Operator : AJ/MA
 Sample : L1011-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1


Instrument :
 ECD_O
 ClientSampleId :
 MC-010220-0-2-COMP-B3

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 04 04:11:33 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0010420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jan 04 04:01:28 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	0.000	7.559	0	33818	N.D.	7.961 #
44) L9	AR-1268-4	0.000	7.848	0	41704	N.D.	21.071 #
45) L9	AR-1268-5	0.000	8.119	0	58925	N.D.	4.098 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 4.167 min
Delta R.T.: 0.000 min
Response: 433010
Conc: 23.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#1 Tetrachloro-m-xylene

R.T.: 3.440 min
Delta R.T.: 0.000 min
Response: 528849
Conc: 24.04 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.678 min
Delta R.T.: 0.000 min
Response: 606845
Conc: 17.91 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.351 min
Delta R.T.: -0.002 min
Response: 724508
Conc: 17.47 ng/ml



#3 AR-1016-1


R.T.: 0.000 min
Exp R.T.: 5.319 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#3 AR-1016-1

R.T.: 4.494 min
Delta R.T.: -0.009 min
Response: 425
Conc: 0.41 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T.: 5.341 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 4.524 min
Delta R.T.: 0.003 min
Response: 1230
Conc: 0.85 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T. : 5.402 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#5 AR-1016-3

R.T.: 4.691 min
Delta R.T.: -0.003 min
Response: 17286
Conc: 22.23 ng/ml




#6 AR-1016-4

R.T.: 0.000 min
Exp R.T. : 5.498 min
Response: 0
Conc: N.D.



#6 AR-1016-4


R.T.: 4.737 min
Delta R.T.: 0.001 min
Response: 21586
Conc: 32.29 ng/ml



#7 AR-1016-5


R.T.: 0.000 min
Exp R.T. : 5.788 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#7 AR-1016-5

R.T.: 4.937 min
Delta R.T.: -0.008 min
Response: 9525
Conc: 11.19 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 4.375 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.646 min
Delta R.T.: -0.005 min
Response: 2484
Conc: 9.58 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T. : 4.461 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#9 AR-1221-2

R.T.: 3.733 min
Delta R.T.: 0.000 min
Response: 9908
Conc: 50.25 ng/ml




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T. : 4.536 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 3.805 min
Delta R.T.: -0.003 min
Response: 6090
Conc: 9.45 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T. : 4.535 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#11 AR-1232-1

R.T.: 3.805 min
Delta R.T.: -0.003 min
Response: 6090
Conc: 12.22 ng/ml




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T. : 5.053 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 4.524 min
Delta R.T.: 0.003 min
Response: 1230
Conc: 2.28 ng/ml



#13 AR-1232-3


R.T.: 0.000 min
Exp R.T.: 5.341 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#13 AR-1232-3

R.T.: 4.691 min
Delta R.T.: -0.002 min
Response: 17286
Conc: 60.77 ng/ml




#14 AR-1232-4

R.T.: 0.000 min
Exp R.T.: 5.499 min
Response: 0
Conc: N.D.



#14 AR-1232-4


R.T.: 4.799 min
Delta R.T.: 0.023 min
Response: 25546
Conc: 95.56 ng/ml



#15 AR-1232-5


R.T.: 0.000 min
Exp R.T. : 5.588 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#15 AR-1232-5

R.T.: 4.937 min
Delta R.T.: -0.007 min
Response: 9525
Conc: 33.23 ng/ml




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T. : 5.318 min
Response: 0
Conc: N.D.



#16 AR-1242-1


R.T.: 4.494 min
Delta R.T.: -0.008 min
Response: 425
Conc: 0.62 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T. : 5.340 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#17 AR-1242-2

R.T.: 4.524 min
Delta R.T.: 0.003 min
Response: 1230
Conc: 1.28 ng/ml




#18 AR-1242-3

R.T.: 0.000 min
Exp R.T. : 5.400 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 4.691 min
Delta R.T.: -0.002 min
Response: 17286
Conc: 33.72 ng/ml



#19 AR-1242-4


R.T.: 0.000 min
Exp R.T.: 5.498 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#19 AR-1242-4

R.T.: 4.799 min
Delta R.T.: 0.023 min
Response: 25546
Conc: 48.88 ng/ml




#20 AR-1242-5

R.T.: 6.191 min
Delta R.T.: -0.034 min
Response: 147760
Conc: 271.35 ng/ml



#20 AR-1242-5


R.T.: 5.294 min
Delta R.T.: 0.002 min
Response: 112690
Conc: 155.05 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T.: 5.320 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#21 AR-1248-1

R.T.: 4.494 min
Delta R.T.: -0.009 min
Response: 425
Conc: 0.77 ng/ml




#22 AR-1248-2

R.T.: 0.000 min
Exp R.T.: 5.589 min
Response: 0
Conc: N.D.



#22 AR-1248-2


R.T.: 4.737 min
Delta R.T.: 0.000 min
Response: 21586
Conc: 28.13 ng/ml



#23 AR-1248-3


R.T.: 0.000 min
Exp R.T.: 5.790 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#23 AR-1248-3

R.T.: 4.799 min
Delta R.T.: 0.022 min
Response: 25546
Conc: 32.47 ng/ml




#24 AR-1248-4

R.T.: 6.191 min
Delta R.T.: 0.001 min
Response: 147760
Conc: 155.99 ng/ml



#24 AR-1248-4


R.T.: 4.937 min
Delta R.T.: -0.008 min
Response: 9525
Conc: 9.94 ng/ml



#25 AR-1248-5


R.T.: 6.191 min
Delta R.T.: -0.036 min
Response: 147760
Conc: 161.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#25 AR-1248-5

R.T.: 5.335 min
Delta R.T.: 0.002 min
Response: 49360
Conc: 48.76 ng/ml




#26 AR-1254-1

R.T.: 6.191 min
Delta R.T.: 0.029 min
Response: 147760
Conc: 174.18 ng/ml



#26 AR-1254-1


R.T.: 5.294 min
Delta R.T.: 0.001 min
Response: 112690
Conc: 77.79 ng/ml



#27 AR-1254-2


R.T.: 6.379 min
Delta R.T.: 0.000 min
Response: 1130540
Conc: 822.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#27 AR-1254-2

R.T.: 5.462 min
Delta R.T.: 0.023 min
Response: 1459626
Conc: 1103.49 ng/ml




#28 AR-1254-3

R.T.: 6.754 min
Delta R.T.: 0.012 min
Response: 849990
Conc: 548.42 ng/ml



#28 AR-1254-3


R.T.: 5.855 min
Delta R.T.: 0.018 min
Response: 1264788
Conc: 561.25 ng/ml



#29 AR-1254-4


R.T.: 7.063 min
Delta R.T.: 0.037 min
Response: 81782
Conc: 64.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#29 AR-1254-4

R.T.: 6.062 min
Delta R.T.: -0.003 min
Response: 95314
Conc: 63.22 ng/ml




#30 AR-1254-5

R.T.: 7.461 min
Delta R.T.: 0.020 min
Response: 309009
Conc: 220.04 ng/ml



#30 AR-1254-5


R.T.: 6.476 min
Delta R.T.: -0.002 min
Response: 279424
Conc: 125.53 ng/ml



#31 AR-1260-1


R.T.: 6.902 min
Delta R.T.: 0.000 min
Response: 70632
Conc: 51.21 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#31 AR-1260-1

R.T.: 5.964 min
Delta R.T.: -0.001 min
Response: 143819
Conc: 76.39 ng/ml




#32 AR-1260-2

R.T.: 7.153 min
Delta R.T.: -0.006 min
Response: 1601967
Conc: 913.05 ng/ml



#32 AR-1260-2


R.T.: 6.154 min
Delta R.T.: 0.001 min
Response: 206130
Conc: 84.84 ng/ml



#33 AR-1260-3


R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 69284
Conc: 49.02 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#33 AR-1260-3

R.T.: 6.302 min
Delta R.T.: -0.002 min
Response: 106100
Conc: 49.02 ng/ml




#34 AR-1260-4

R.T.: 7.735 min
Delta R.T.: -0.002 min
Response: 80772
Conc: 46.26 ng/ml



#34 AR-1260-4


R.T.: 6.770 min
Delta R.T.: -0.001 min
Response: 83963
Conc: 41.85 ng/ml



#35 AR-1260-5


R.T.: 8.043 min
Delta R.T.: 0.000 min
Response: 109819
Conc: 32.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#35 AR-1260-5

R.T.: 7.011 min
Delta R.T.: -0.002 min
Response: 167226
Conc: 33.78 ng/ml




#36 AR-1262-1

R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 69284
Conc: 41.88 ng/ml



#36 AR-1262-1


R.T.: 6.567 min
Delta R.T.: -0.002 min
Response: 59116
Conc: 62.71 ng/ml



#37 AR-1262-2


R.T.: 8.043 min
Delta R.T.: -0.001 min
Response: 109819
Conc: 34.29 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#37 AR-1262-2

R.T.: 7.011 min
Delta R.T.: -0.003 min
Response: 167226
Conc: 37.22 ng/ml




#38 AR-1262-3

R.T.: 8.341 min
Delta R.T.: 0.011 min
Response: 80950
Conc: 35.56 ng/ml



#38 AR-1262-3


R.T.: 7.293 min
Delta R.T.: 0.000 min
Response: 43640
Conc: 25.93 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T. : 8.413 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#39 AR-1262-4

R.T.: 7.355 min
Delta R.T.: -0.003 min
Response: 130745
Conc: 38.02 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 9.010 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 7.848 min
Delta R.T.: -0.002 min
Response: 41704
Conc: 24.46 ng/ml



#41 AR-1268-1


R.T.: 8.341 min
Delta R.T.: 0.014 min
Response: 80950
Conc: 19.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#41 AR-1268-1

R.T.: 7.293 min
Delta R.T.: 0.000 min
Response: 43640
Conc: 8.22 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T. : 8.414 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.355 min
Delta R.T.: -0.003 min
Response: 130745
Conc: 25.74 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T. : 8.619 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3




#43 AR-1268-3

R.T.: 7.559 min
Delta R.T.: -0.001 min
Response: 33818
Conc: 7.96 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.010 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 7.848 min
Delta R.T.: -0.001 min
Response: 41704
Conc: 21.07 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 9.380 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
MC-010220-0-2-COMP-B3



#45 AR-1268-5

R.T.: 8.119 min
Delta R.T.: -0.002 min
Response: 58925
Conc: 4.10 ng/ml