

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0012220\
 Data File : P0065821.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 23 Jan 2020 6:22
 Operator : DD\AJ
 Sample : L1213-01
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 23 07:27:11 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0010420.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jan 04 04:01:28 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.161	3.436	626776	871672	34.324	39.626
2)	SA Decachlor...	9.657	8.334	763804	830661	22.543	20.030
Target Compounds							
3)	L1 AR-1016-1	5.310	4.493	10682	21188	12.248	20.563 #
4)	L1 AR-1016-2	5.333	4.511	25311	27676	19.733	19.098
5)	L1 AR-1016-3	5.396	4.700	14025	21367	17.801	27.483 #
6)	L1 AR-1016-4	5.489	4.727	4089	25253	6.337	37.772 #
7)	L1 AR-1016-5	5.777	4.944	13552	44163	20.443	51.903 #
8)	L2 AR-1221-1	4.341	0.000	18120	0	87.408	N.D. #
9)	L2 AR-1221-2	4.461	3.729	16325	16301	104.557	82.670
10)	L2 AR-1221-3	4.537	3.858	12783	108058	24.479	167.714 #
11)	L3 AR-1232-1	4.537	3.858	12783	108058	31.605	216.894 #
12)	L3 AR-1232-2	5.044	4.511	56960	27676	270.863	51.324 #
13)	L3 AR-1232-3	5.333	4.700	25311	21367	54.205	75.112 #
14)	L3 AR-1232-4	5.489	4.766	4089	21111	17.526	78.968 #
15)	L3 AR-1232-5	5.578	4.944	14801	44163	83.717	154.047 #
16)	L4 AR-1242-1	5.310	4.493	10682	21188	18.349	31.085 #
17)	L4 AR-1242-2	5.333	4.511	25311	27676	29.601	28.880
18)	L4 AR-1242-3	5.396	4.700	14025	21367	26.746	41.686 #
19)	L4 AR-1242-4	5.489	4.766	4089	21111	9.651	40.390 #
20)	L4 AR-1242-5	6.218	5.282	55169	78831	101.313	108.464
21)	L5 AR-1248-1	5.310	4.511	10682	27676	22.957	49.924 #
22)	L5 AR-1248-2	5.578	4.727	14801	25253	22.431	32.914 #
23)	L5 AR-1248-3	5.777	4.766	13552	21111	17.986	26.831 #
24)	L5 AR-1248-4	6.179	4.944	33129	44163	34.974	46.075 #
25)	L5 AR-1248-5	6.218	5.322	55169	25932	60.311	25.617 #
26)	L6 AR-1254-1	6.151	5.282	62314	78831	73.454	54.415 #
27)	L6 AR-1254-2	6.368	5.428	184474	63638	134.240	48.111 #
28)	L6 AR-1254-3	6.734	5.841	130020	70911	83.889	31.467 #
29)	L6 AR-1254-4	7.012	6.051	68468	50226	53.712	33.315 #
30)	L6 AR-1254-5	7.427	6.464	103413	125123	73.639	56.211
31)	L7 AR-1260-1	6.890	5.953	82779	95482	60.018	50.717
32)	L7 AR-1260-2	7.145	6.141	153752	144722	87.632	59.569 #
33)	L7 AR-1260-3	7.502	6.290	59073	94103	41.795	43.476
34)	L7 AR-1260-4	7.723	6.757	72479	54565	41.510	27.198 #
35)	L7 AR-1260-5	8.031	6.999	104525	121236	31.168	24.490
36)	L8 AR-1262-1	7.502	6.558	59073	58996	35.710	62.579 #
37)	L8 AR-1262-2	8.031	6.999	104525	121236	32.640	26.981
38)	L8 AR-1262-3	8.319	7.279	70697	42736	31.056	25.392
39)	L8 AR-1262-4	8.380	7.342	54697	101255	30.943	29.443
40)	L8 AR-1262-5	8.991	7.834	34253	35425	25.749	20.774
41)	L9 AR-1268-1	8.319	7.279	70697	42736	17.378	8.047 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0012220\
Data File : P0065821.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 23 Jan 2020 6:22
Operator : DD\AJ
Sample : L1213-01
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 23 07:27:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0010420.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Jan 04 04:01:28 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.380	7.342	54697	101255	14.212	19.934 #
43)	L9 AR-1268-3	8.601	7.542	17840	26323	5.543	6.197
44)	L9 AR-1268-4	8.991	7.834	34253	35425	22.299	17.898
45)	L9 AR-1268-5	9.358	8.104	47070	35523	4.248	2.471 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0012220\
Data File : P0065821.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 23 Jan 2020 6:22
Operator : DD\AJ
Sample : L1213-01
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 23 07:27:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0010420.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Jan 04 04:01:28 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.161 min
Delta R.T.: -0.006 min
Response: 626776
Conc: 34.32 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.436 min
Delta R.T.: -0.005 min
Response: 871672
Conc: 39.63 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.657 min
Delta R.T.: -0.021 min
Response: 763804
Conc: 22.54 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.334 min
Delta R.T.: -0.019 min
Response: 830661
Conc: 20.03 ng/ml



#3 AR-1016-1


R.T.: 5.310 min
Delta R.T.: 0.000 min
Response: 10682
Conc: 12.25 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.493 min
Delta R.T.: 0.003 min
Response: 21188
Conc: 20.56 ng/ml




#4 AR-1016-2

R.T.: 5.333 min
Delta R.T.: 0.003 min
Response: 25311
Conc: 19.73 ng/ml



#4 AR-1016-2


R.T.: 4.511 min
Delta R.T.: 0.001 min
Response: 27676
Conc: 19.10 ng/ml



#5 AR-1016-3


R.T.: 5.396 min
Delta R.T.: -0.006 min
Response: 14025
Conc: 17.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.700 min
Delta R.T.: 0.006 min
Response: 21367
Conc: 27.48 ng/ml




#6 AR-1016-4

R.T.: 5.489 min
Delta R.T.: -0.009 min
Response: 4089
Conc: 6.34 ng/ml



#6 AR-1016-4


R.T.: 4.727 min
Delta R.T.: -0.009 min
Response: 25253
Conc: 37.77 ng/ml



#7 AR-1016-5


R.T.: 5.777 min
Delta R.T.: -0.011 min
Response: 13552
Conc: 20.44 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 4.944 min
Delta R.T.: -0.001 min
Response: 44163
Conc: 51.90 ng/ml




#8 AR-1221-1

R.T.: 4.341 min
Delta R.T.: -0.035 min
Response: 18120
Conc: 87.41 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T.: 3.650 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.461 min
Delta R.T.: 0.000 min
Response: 16325
Conc: 104.56 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.729 min
Delta R.T.: -0.005 min
Response: 16301
Conc: 82.67 ng/ml




#10 AR-1221-3

R.T.: 4.537 min
Delta R.T.: 0.001 min
Response: 12783
Conc: 24.48 ng/ml



#10 AR-1221-3


R.T.: 3.858 min
Delta R.T.: 0.050 min
Response: 108058
Conc: 167.71 ng/ml



#11 AR-1232-1


R.T.: 4.537 min
Delta R.T.: 0.002 min
Response: 12783
Conc: 31.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.858 min
Delta R.T.: 0.050 min
Response: 108058
Conc: 216.89 ng/ml




#12 AR-1232-2

R.T.: 5.044 min
Delta R.T.: -0.009 min
Response: 56960
Conc: 270.86 ng/ml



#12 AR-1232-2


R.T.: 4.511 min
Delta R.T.: -0.009 min
Response: 27676
Conc: 51.32 ng/ml



#13 AR-1232-3


R.T.: 5.333 min
Delta R.T.: -0.007 min
Response: 25311
Conc: 54.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.700 min
Delta R.T.: 0.007 min
Response: 21367
Conc: 75.11 ng/ml




#14 AR-1232-4

R.T.: 5.489 min
Delta R.T.: -0.010 min
Response: 4089
Conc: 17.53 ng/ml



#14 AR-1232-4


R.T.: 4.766 min
Delta R.T.: -0.010 min
Response: 21111
Conc: 78.97 ng/ml



#15 AR-1232-5


R.T.: 5.578 min
Delta R.T.: -0.010 min
Response: 14801
Conc: 83.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 4.944 min
Delta R.T.: 0.000 min
Response: 44163
Conc: 154.05 ng/ml




#16 AR-1242-1

R.T.: 5.310 min
Delta R.T.: 0.000 min
Response: 10682
Conc: 18.35 ng/ml



#16 AR-1242-1


R.T.: 4.493 min
Delta R.T.: 0.003 min
Response: 21188
Conc: 31.08 ng/ml



#17 AR-1242-2


R.T.: 5.333 min
Delta R.T.: 0.003 min
Response: 25311
Conc: 29.60 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.511 min
Delta R.T.: 0.001 min
Response: 27676
Conc: 28.88 ng/ml




#18 AR-1242-3

R.T.: 5.396 min
Delta R.T.: -0.005 min
Response: 14025
Conc: 26.75 ng/ml



#18 AR-1242-3


R.T.: 4.700 min
Delta R.T.: 0.007 min
Response: 21367
Conc: 41.69 ng/ml



#19 AR-1242-4


R.T.: 5.489 min
Delta R.T.: -0.009 min
Response: 4089
Conc: 9.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.766 min
Delta R.T.: -0.010 min
Response: 21111
Conc: 40.39 ng/ml




#20 AR-1242-5

R.T.: 6.218 min
Delta R.T.: -0.007 min
Response: 55169
Conc: 101.31 ng/ml



#20 AR-1242-5


R.T.: 5.282 min
Delta R.T.: -0.010 min
Response: 78831
Conc: 108.46 ng/ml



#21 AR-1248-1


R.T.: 5.310 min
Delta R.T.: -0.010 min
Response: 10682
Conc: 22.96 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.511 min
Delta R.T.: 0.008 min
Response: 27676
Conc: 49.92 ng/ml




#22 AR-1248-2

R.T.: 5.578 min
Delta R.T.: -0.011 min
Response: 14801
Conc: 22.43 ng/ml



#22 AR-1248-2


R.T.: 4.727 min
Delta R.T.: -0.010 min
Response: 25253
Conc: 32.91 ng/ml



#23 AR-1248-3


R.T.: 5.777 min
Delta R.T.: -0.012 min
Response: 13552
Conc: 17.99 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.766 min
Delta R.T.: -0.011 min
Response: 21111
Conc: 26.83 ng/ml




#24 AR-1248-4

R.T.: 6.179 min
Delta R.T.: -0.011 min
Response: 33129
Conc: 34.97 ng/ml



#24 AR-1248-4


R.T.: 4.944 min
Delta R.T.: -0.001 min
Response: 44163
Conc: 46.07 ng/ml



#25 AR-1248-5


R.T.: 6.218 min
Delta R.T.: -0.009 min
Response: 55169
Conc: 60.31 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.322 min
Delta R.T.: -0.011 min
Response: 25932
Conc: 25.62 ng/ml




#26 AR-1254-1

R.T.: 6.151 min
Delta R.T.: -0.011 min
Response: 62314
Conc: 73.45 ng/ml



#26 AR-1254-1


R.T.: 5.282 min
Delta R.T.: -0.011 min
Response: 78831
Conc: 54.41 ng/ml



#27 AR-1254-2


R.T.: 6.368 min
Delta R.T.: -0.010 min
Response: 184474
Conc: 134.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.428 min
Delta R.T.: -0.011 min
Response: 63638
Conc: 48.11 ng/ml




#28 AR-1254-3

R.T.: 6.734 min
Delta R.T.: -0.008 min
Response: 130020
Conc: 83.89 ng/ml



#28 AR-1254-3


R.T.: 5.841 min
Delta R.T.: 0.004 min
Response: 70911
Conc: 31.47 ng/ml



#29 AR-1254-4


R.T.: 7.012 min
Delta R.T.: -0.013 min
Response: 68468
Conc: 53.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.051 min
Delta R.T.: -0.013 min
Response: 50226
Conc: 33.32 ng/ml




#30 AR-1254-5

R.T.: 7.427 min
Delta R.T.: -0.014 min
Response: 103413
Conc: 73.64 ng/ml



#30 AR-1254-5


R.T.: 6.464 min
Delta R.T.: -0.014 min
Response: 125123
Conc: 56.21 ng/ml



#31 AR-1260-1


R.T.: 6.890 min
Delta R.T.: -0.013 min
Response: 82779
Conc: 60.02 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 5.953 min
Delta R.T.: -0.013 min
Response: 95482
Conc: 50.72 ng/ml




#32 AR-1260-2

R.T.: 7.145 min
Delta R.T.: -0.015 min
Response: 153752
Conc: 87.63 ng/ml



#32 AR-1260-2


R.T.: 6.141 min
Delta R.T.: -0.012 min
Response: 144722
Conc: 59.57 ng/ml



#33 AR-1260-3


R.T.: 7.502 min
Delta R.T.: -0.012 min
Response: 59073
Conc: 41.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.290 min
Delta R.T.: -0.013 min
Response: 94103
Conc: 43.48 ng/ml




#34 AR-1260-4

R.T.: 7.723 min
Delta R.T.: -0.014 min
Response: 72479
Conc: 41.51 ng/ml



#34 AR-1260-4


R.T.: 6.757 min
Delta R.T.: -0.014 min
Response: 54565
Conc: 27.20 ng/ml



#35 AR-1260-5


R.T.: 8.031 min
Delta R.T.: -0.014 min
Response: 104525
Conc: 31.17 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 6.999 min
Delta R.T.: -0.015 min
Response: 121236
Conc: 24.49 ng/ml




#36 AR-1262-1

R.T.: 7.502 min
Delta R.T.: -0.013 min
Response: 59073
Conc: 35.71 ng/ml



#36 AR-1262-1


R.T.: 6.558 min
Delta R.T.: -0.010 min
Response: 58996
Conc: 62.58 ng/ml



#37 AR-1262-2


R.T.: 8.031 min
Delta R.T.: -0.014 min
Response: 104525
Conc: 32.64 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.999 min
Delta R.T.: -0.015 min
Response: 121236
Conc: 26.98 ng/ml




#38 AR-1262-3

R.T.: 8.319 min
Delta R.T.: -0.011 min
Response: 70697
Conc: 31.06 ng/ml



#38 AR-1262-3


R.T.: 7.279 min
Delta R.T.: -0.015 min
Response: 42736
Conc: 25.39 ng/ml



#39 AR-1262-4


R.T.: 8.380 min
Delta R.T.: -0.033 min
Response: 54697
Conc: 30.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.342 min
Delta R.T.: -0.017 min
Response: 101255
Conc: 29.44 ng/ml




#40 AR-1262-5

R.T.: 8.991 min
Delta R.T.: -0.019 min
Response: 34253
Conc: 25.75 ng/ml



#40 AR-1262-5


R.T.: 7.834 min
Delta R.T.: -0.016 min
Response: 35425
Conc: 20.77 ng/ml



#41 AR-1268-1


R.T.: 8.319 min
Delta R.T.: -0.008 min
Response: 70697
Conc: 17.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.279 min
Delta R.T.: -0.015 min
Response: 42736
Conc: 8.05 ng/ml




#42 AR-1268-2

R.T.: 8.380 min
Delta R.T.: -0.034 min
Response: 54697
Conc: 14.21 ng/ml



#42 AR-1268-2


R.T.: 7.342 min
Delta R.T.: -0.017 min
Response: 101255
Conc: 19.93 ng/ml



#43 AR-1268-3


R.T.: 8.601 min
Delta R.T.: -0.017 min
Response: 17840
Conc: 5.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.542 min
Delta R.T.: -0.019 min
Response: 26323
Conc: 6.20 ng/ml




#44 AR-1268-4

R.T.: 8.991 min
Delta R.T.: -0.019 min
Response: 34253
Conc: 22.30 ng/ml



#44 AR-1268-4


R.T.: 7.834 min
Delta R.T.: -0.016 min
Response: 35425
Conc: 17.90 ng/ml



#45 AR-1268-5

R.T.: 9.358 min
Delta R.T.: -0.021 min
Response: 47070
Conc: 4.25 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.104 min
Delta R.T.: -0.017 min
Response: 35523
Conc: 2.47 ng/ml