

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0012524\
 Data File : P0101299.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jan 2024 08:03
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 24 11:42:14 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0012424.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jan 24 04:51:39 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.333	3.631	69064763	46578992	17.993	18.024
2)	SA Decachlor...	10.056	8.675	44110315	37058320	18.931	19.556
Target Compounds							
3)	L1 AR-1016-1	5.503	4.729	65664	823939	0.672	11.145 #
4)	L1 AR-1016-2	5.523	4.729	59934	823939	0.436	8.360 #
5)	L1 AR-1016-3	5.576	4.921	1016918	322762	11.336	5.883 #
6)	L1 AR-1016-4	5.689	4.967	42429	912868	0.594	17.963 #
7)	L1 AR-1016-5	5.984	5.173	56747	57404	0.718	0.879
8)	L2 AR-1221-1	4.520	3.857	184435	224269	4.405	7.830 #
9)	L2 AR-1221-2	4.640	3.932	1201129	873974	37.858	39.078
10)	L2 AR-1221-3	4.725	4.006	502494	75906	5.675	1.194 #
11)	L3 AR-1232-1	4.725	4.006	502494	75906	6.646	1.391 #
12)	L3 AR-1232-2	5.231	4.729	87461	823939	1.925	17.135 #
13)	L3 AR-1232-3	5.523	4.921	59934	322762	0.895	12.309 #
14)	L3 AR-1232-4	5.689	5.007	42429	211636	1.185	7.600 #
15)	L3 AR-1232-5	5.774	5.173	415496	57404	12.179	1.877 #
16)	L4 AR-1242-1	5.503	4.729	65664	823939	0.849	14.004 #
17)	L4 AR-1242-2	5.523	4.729	59934	823939	0.553	10.625 #
18)	L4 AR-1242-3	5.576	4.921	1016918	322762	14.307	7.446 #
19)	L4 AR-1242-4	5.689	5.007	42429	211636	0.745	4.252 #
20)	L4 AR-1242-5	6.415	5.556	765533	1461709	14.265	27.594 #
21)	L5 AR-1248-1	5.503	4.729	65664	823939	1.133	18.414 #
22)	L5 AR-1248-2	5.774	4.967	415496	912868	4.126	12.983 #
23)	L5 AR-1248-3	5.984	5.007	56747	211636	0.548	2.910 #
24)	L5 AR-1248-4	6.385	5.173	466166	57404	5.133	0.675 #
25)	L5 AR-1248-5	6.415	5.556	765533	1461709	8.583	21.348 #
26)	L6 AR-1254-1	6.358	5.556	1386519	1461709	11.653	11.749
27)	L6 AR-1254-2	6.579	5.671	443769	960196	2.606	8.578 #
28)	L6 AR-1254-3	6.945	6.078	873021	148338	5.316	0.891 #
29)	L6 AR-1254-4	7.235	6.313	476016	271604	4.762	3.184 #
30)	L6 AR-1254-5	7.646	6.736	1132707	182984	9.638	1.350 #
31)	L7 AR-1260-1	7.098	6.209	541931	371392	3.800	3.010
32)	L7 AR-1260-2	7.393	6.396	695446	704751	4.748	5.154
33)	L7 AR-1260-3	7.724	6.566	364165	21614	3.119	0.168 #
34)	L7 AR-1260-4	7.915f	7.042	238083	35132	2.022	0.340 #
35)	L7 AR-1260-5	8.261	7.281	241954	168182	1.103	0.801 #
36)	L8 AR-1262-1	7.646	6.736	1132707	182984	10.136	2.257 #
37)	L8 AR-1262-2	8.261	7.042	241954	35132	0.889	0.236 #
38)	L8 AR-1262-3	8.582	7.560	439056	100236	2.257	0.976 #
39)	L8 AR-1262-4	8.659	7.630	272472	158185	1.755	0.810 #
40)	L8 AR-1262-5	9.312	8.134	47439	160437	0.505	1.915 #
41)	L9 AR-1268-1	8.582	7.560	439056	100236	1.385	0.359 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0012524\
Data File : P0101299.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jan 2024 08:03
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 24 11:42:14 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0012424.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jan 24 04:51:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.659	7.630	272472	158185	0.943	0.619 #
43)	L9 AR-1268-3	8.895	7.836	87471	183150	0.339	0.788 #
44)	L9 AR-1268-4	9.312	8.134	47439	160437	0.516	1.888 #
45)	L9 AR-1268-5	9.719	8.416	282388	473974	0.352	0.720 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO012524\
Data File : PO101299.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jan 2024 08:03
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 24 11:42:14 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO012424.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jan 24 04:51:39 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.333 min
Delta R.T.: -0.001 min
Response: 69064763
Conc: 17.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.631 min
Delta R.T.: 0.000 min
Response: 46578992
Conc: 18.02 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.056 min
Delta R.T.: -0.001 min
Response: 44110315
Conc: 18.93 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.675 min
Delta R.T.: 0.000 min
Response: 37058320
Conc: 19.56 ng/ml



#3 AR-1016-1


R.T.: 5.503 min
Delta R.T.: 0.003 min
Response: 65664
Conc: 0.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#3 AR-1016-1

R.T.: 4.729 min
Delta R.T.: 0.006 min
Response: 823939
Conc: 11.15 ng/ml




#4 AR-1016-2

R.T.: 5.523 min
Delta R.T.: 0.000 min
Response: 59934
Conc: 0.44 ng/ml



#4 AR-1016-2


R.T.: 4.729 min
Delta R.T.: -0.013 min
Response: 823939
Conc: 8.36 ng/ml



#5 AR-1016-3


R.T.: 5.576 min
Delta R.T.: -0.009 min
Response: 1016918
Conc: 11.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#5 AR-1016-3

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 322762
Conc: 5.88 ng/ml




#6 AR-1016-4

R.T.: 5.689 min
Delta R.T.: 0.006 min
Response: 42429
Conc: 0.59 ng/ml



#6 AR-1016-4


R.T.: 4.967 min
Delta R.T.: 0.006 min
Response: 912868
Conc: 17.96 ng/ml



#7 AR-1016-5


R.T.: 5.984 min
Delta R.T.: 0.005 min
Response: 56747
Conc: 0.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#7 AR-1016-5

R.T.: 5.173 min
Delta R.T.: -0.004 min
Response: 57404
Conc: 0.88 ng/ml




#8 AR-1221-1

R.T.: 4.520 min
Delta R.T.: -0.021 min
Response: 184435
Conc: 4.40 ng/ml



#8 AR-1221-1


R.T.: 3.857 min
Delta R.T.: 0.012 min
Response: 224269
Conc: 7.83 ng/ml



#9 AR-1221-2


R.T.: 4.640 min
Delta R.T.: 0.011 min
Response: 1201129
Conc: 37.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#9 AR-1221-2

R.T.: 3.932 min
Delta R.T.: 0.000 min
Response: 873974
Conc: 39.08 ng/ml




#10 AR-1221-3

R.T.: 4.725 min
Delta R.T.: 0.021 min
Response: 502494
Conc: 5.67 ng/ml



#10 AR-1221-3


R.T.: 4.006 min
Delta R.T.: -0.003 min
Response: 75906
Conc: 1.19 ng/ml



#11 AR-1232-1


R.T.: 4.725 min
Delta R.T.: 0.022 min
Response: 502494
Conc: 6.65 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#11 AR-1232-1

R.T.: 4.006 min
Delta R.T.: -0.002 min
Response: 75906
Conc: 1.39 ng/ml




#12 AR-1232-2

R.T.: 5.231 min
Delta R.T.: -0.002 min
Response: 87461
Conc: 1.92 ng/ml



#12 AR-1232-2


R.T.: 4.729 min
Delta R.T.: -0.013 min
Response: 823939
Conc: 17.13 ng/ml



#13 AR-1232-3


R.T.: 5.523 min
Delta R.T.: 0.000 min
Response: 59934
Conc: 0.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#13 AR-1232-3

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 322762
Conc: 12.31 ng/ml




#14 AR-1232-4

R.T.: 5.689 min
Delta R.T.: 0.005 min
Response: 42429
Conc: 1.19 ng/ml



#14 AR-1232-4


R.T.: 5.007 min
Delta R.T.: 0.003 min
Response: 211636
Conc: 7.60 ng/ml



#15 AR-1232-5


R.T.: 5.774 min
Delta R.T.: 0.000 min
Response: 415496
Conc: 12.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#15 AR-1232-5

R.T.: 5.173 min
Delta R.T.: -0.004 min
Response: 57404
Conc: 1.88 ng/ml




#16 AR-1242-1

R.T.: 5.503 min
Delta R.T.: 0.003 min
Response: 65664
Conc: 0.85 ng/ml



#16 AR-1242-1


R.T.: 4.729 min
Delta R.T.: 0.006 min
Response: 823939
Conc: 14.00 ng/ml



#17 AR-1242-2


R.T.: 5.523 min
Delta R.T.: 0.000 min
Response: 59934
Conc: 0.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#17 AR-1242-2

R.T.: 4.729 min
Delta R.T.: -0.013 min
Response: 823939
Conc: 10.63 ng/ml




#18 AR-1242-3

R.T.: 5.576 min
Delta R.T.: -0.009 min
Response: 1016918
Conc: 14.31 ng/ml



#18 AR-1242-3


R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 322762
Conc: 7.45 ng/ml



#19 AR-1242-4


R.T.: 5.689 min
Delta R.T.: 0.006 min
Response: 42429
Conc: 0.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#19 AR-1242-4

R.T.: 5.007 min
Delta R.T.: 0.003 min
Response: 211636
Conc: 4.25 ng/ml




#20 AR-1242-5

R.T.: 6.415 min
Delta R.T.: -0.006 min
Response: 765533
Conc: 14.27 ng/ml



#20 AR-1242-5


R.T.: 5.556 min
Delta R.T.: 0.025 min
Response: 1461709
Conc: 27.59 ng/ml



#21 AR-1248-1


R.T.: 5.503 min
Delta R.T.: 0.002 min
Response: 65664
Conc: 1.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#21 AR-1248-1

R.T.: 4.729 min
Delta R.T.: 0.006 min
Response: 823939
Conc: 18.41 ng/ml




#22 AR-1248-2

R.T.: 5.774 min
Delta R.T.: 0.000 min
Response: 415496
Conc: 4.13 ng/ml



#22 AR-1248-2


R.T.: 4.967 min
Delta R.T.: 0.005 min
Response: 912868
Conc: 12.98 ng/ml



#23 AR-1248-3


R.T.: 5.984 min
Delta R.T.: 0.005 min
Response: 56747
Conc: 0.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#23 AR-1248-3

R.T.: 5.007 min
Delta R.T.: 0.003 min
Response: 211636
Conc: 2.91 ng/ml




#24 AR-1248-4

R.T.: 6.385 min
Delta R.T.: 0.001 min
Response: 466166
Conc: 5.13 ng/ml



#24 AR-1248-4


R.T.: 5.173 min
Delta R.T.: -0.005 min
Response: 57404
Conc: 0.68 ng/ml



#25 AR-1248-5


R.T.: 6.415 min
Delta R.T.: -0.007 min
Response: 765533
Conc: 8.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#25 AR-1248-5

R.T.: 5.556 min
Delta R.T.: -0.017 min
Response: 1461709
Conc: 21.35 ng/ml




#26 AR-1254-1

R.T.: 6.358 min
Delta R.T.: 0.000 min
Response: 1386519
Conc: 11.65 ng/ml



#26 AR-1254-1


R.T.: 5.556 min
Delta R.T.: 0.024 min
Response: 1461709
Conc: 11.75 ng/ml



#27 AR-1254-2


R.T.: 6.579 min
Delta R.T.: 0.003 min
Response: 443769
Conc: 2.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#27 AR-1254-2

R.T.: 5.671 min
Delta R.T.: -0.009 min
Response: 960196
Conc: 8.58 ng/ml




#28 AR-1254-3

R.T.: 6.945 min
Delta R.T.: 0.001 min
Response: 873021
Conc: 5.32 ng/ml



#28 AR-1254-3


R.T.: 6.078 min
Delta R.T.: -0.010 min
Response: 148338
Conc: 0.89 ng/ml



#29 AR-1254-4


R.T.: 7.235 min
Delta R.T.: 0.006 min
Response: 476016
Conc: 4.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#29 AR-1254-4

R.T.: 6.313 min
Delta R.T.: -0.005 min
Response: 271604
Conc: 3.18 ng/ml




#30 AR-1254-5

R.T.: 7.646 min
Delta R.T.: -0.004 min
Response: 1132707
Conc: 9.64 ng/ml



#30 AR-1254-5


R.T.: 6.736 min
Delta R.T.: -0.002 min
Response: 182984
Conc: 1.35 ng/ml



#31 AR-1260-1


R.T.: 7.098 min
Delta R.T.: -0.010 min
Response: 541931
Conc: 3.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#31 AR-1260-1

R.T.: 6.209 min
Delta R.T.: -0.008 min
Response: 371392
Conc: 3.01 ng/ml




#32 AR-1260-2

R.T.: 7.393 min
Delta R.T.: 0.028 min
Response: 695446
Conc: 4.75 ng/ml



#32 AR-1260-2


R.T.: 6.396 min
Delta R.T.: -0.010 min
Response: 704751
Conc: 5.15 ng/ml



#33 AR-1260-3


R.T.: 7.724 min
Delta R.T.: -0.002 min
Response: 364165
Conc: 3.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#33 AR-1260-3

R.T.: 6.566 min
Delta R.T.: 0.005 min
Response: 21614
Conc: 0.17 ng/ml




#34 AR-1260-4

R.T.: 7.915 min
Delta R.T.: -0.037 min
Response: 238083
Conc: 2.02 ng/ml



#34 AR-1260-4


R.T.: 7.042 min
Delta R.T.: 0.007 min
Response: 35132
Conc: 0.34 ng/ml



#35 AR-1260-5


R.T.: 8.261 min
Delta R.T.: -0.006 min
Response: 241954
Conc: 1.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#35 AR-1260-5

R.T.: 7.281 min
Delta R.T.: 0.002 min
Response: 168182
Conc: 0.80 ng/ml




#36 AR-1262-1

R.T.: 7.646 min
Delta R.T.: 0.000 min
Response: 1132707
Conc: 10.14 ng/ml



#36 AR-1262-1


R.T.: 6.736 min
Delta R.T.: 0.000 min
Response: 182984
Conc: 2.26 ng/ml



#37 AR-1262-2


R.T.: 8.261 min
Delta R.T.: -0.006 min
Response: 241954
Conc: 0.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#37 AR-1262-2

R.T.: 7.042 min
Delta R.T.: 0.007 min
Response: 35132
Conc: 0.24 ng/ml




#38 AR-1262-3

R.T.: 8.582 min
Delta R.T.: 0.005 min
Response: 439056
Conc: 2.26 ng/ml



#38 AR-1262-3


R.T.: 7.560 min
Delta R.T.: -0.002 min
Response: 100236
Conc: 0.98 ng/ml



#39 AR-1262-4


R.T.: 8.659 min
Delta R.T.: -0.006 min
Response: 272472
Conc: 1.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#39 AR-1262-4

R.T.: 7.630 min
Delta R.T.: 0.002 min
Response: 158185
Conc: 0.81 ng/ml




#40 AR-1262-5

R.T.: 9.312 min
Delta R.T.: -0.002 min
Response: 47439
Conc: 0.51 ng/ml



#40 AR-1262-5


R.T.: 8.134 min
Delta R.T.: 0.010 min
Response: 160437
Conc: 1.91 ng/ml



#41 AR-1268-1


R.T.: 8.582 min
Delta R.T.: 0.008 min
Response: 439056
Conc: 1.38 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#41 AR-1268-1

R.T.: 7.560 min
Delta R.T.: -0.003 min
Response: 100236
Conc: 0.36 ng/ml




#42 AR-1268-2

R.T.: 8.659 min
Delta R.T.: -0.009 min
Response: 272472
Conc: 0.94 ng/ml



#42 AR-1268-2


R.T.: 7.630 min
Delta R.T.: 0.002 min
Response: 158185
Conc: 0.62 ng/ml



#43 AR-1268-3


R.T.: 8.895 min
Delta R.T.: 0.003 min
Response: 87471
Conc: 0.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#43 AR-1268-3

R.T.: 7.836 min
Delta R.T.: 0.002 min
Response: 183150
Conc: 0.79 ng/ml




#44 AR-1268-4

R.T.: 9.312 min
Delta R.T.: 0.000 min
Response: 47439
Conc: 0.52 ng/ml



#44 AR-1268-4


R.T.: 8.134 min
Delta R.T.: 0.009 min
Response: 160437
Conc: 1.89 ng/ml



#45 AR-1268-5

R.T.: 9.719 min
Delta R.T.: -0.005 min
Response: 282388
Conc: 0.35 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK



#45 AR-1268-5

R.T.: 8.416 min
Delta R.T.: -0.003 min
Response: 473974
Conc: 0.72 ng/ml