

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0012821\
 Data File : P0075285.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 28 Jan 2021 20:36
 Operator : AJ/MA
 Sample : AR1254ICV500
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 ICVPO012821AR1254

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 29 07:53:56 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0012821.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 29 07:43:22 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.924	3.995	5227891	2501989	51.658	52.058
2)	SA Decachlor...	10.937	9.245	5333805	2656141	55.318	54.746
Target Compounds							
3)	L1 AR-1016-1	6.247	5.238	66596	29670	16.857	15.290
4)	L1 AR-1016-2	6.272	5.258	79558	22364	14.511	8.341 #
5)	L1 AR-1016-3	6.337	5.449	35449	18025	10.847	12.557
6)	L1 AR-1016-4	6.444	5.501	34553	636213	12.564	530.831 #
7)	L1 AR-1016-5	6.760	5.727	702628	386397	263.767	265.141
9)	L2 AR-1221-2	5.277	4.344	75628	35685	85.665	76.717
10)	L2 AR-1221-3	5.360	0.000	27200	0	9.851	N.D. #
11)	L3 AR-1232-1	5.360	0.000	27200	0	12.105	N.D. #
12)	L3 AR-1232-2	5.951	5.258	27129	22364	23.902	18.715
13)	L3 AR-1232-3	6.272	5.449	79558	18025	33.219	28.393
14)	L3 AR-1232-4	6.444	5.544	34553	197087	29.316	355.275 #
15)	L3 AR-1232-5	6.542	5.727	1202847	386397	1497.395	648.744 #
16)	L4 AR-1242-1	6.247	5.238	66596	29670	21.194	18.954
17)	L4 AR-1242-2	6.272	5.258	79558	22364	18.137	10.254 #
18)	L4 AR-1242-3	6.337	5.449	35449	18025	13.345	15.251
19)	L4 AR-1242-4	6.444	5.544	34553	197087	15.660	172.106 #
20)	L4 AR-1242-5	7.231	6.104	692981	1521064	279.062	1010.558 #
21)	L5 AR-1248-1	6.247	5.238	66596	29670	28.611	24.718
22)	L5 AR-1248-2	6.542	5.501	1202847	636213	392.034	385.718
23)	L5 AR-1248-3	6.760	5.544	702628	197087	195.425	118.443 #
24)	L5 AR-1248-4	7.190	5.727	1168092	386397	263.637	196.324 #
25)	L5 AR-1248-5	7.231	6.146	692981	209867	164.163	100.473 #
26)	L6 AR-1254-1	7.160	6.104	2163142	1521064	501.904	491.113
27)	L6 AR-1254-2	7.390	6.263	3359128	1326729	498.228	494.064
28)	L6 AR-1254-3	7.773	6.679	3460663	2109068	501.828	494.622
29)	L6 AR-1254-4	8.070	6.917	3049381	1444327	504.404	495.533
30)	L6 AR-1254-5	8.499	7.342	2966332	1952243	530.661	503.009
31)	L7 AR-1260-1	7.940	6.815	1480679	1074008	320.989	396.540
32)	L7 AR-1260-2	8.206	7.011	1849130	913964	286.501	276.694
33)	L7 AR-1260-3	8.562	7.161	400517	877471	73.458	295.259 #
34)	L7 AR-1260-4	8.796	7.642	1185057	102515	230.913	39.402 #
35)	L7 AR-1260-5	9.129	7.888	513364	264083	43.551	41.730
36)	L8 AR-1262-1	8.562	7.342	400517	1952243	45.897	895.024 #
37)	L8 AR-1262-2	9.129	7.888	513364	264083	33.948	34.435
38)	L8 AR-1262-3	9.462f	8.171	380834	30726	36.454	9.285 #
39)	L8 AR-1262-4	9.512f	8.232	123796	266073	16.749	46.340 #
40)	L8 AR-1262-5	10.193	8.731	46344	21985	8.937	7.992
41)	L9 AR-1268-1	9.462f	8.171	380834	30726	20.218	3.293 #
42)	L9 AR-1268-2	9.512f	8.232	123796	266073	7.807	31.761 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0012821\
 Data File : P0075285.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 28 Jan 2021 20:36
 Operator : AJ/MA
 Sample : AR1254ICV500
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 ICVPO012821AR1254

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 29 07:53:56 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0012821.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 29 07:43:22 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	9.761	0.000	28093	0	2.021	N.D. #
44) L9	AR-1268-4	10.193	8.731	46344	21985	7.867	6.978
45) L9	AR-1268-5	10.607	9.005	103485	53353	2.478	2.515



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO012821\
Data File : PO075285.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 28 Jan 2021 20:36
Operator : AJ/MA
Sample : AR1254ICV500
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 29 07:53:56 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO012821.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jan 29 07:43:22 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.924 min
Delta R.T.: 0.000 min
Response: 5227891
Conc: 51.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#1 Tetrachloro-m-xylene

R.T.: 3.995 min
Delta R.T.: -0.001 min
Response: 2501989
Conc: 52.06 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.937 min
Delta R.T.: 0.000 min
Response: 5333805
Conc: 55.32 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.245 min
Delta R.T.: -0.001 min
Response: 2656141
Conc: 54.75 ng/ml



#3 AR-1016-1


R.T.: 6.247 min
Delta R.T.: 0.000 min
Response: 66596
Conc: 16.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#3 AR-1016-1

R.T.: 5.238 min
Delta R.T.: -0.002 min
Response: 29670
Conc: 15.29 ng/ml




#4 AR-1016-2

R.T.: 6.272 min
Delta R.T.: 0.001 min
Response: 79558
Conc: 14.51 ng/ml



#4 AR-1016-2


R.T.: 5.258 min
Delta R.T.: -0.002 min
Response: 22364
Conc: 8.34 ng/ml



#5 AR-1016-3


R.T.: 6.337 min
Delta R.T.: 0.000 min
Response: 35449
Conc: 10.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#5 AR-1016-3

R.T.: 5.449 min
Delta R.T.: 0.000 min
Response: 18025
Conc: 12.56 ng/ml




#6 AR-1016-4

R.T.: 6.444 min
Delta R.T.: -0.001 min
Response: 34553
Conc: 12.56 ng/ml



#6 AR-1016-4


R.T.: 5.501 min
Delta R.T.: -0.001 min
Response: 636213
Conc: 530.83 ng/ml



#7 AR-1016-5


R.T.: 6.760 min
Delta R.T.: 0.000 min
Response: 702628
Conc: 263.77 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#7 AR-1016-5

R.T.: 5.727 min
Delta R.T.: -0.002 min
Response: 386397
Conc: 265.14 ng/ml




#9 AR-1221-2

R.T.: 5.277 min
Delta R.T.: 0.002 min
Response: 75628
Conc: 85.67 ng/ml



#9 AR-1221-2


R.T.: 4.344 min
Delta R.T.: -0.004 min
Response: 35685
Conc: 76.72 ng/ml



#10 AR-1221-3


R.T.: 5.360 min
Delta R.T.: -0.001 min
Response: 27200
Conc: 9.85 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T. : 4.435 min
Response: 0
Conc: N.D.




#11 AR-1232-1

R.T.: 5.360 min
Delta R.T.: 0.000 min
Response: 27200
Conc: 12.11 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T. : 4.435 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 5.951 min
Delta R.T.: 0.000 min
Response: 27129
Conc: 23.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#12 AR-1232-2

R.T.: 5.258 min
Delta R.T.: -0.001 min
Response: 22364
Conc: 18.72 ng/ml




#13 AR-1232-3

R.T.: 6.272 min
Delta R.T.: 0.002 min
Response: 79558
Conc: 33.22 ng/ml



#13 AR-1232-3


R.T.: 5.449 min
Delta R.T.: 0.000 min
Response: 18025
Conc: 28.39 ng/ml



#14 AR-1232-4


R.T.: 6.444 min
Delta R.T.: 0.000 min
Response: 34553
Conc: 29.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#14 AR-1232-4

R.T.: 5.544 min
Delta R.T.: -0.002 min
Response: 197087
Conc: 355.27 ng/ml




#15 AR-1232-5

R.T.: 6.542 min
Delta R.T.: 0.000 min
Response: 1202847
Conc: 1497.40 ng/ml



#15 AR-1232-5


R.T.: 5.727 min
Delta R.T.: 0.000 min
Response: 386397
Conc: 648.74 ng/ml



#16 AR-1242-1


R.T.: 6.247 min
Delta R.T.: 0.000 min
Response: 66596
Conc: 21.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#16 AR-1242-1

R.T.: 5.238 min
Delta R.T.: -0.001 min
Response: 29670
Conc: 18.95 ng/ml




#17 AR-1242-2

R.T.: 6.272 min
Delta R.T.: 0.000 min
Response: 79558
Conc: 18.14 ng/ml



#17 AR-1242-2


R.T.: 5.258 min
Delta R.T.: 0.000 min
Response: 22364
Conc: 10.25 ng/ml



#18 AR-1242-3


R.T.: 6.337 min
Delta R.T.: -0.002 min
Response: 35449
Conc: 13.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#18 AR-1242-3

R.T.: 5.449 min
Delta R.T.: 0.000 min
Response: 18025
Conc: 15.25 ng/ml




#19 AR-1242-4

R.T.: 6.444 min
Delta R.T.: -0.002 min
Response: 34553
Conc: 15.66 ng/ml



#19 AR-1242-4


R.T.: 5.544 min
Delta R.T.: -0.002 min
Response: 197087
Conc: 172.11 ng/ml



#20 AR-1242-5


R.T.: 7.231 min
Delta R.T.: 0.000 min
Response: 692981
Conc: 279.06 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#20 AR-1242-5

R.T.: 6.104 min
Delta R.T.: -0.001 min
Response: 1521064
Conc: 1010.56 ng/ml




#21 AR-1248-1

R.T.: 6.247 min
Delta R.T.: 0.000 min
Response: 66596
Conc: 28.61 ng/ml



#21 AR-1248-1


R.T.: 5.238 min
Delta R.T.: -0.001 min
Response: 29670
Conc: 24.72 ng/ml



#22 AR-1248-2


R.T.: 6.542 min
Delta R.T.: 0.000 min
Response: 1202847
Conc: 392.03 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#22 AR-1248-2

R.T.: 5.501 min
Delta R.T.: -0.001 min
Response: 636213
Conc: 385.72 ng/ml




#23 AR-1248-3

R.T.: 6.760 min
Delta R.T.: -0.001 min
Response: 702628
Conc: 195.43 ng/ml



#23 AR-1248-3


R.T.: 5.544 min
Delta R.T.: -0.002 min
Response: 197087
Conc: 118.44 ng/ml



#24 AR-1248-4


R.T.: 7.190 min
Delta R.T.: 0.000 min
Response: 1168092
Conc: 263.64 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#24 AR-1248-4

R.T.: 5.727 min
Delta R.T.: -0.001 min
Response: 386397
Conc: 196.32 ng/ml




#25 AR-1248-5

R.T.: 7.231 min
Delta R.T.: 0.001 min
Response: 692981
Conc: 164.16 ng/ml



#25 AR-1248-5


R.T.: 6.146 min
Delta R.T.: -0.001 min
Response: 209867
Conc: 100.47 ng/ml



#26 AR-1254-1


R.T.: 7.160 min
Delta R.T.: 0.000 min
Response: 2163142
Conc: 501.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#26 AR-1254-1

R.T.: 6.104 min
Delta R.T.: 0.000 min
Response: 1521064
Conc: 491.11 ng/ml




#27 AR-1254-2

R.T.: 7.390 min
Delta R.T.: -0.001 min
Response: 3359128
Conc: 498.23 ng/ml



#27 AR-1254-2


R.T.: 6.263 min
Delta R.T.: -0.001 min
Response: 1326729
Conc: 494.06 ng/ml



#28 AR-1254-3


R.T.: 7.773 min
Delta R.T.: 0.000 min
Response: 3460663
Conc: 501.83 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#28 AR-1254-3

R.T.: 6.679 min
Delta R.T.: 0.000 min
Response: 2109068
Conc: 494.62 ng/ml




#29 AR-1254-4

R.T.: 8.070 min
Delta R.T.: 0.000 min
Response: 3049381
Conc: 504.40 ng/ml



#29 AR-1254-4


R.T.: 6.917 min
Delta R.T.: -0.001 min
Response: 1444327
Conc: 495.53 ng/ml



#30 AR-1254-5


R.T.: 8.499 min
Delta R.T.: 0.000 min
Response: 2966332
Conc: 530.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#30 AR-1254-5

R.T.: 7.342 min
Delta R.T.: -0.001 min
Response: 1952243
Conc: 503.01 ng/ml




#31 AR-1260-1

R.T.: 7.940 min
Delta R.T.: 0.000 min
Response: 1480679
Conc: 320.99 ng/ml



#31 AR-1260-1


R.T.: 6.815 min
Delta R.T.: 0.000 min
Response: 1074008
Conc: 396.54 ng/ml



#32 AR-1260-2


R.T.: 8.206 min
Delta R.T.: 0.000 min
Response: 1849130
Conc: 286.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#32 AR-1260-2

R.T.: 7.011 min
Delta R.T.: -0.002 min
Response: 913964
Conc: 276.69 ng/ml




#33 AR-1260-3

R.T.: 8.562 min
Delta R.T.: -0.010 min
Response: 400517
Conc: 73.46 ng/ml



#33 AR-1260-3


R.T.: 7.161 min
Delta R.T.: -0.004 min
Response: 877471
Conc: 295.26 ng/ml



#34 AR-1260-4


R.T.: 8.796 min
Delta R.T.: -0.008 min
Response: 1185057
Conc: 230.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#34 AR-1260-4

R.T.: 7.642 min
Delta R.T.: -0.002 min
Response: 102515
Conc: 39.40 ng/ml




#35 AR-1260-5

R.T.: 9.129 min
Delta R.T.: -0.001 min
Response: 513364
Conc: 43.55 ng/ml



#35 AR-1260-5


R.T.: 7.888 min
Delta R.T.: -0.004 min
Response: 264083
Conc: 41.73 ng/ml



#36 AR-1262-1


R.T.: 8.562 min
Delta R.T.: -0.010 min
Response: 400517
Conc: 45.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#36 AR-1262-1

R.T.: 7.342 min
Delta R.T.: 0.001 min
Response: 1952243
Conc: 895.02 ng/ml




#37 AR-1262-2

R.T.: 9.129 min
Delta R.T.: 0.000 min
Response: 513364
Conc: 33.95 ng/ml



#37 AR-1262-2


R.T.: 7.888 min
Delta R.T.: -0.002 min
Response: 264083
Conc: 34.44 ng/ml



#38 AR-1262-3


R.T.: 9.462 min
Delta R.T.: 0.024 min
Response: 380834
Conc: 36.45 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#38 AR-1262-3

R.T.: 8.171 min
Delta R.T.: -0.003 min
Response: 30726
Conc: 9.28 ng/ml




#39 AR-1262-4

R.T.: 9.512 min
Delta R.T.: -0.020 min
Response: 123796
Conc: 16.75 ng/ml



#39 AR-1262-4


R.T.: 8.232 min
Delta R.T.: -0.005 min
Response: 266073
Conc: 46.34 ng/ml



#40 AR-1262-5


R.T.: 10.193 min
Delta R.T.: -0.002 min
Response: 46344
Conc: 8.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#40 AR-1262-5

R.T.: 8.731 min
Delta R.T.: 0.000 min
Response: 21985
Conc: 7.99 ng/ml




#41 AR-1268-1

R.T.: 9.462 min
Delta R.T.: 0.024 min
Response: 380834
Conc: 20.22 ng/ml



#41 AR-1268-1


R.T.: 8.171 min
Delta R.T.: -0.003 min
Response: 30726
Conc: 3.29 ng/ml



#42 AR-1268-2


R.T.: 9.512 min
Delta R.T.: -0.024 min
Response: 123796
Conc: 7.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#42 AR-1268-2

R.T.: 8.232 min
Delta R.T.: -0.007 min
Response: 266073
Conc: 31.76 ng/ml




#43 AR-1268-3

R.T.: 9.761 min
Delta R.T.: 0.003 min
Response: 28093
Conc: 2.02 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 8.444 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 10.193 min
Delta R.T.: -0.002 min
Response: 46344
Conc: 7.87 ng/ml

Instrument :
ECD_O
ClientSampleId :
ICVPO012821AR1254




#44 AR-1268-4

R.T.: 8.731 min
Delta R.T.: 0.000 min
Response: 21985
Conc: 6.98 ng/ml



#45 AR-1268-5

R.T.: 10.607 min
Delta R.T.: 0.002 min
Response: 103485
Conc: 2.48 ng/ml



#45 AR-1268-5

R.T.: 9.005 min
Delta R.T.: -0.003 min
Response: 53353
Conc: 2.51 ng/ml