

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0020421\
 Data File : P0075552.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 05 Feb 2021 3:57
 Operator : AJ/MA
 Sample : M1290-06DL 50X
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 05 05:14:23 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0012821.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 29 09:09:46 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.921	3.993	-42723	28954	N.D.	0.602
2)	SA Decachlor...	10.939	9.242	121302	64378	1.257	1.326
Target Compounds							
3)	L1 AR-1016-1	6.268f	0.000	87977	0	22.267	N.D. #
4)	L1 AR-1016-2	6.268	0.000	87977	0	16.041	N.D. #
5)	L1 AR-1016-3	6.337	0.000	63732	0	19.486	N.D. #
6)	L1 AR-1016-4	6.446	5.497	106538	40892	38.691	34.106
7)	L1 AR-1016-5	6.759	0.000	17904	0	6.718	N.D. #
8)	L2 AR-1221-1	5.179	0.000	101087	0	84.551	N.D. #
9)	L2 AR-1221-2	5.276	0.000	79400	0	89.939	N.D. #
10)	L2 AR-1221-3	5.360	0.000	176303	0	63.853	N.D. #
11)	L3 AR-1232-1	5.360	0.000	176303	0	78.464	N.D. #
12)	L3 AR-1232-2	5.949	0.000	341967	0	301.285	N.D. #
13)	L3 AR-1232-3	6.268	0.000	87977	0	36.735	N.D. #
14)	L3 AR-1232-4	6.446	5.543	106538	48797	90.390	87.963
15)	L3 AR-1232-5	6.543	0.000	96308	0	119.891	N.D. #
16)	L4 AR-1242-1	6.268f	0.000	87977	0	27.998	N.D. #
17)	L4 AR-1242-2	6.268	0.000	87977	0	20.056	N.D. #
18)	L4 AR-1242-3	6.337	0.000	63732	0	23.991	N.D. #
19)	L4 AR-1242-4	6.446	5.543	106538	48797	48.285	42.612
20)	L4 AR-1242-5	7.230	6.101	153490	71836	61.810	47.726
21)	L5 AR-1248-1	6.268f	0.000	87977	0	37.797	N.D. #
22)	L5 AR-1248-2	6.543	5.497	96308	40892	31.389	24.792
23)	L5 AR-1248-3	6.759	5.543	17904	48797	4.980	29.325 #
24)	L5 AR-1248-4	7.193	0.000	101376	0	22.881	N.D. #
25)	L5 AR-1248-5	7.230	6.145	153490	28040	36.361	13.424 #
26)	L6 AR-1254-1	7.158	6.101	166512	71836	38.635	23.194 #
27)	L6 AR-1254-2	7.388	6.260	301396	102482	44.703	38.163
28)	L6 AR-1254-3	7.792f	6.695f	509630	359805	73.901	84.382
29)	L6 AR-1254-4	8.067	6.912	369114	47358	61.056	16.248 #
30)	L6 AR-1254-5	8.484f	7.339	655707	320943	117.303	82.693 #
31)	L7 AR-1260-1	7.939	6.811	955835	492877	207.183	181.557
32)	L7 AR-1260-2	8.205	7.009	1661692	706227	257.447	212.888
33)	L7 AR-1260-3	8.572	7.164	3160568	519525	579.202	174.806 #
34)	L7 AR-1260-4	8.805	7.640	2095299	1011064	407.606	388.657
35)	L7 AR-1260-5	9.129	7.888	4891975	2306816	414.531	364.521
36)	L8 AR-1262-1	8.572	7.339	3160568	320943	362.181	147.139 #
37)	L8 AR-1262-2	9.129	7.888	4891975	2306816	323.501	300.798
38)	L8 AR-1262-3	9.438	8.171	3865199	1538033	369.987	464.757 #
39)	L8 AR-1262-4	9.533	8.236	4690049	2575115	634.551	448.484 #
40)	L8 AR-1262-5	10.196	8.729	2732796	1289653	526.966	468.820
41)	L9 AR-1268-1	9.438	8.171	3865199	1538033	205.194	164.849

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0020421\
 Data File : P0075552.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 05 Feb 2021 3:57
 Operator : AJ/MA
 Sample : M1290-06DL 50X
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 05 05:14:23 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0012821.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 29 09:09:46 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.533	8.236	4690049	2575115	295.766	307.388
43) L9	AR-1268-3	9.759	8.440	503569	223396	36.235	30.857
44) L9	AR-1268-4	10.196	8.729	2732796	1289653	463.903	409.339
45) L9	AR-1268-5	10.605	9.005	2123264	1007434	50.842	47.485



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO020421\
Data File : PO075552.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 05 Feb 2021 3:57
Operator : AJ/MA
Sample : M1290-06DL 50X
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 05 05:14:23 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO012821.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jan 29 09:09:46 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.921 min
Delta R.T.: -0.003 min
Response: -42723
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.993 min
Delta R.T.: -0.004 min
Response: 28954
Conc: 0.60 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.939 min
Delta R.T.: 0.001 min
Response: 121302
Conc: 1.26 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.242 min
Delta R.T.: -0.004 min
Response: 64378
Conc: 1.33 ng/ml



#3 AR-1016-1


R.T.: 6.268 min
Delta R.T.: 0.021 min
Response: 87977
Conc: 22.27 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 5.240 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 6.268 min
Delta R.T.: -0.003 min
Response: 87977
Conc: 16.04 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 5.260 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 6.337 min
Delta R.T.: 0.000 min
Response: 63732
Conc: 19.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 5.449 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 6.446 min
Delta R.T.: 0.001 min
Response: 106538
Conc: 38.69 ng/ml



#6 AR-1016-4


R.T.: 5.497 min
Delta R.T.: -0.005 min
Response: 40892
Conc: 34.11 ng/ml



#7 AR-1016-5


R.T.: 6.759 min
Delta R.T.: -0.002 min
Response: 17904
Conc: 6.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 0.000 min
Exp R.T. : 5.728 min
Response: 0
Conc: N.D.




#8 AR-1221-1

R.T.: 5.179 min
Delta R.T.: 0.004 min
Response: 101087
Conc: 84.55 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 4.249 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 5.276 min
Delta R.T.: 0.001 min
Response: 79400
Conc: 89.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 4.347 min
Response: 0
Conc: N.D.




#10 AR-1221-3

R.T.: 5.360 min
Delta R.T.: -0.002 min
Response: 176303
Conc: 63.85 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 4.435 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 5.360 min
Delta R.T.: -0.001 min
Response: 176303
Conc: 78.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.435 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.949 min
Delta R.T.: -0.001 min
Response: 341967
Conc: 301.28 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 5.259 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 6.268 min
Delta R.T.: -0.003 min
Response: 87977
Conc: 36.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 5.449 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 6.446 min
Delta R.T.: 0.002 min
Response: 106538
Conc: 90.39 ng/ml



#14 AR-1232-4


R.T.: 5.543 min
Delta R.T.: -0.003 min
Response: 48797
Conc: 87.96 ng/ml



#15 AR-1232-5


R.T.: 6.543 min
Delta R.T.: 0.000 min
Response: 96308
Conc: 119.89 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 0.000 min
Exp R.T. : 5.728 min
Response: 0
Conc: N.D.




#16 AR-1242-1

R.T.: 6.268 min
Delta R.T.: 0.020 min
Response: 87977
Conc: 28.00 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T. : 5.239 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 6.268 min
Delta R.T.: -0.004 min
Response: 87977
Conc: 20.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 5.259 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 6.337 min
Delta R.T.: -0.002 min
Response: 63732
Conc: 23.99 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 5.449 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 6.446 min
Delta R.T.: 0.000 min
Response: 106538
Conc: 48.29 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.543 min
Delta R.T.: -0.003 min
Response: 48797
Conc: 42.61 ng/ml




#20 AR-1242-5

R.T.: 7.230 min
Delta R.T.: 0.000 min
Response: 153490
Conc: 61.81 ng/ml



#20 AR-1242-5


R.T.: 6.101 min
Delta R.T.: -0.004 min
Response: 71836
Conc: 47.73 ng/ml



#21 AR-1248-1


R.T.: 6.268 min
Delta R.T.: 0.020 min
Response: 87977
Conc: 37.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 5.240 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 6.543 min
Delta R.T.: 0.000 min
Response: 96308
Conc: 31.39 ng/ml



#22 AR-1248-2


R.T.: 5.497 min
Delta R.T.: -0.005 min
Response: 40892
Conc: 24.79 ng/ml



#23 AR-1248-3


R.T.: 6.759 min
Delta R.T.: -0.002 min
Response: 17904
Conc: 4.98 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.543 min
Delta R.T.: -0.003 min
Response: 48797
Conc: 29.33 ng/ml




#24 AR-1248-4

R.T.: 7.193 min
Delta R.T.: 0.002 min
Response: 101376
Conc: 22.88 ng/ml



#24 AR-1248-4


R.T.: 0.000 min
Exp R.T.: 5.728 min
Response: 0
Conc: N.D.



#25 AR-1248-5


R.T.: 7.230 min
Delta R.T.: 0.000 min
Response: 153490
Conc: 36.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 6.145 min
Delta R.T.: -0.003 min
Response: 28040
Conc: 13.42 ng/ml




#26 AR-1254-1

R.T.: 7.158 min
Delta R.T.: -0.002 min
Response: 166512
Conc: 38.64 ng/ml



#26 AR-1254-1


R.T.: 6.101 min
Delta R.T.: -0.004 min
Response: 71836
Conc: 23.19 ng/ml



#27 AR-1254-2


R.T.: 7.388 min
Delta R.T.: -0.002 min
Response: 301396
Conc: 44.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 6.260 min
Delta R.T.: -0.004 min
Response: 102482
Conc: 38.16 ng/ml




#28 AR-1254-3

R.T.: 7.792 min
Delta R.T.: 0.019 min
Response: 509630
Conc: 73.90 ng/ml



#28 AR-1254-3


R.T.: 6.695 min
Delta R.T.: 0.016 min
Response: 359805
Conc: 84.38 ng/ml



#29 AR-1254-4


R.T.: 8.067 min
Delta R.T.: -0.004 min
Response: 369114
Conc: 61.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.912 min
Delta R.T.: -0.006 min
Response: 47358
Conc: 16.25 ng/ml




#30 AR-1254-5

R.T.: 8.484 min
Delta R.T.: -0.016 min
Response: 655707
Conc: 117.30 ng/ml



#30 AR-1254-5


R.T.: 7.339 min
Delta R.T.: -0.004 min
Response: 320943
Conc: 82.69 ng/ml



#31 AR-1260-1


R.T.: 7.939 min
Delta R.T.: -0.001 min
Response: 955835
Conc: 207.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.811 min
Delta R.T.: -0.005 min
Response: 492877
Conc: 181.56 ng/ml




#32 AR-1260-2

R.T.: 8.205 min
Delta R.T.: -0.001 min
Response: 1661692
Conc: 257.45 ng/ml



#32 AR-1260-2


R.T.: 7.009 min
Delta R.T.: -0.004 min
Response: 706227
Conc: 212.89 ng/ml



#33 AR-1260-3


R.T.: 8.572 min
Delta R.T.: 0.000 min
Response: 3160568
Conc: 579.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 7.164 min
Delta R.T.: -0.002 min
Response: 519525
Conc: 174.81 ng/ml




#34 AR-1260-4

R.T.: 8.805 min
Delta R.T.: 0.002 min
Response: 2095299
Conc: 407.61 ng/ml



#34 AR-1260-4


R.T.: 7.640 min
Delta R.T.: -0.004 min
Response: 1011064
Conc: 388.66 ng/ml



#35 AR-1260-5


R.T.: 9.129 min
Delta R.T.: 0.000 min
Response: 4891975
Conc: 414.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.888 min
Delta R.T.: -0.004 min
Response: 2306816
Conc: 364.52 ng/ml




#36 AR-1262-1

R.T.: 8.572 min
Delta R.T.: 0.000 min
Response: 3160568
Conc: 362.18 ng/ml



#36 AR-1262-1


R.T.: 7.339 min
Delta R.T.: -0.002 min
Response: 320943
Conc: 147.14 ng/ml



#37 AR-1262-2


R.T.: 9.129 min
Delta R.T.: 0.000 min
Response: 4891975
Conc: 323.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.888 min
Delta R.T.: -0.002 min
Response: 2306816
Conc: 300.80 ng/ml




#38 AR-1262-3

R.T.: 9.438 min
Delta R.T.: 0.000 min
Response: 3865199
Conc: 369.99 ng/ml



#38 AR-1262-3


R.T.: 8.171 min
Delta R.T.: -0.003 min
Response: 1538033
Conc: 464.76 ng/ml



#39 AR-1262-4


R.T.: 9.533 min
Delta R.T.: 0.001 min
Response: 4690049
Conc: 634.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 8.236 min
Delta R.T.: -0.001 min
Response: 2575115
Conc: 448.48 ng/ml




#40 AR-1262-5

R.T.: 10.196 min
Delta R.T.: 0.000 min
Response: 2732796
Conc: 526.97 ng/ml



#40 AR-1262-5


R.T.: 8.729 min
Delta R.T.: -0.002 min
Response: 1289653
Conc: 468.82 ng/ml



#41 AR-1268-1


R.T.: 9.438 min
Delta R.T.: -0.002 min
Response: 3865199
Conc: 205.19 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 8.171 min
Delta R.T.: -0.004 min
Response: 1538033
Conc: 164.85 ng/ml




#42 AR-1268-2

R.T.: 9.533 min
Delta R.T.: -0.004 min
Response: 4690049
Conc: 295.77 ng/ml



#42 AR-1268-2


R.T.: 8.236 min
Delta R.T.: -0.003 min
Response: 2575115
Conc: 307.39 ng/ml



#43 AR-1268-3


R.T.: 9.759 min
Delta R.T.: -0.002 min
Response: 503569
Conc: 36.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 8.440 min
Delta R.T.: -0.004 min
Response: 223396
Conc: 30.86 ng/ml




#44 AR-1268-4

R.T.: 10.196 min
Delta R.T.: -0.002 min
Response: 2732796
Conc: 463.90 ng/ml



#44 AR-1268-4


R.T.: 8.729 min
Delta R.T.: -0.002 min
Response: 1289653
Conc: 409.34 ng/ml



#45 AR-1268-5

R.T.: 10.605 min
Delta R.T.: -0.002 min
Response: 2123264
Conc: 50.84 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 9.005 min
Delta R.T.: -0.004 min
Response: 1007434
Conc: 47.48 ng/ml