

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0020521\
 Data File : P0075605.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 06 Feb 2021 3:35
 Operator : AJ/MA
 Sample : M1315-01MS
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SP-1MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 06 05:02:23 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0012821.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 29 09:09:46 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.922	3.994	2358608	1101131	23.306	22.906
2)	SA Decachlor...	10.936	9.241	2290650	1127039	23.742	23.218
Target Compounds							
3)	L1 AR-1016-1	6.246	5.237	2172736	1060066	549.916	546.152
4)	L1 AR-1016-2	6.270	5.256	3052788	1505629	556.633	561.429
5)	L1 AR-1016-3	6.336	5.446	1811049	809996	553.718	564.219
6)	L1 AR-1016-4	6.443	5.498	1567908	720627	569.420	601.039
7)	L1 AR-1016-5	6.759	5.725	1540038	836972	577.813	574.316
8)	L2 AR-1221-1	5.172	4.245	228346	101264	190.992	162.425
9)	L2 AR-1221-2	5.273	4.345	238085	146280	269.684	314.483
10)	L2 AR-1221-3	5.360	4.432	1077745	555249	390.334	393.762
11)	L3 AR-1232-1	5.360	4.432	1077745	555249	479.652	474.754
12)	L3 AR-1232-2	5.949	5.256	1493395	1505629	1315.733	1259.969
13)	L3 AR-1232-3	6.270	5.446	3052788	809996	1274.690	1275.935
14)	L3 AR-1232-4	6.443	5.542	1567908	785221	1330.266	1415.459
15)	L3 AR-1232-5	6.541	5.725	1338773	836972	1666.606	1405.238
16)	L4 AR-1242-1	6.246	5.237	2172736	1060066	691.459	677.188
17)	L4 AR-1242-2	6.270	5.256	3052788	1505629	695.936	690.327
18)	L4 AR-1242-3	6.336	5.446	1811049	809996	681.752	685.361
19)	L4 AR-1242-4	6.443	5.542	1567908	785221	710.609	685.693
20)	L4 AR-1242-5	7.230	6.101	314982	933638	126.843	620.286 #
21)	L5 AR-1248-1	6.246	5.237	2172736	1060066	933.456	883.134
22)	L5 AR-1248-2	6.541	5.498	1338773	720627	436.335	436.896
23)	L5 AR-1248-3	6.759	5.542	1540038	785221	428.338	471.892
24)	L5 AR-1248-4	7.189	5.725	365787	836972	82.558	425.255 #
25)	L5 AR-1248-5	7.230	6.143	314982	131155	74.618	62.790
26)	L6 AR-1254-1	7.158	6.101	1622360	933638	376.428	301.448
27)	L6 AR-1254-2	7.388	6.259	2135067	1041215	316.674	387.741
28)	L6 AR-1254-3	7.773	6.676	2376244	851985	344.577	199.809 #
29)	L6 AR-1254-4	8.067	6.914	1093018	424431	180.798	145.618
30)	L6 AR-1254-5	8.498	7.339	5426468	7061151	970.767	1819.355 #
31)	L7 AR-1260-1	7.939	6.812	3401302	1869845	737.253	688.777
32)	L7 AR-1260-2	8.205	7.009	8896511	2275419	1378.342	685.911 #
33)	L7 AR-1260-3	8.571	7.161	3031500	2046189	555.550	688.485
34)	L7 AR-1260-4	8.802	7.639	3415757	1407092	664.480	540.892
35)	L7 AR-1260-5	9.129	7.887	6792689	3604894	575.592	569.643
36)	L8 AR-1262-1	8.571	7.339	3031500	7061151	347.391	3237.250 #
37)	L8 AR-1262-2	9.129	7.887	6792689	3604894	449.193	470.061
38)	L8 AR-1262-3	9.461f	8.170	4127836	765862	395.128	231.425 #
39)	L8 AR-1262-4	9.513f	8.232	2307095	2505122	312.144	436.294 #
40)	L8 AR-1262-5	10.195	8.729	1614528	835510	311.330	303.728
41)	L9 AR-1268-1	9.461f	8.170	4127836	765862	219.137	82.086 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0020521\
 Data File : P0075605.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 06 Feb 2021 3:35
 Operator : AJ/MA
 Sample : M1315-01MS
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 SP-1MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 06 05:02:23 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0012821.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 29 09:09:46 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.513f	8.232	2307095	2505122	145.491	299.033 #
43) L9	AR-1268-3	9.757	8.440	137330	83101	9.882	11.479
44) L9	AR-1268-4	10.195	8.729	1614528	835510	274.073	265.193
45) L9	AR-1268-5	10.603	9.004	538403	296791	12.892	13.989



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO020521\
Data File : PO075605.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 06 Feb 2021 3:35
Operator : AJ/MA
Sample : M1315-01MS
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
SP-1MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 06 05:02:23 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO012821.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jan 29 09:09:46 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.922 min
Delta R.T.: -0.002 min
Response: 2358608
Conc: 23.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#1 Tetrachloro-m-xylene

R.T.: 3.994 min
Delta R.T.: -0.002 min
Response: 1101131
Conc: 22.91 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.936 min
Delta R.T.: -0.002 min
Response: 2290650
Conc: 23.74 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.241 min
Delta R.T.: -0.005 min
Response: 1127039
Conc: 23.22 ng/ml



#3 AR-1016-1


R.T.: 6.246 min
Delta R.T.: -0.001 min
Response: 2172736
Conc: 549.92 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#3 AR-1016-1

R.T.: 5.237 min
Delta R.T.: -0.004 min
Response: 1060066
Conc: 546.15 ng/ml




#4 AR-1016-2

R.T.: 6.270 min
Delta R.T.: -0.001 min
Response: 3052788
Conc: 556.63 ng/ml



#4 AR-1016-2


R.T.: 5.256 min
Delta R.T.: -0.004 min
Response: 1505629
Conc: 561.43 ng/ml



#5 AR-1016-3


R.T.: 6.336 min
Delta R.T.: -0.001 min
Response: 1811049
Conc: 553.72 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#5 AR-1016-3

R.T.: 5.446 min
Delta R.T.: -0.004 min
Response: 809996
Conc: 564.22 ng/ml




#6 AR-1016-4

R.T.: 6.443 min
Delta R.T.: -0.002 min
Response: 1567908
Conc: 569.42 ng/ml



#6 AR-1016-4


R.T.: 5.498 min
Delta R.T.: -0.004 min
Response: 720627
Conc: 601.04 ng/ml



#7 AR-1016-5


R.T.: 6.759 min
Delta R.T.: -0.002 min
Response: 1540038
Conc: 577.81 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#7 AR-1016-5

R.T.: 5.725 min
Delta R.T.: -0.004 min
Response: 836972
Conc: 574.32 ng/ml




#8 AR-1221-1

R.T.: 5.172 min
Delta R.T.: -0.002 min
Response: 228346
Conc: 190.99 ng/ml



#8 AR-1221-1


R.T.: 4.245 min
Delta R.T.: -0.004 min
Response: 101264
Conc: 162.42 ng/ml



#9 AR-1221-2


R.T.: 5.273 min
Delta R.T.: -0.002 min
Response: 238085
Conc: 269.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#9 AR-1221-2

R.T.: 4.345 min
Delta R.T.: -0.002 min
Response: 146280
Conc: 314.48 ng/ml




#10 AR-1221-3

R.T.: 5.360 min
Delta R.T.: -0.001 min
Response: 1077745
Conc: 390.33 ng/ml



#10 AR-1221-3


R.T.: 4.432 min
Delta R.T.: -0.003 min
Response: 555249
Conc: 393.76 ng/ml



#11 AR-1232-1


R.T.: 5.360 min
Delta R.T.: 0.000 min
Response: 1077745
Conc: 479.65 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#11 AR-1232-1

R.T.: 4.432 min
Delta R.T.: -0.002 min
Response: 555249
Conc: 474.75 ng/ml




#12 AR-1232-2

R.T.: 5.949 min
Delta R.T.: -0.001 min
Response: 1493395
Conc: 1315.73 ng/ml



#12 AR-1232-2


R.T.: 5.256 min
Delta R.T.: -0.003 min
Response: 1505629
Conc: 1259.97 ng/ml



#13 AR-1232-3


R.T.: 6.270 min
Delta R.T.: 0.000 min
Response: 3052788
Conc: 1274.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#13 AR-1232-3

R.T.: 5.446 min
Delta R.T.: -0.003 min
Response: 809996
Conc: 1275.93 ng/ml




#14 AR-1232-4

R.T.: 6.443 min
Delta R.T.: -0.001 min
Response: 1567908
Conc: 1330.27 ng/ml



#14 AR-1232-4


R.T.: 5.542 min
Delta R.T.: -0.003 min
Response: 785221
Conc: 1415.46 ng/ml



#15 AR-1232-5


R.T.: 6.541 min
Delta R.T.: -0.002 min
Response: 1338773
Conc: 1666.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#15 AR-1232-5

R.T.: 5.725 min
Delta R.T.: -0.003 min
Response: 836972
Conc: 1405.24 ng/ml




#16 AR-1242-1

R.T.: 6.246 min
Delta R.T.: -0.001 min
Response: 2172736
Conc: 691.46 ng/ml



#16 AR-1242-1


R.T.: 5.237 min
Delta R.T.: -0.003 min
Response: 1060066
Conc: 677.19 ng/ml



#17 AR-1242-2


R.T.: 6.270 min
Delta R.T.: -0.002 min
Response: 3052788
Conc: 695.94 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#17 AR-1242-2

R.T.: 5.256 min
Delta R.T.: -0.003 min
Response: 1505629
Conc: 690.33 ng/ml




#18 AR-1242-3

R.T.: 6.336 min
Delta R.T.: -0.003 min
Response: 1811049
Conc: 681.75 ng/ml



#18 AR-1242-3


R.T.: 5.446 min
Delta R.T.: -0.003 min
Response: 809996
Conc: 685.36 ng/ml



#19 AR-1242-4


R.T.: 6.443 min
Delta R.T.: -0.002 min
Response: 1567908
Conc: 710.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#19 AR-1242-4

R.T.: 5.542 min
Delta R.T.: -0.003 min
Response: 785221
Conc: 685.69 ng/ml




#20 AR-1242-5

R.T.: 7.230 min
Delta R.T.: -0.001 min
Response: 314982
Conc: 126.84 ng/ml



#20 AR-1242-5


R.T.: 6.101 min
Delta R.T.: -0.004 min
Response: 933638
Conc: 620.29 ng/ml



#21 AR-1248-1


R.T.: 6.246 min
Delta R.T.: -0.001 min
Response: 2172736
Conc: 933.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#21 AR-1248-1

R.T.: 5.237 min
Delta R.T.: -0.003 min
Response: 1060066
Conc: 883.13 ng/ml




#22 AR-1248-2

R.T.: 6.541 min
Delta R.T.: -0.002 min
Response: 1338773
Conc: 436.33 ng/ml



#22 AR-1248-2


R.T.: 5.498 min
Delta R.T.: -0.003 min
Response: 720627
Conc: 436.90 ng/ml



#23 AR-1248-3


R.T.: 6.759 min
Delta R.T.: -0.002 min
Response: 1540038
Conc: 428.34 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#23 AR-1248-3

R.T.: 5.542 min
Delta R.T.: -0.003 min
Response: 785221
Conc: 471.89 ng/ml




#24 AR-1248-4

R.T.: 7.189 min
Delta R.T.: -0.001 min
Response: 365787
Conc: 82.56 ng/ml



#24 AR-1248-4


R.T.: 5.725 min
Delta R.T.: -0.003 min
Response: 836972
Conc: 425.25 ng/ml



#25 AR-1248-5


R.T.: 7.230 min
Delta R.T.: 0.000 min
Response: 314982
Conc: 74.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#25 AR-1248-5

R.T.: 6.143 min
Delta R.T.: -0.004 min
Response: 131155
Conc: 62.79 ng/ml




#26 AR-1254-1

R.T.: 7.158 min
Delta R.T.: -0.002 min
Response: 1622360
Conc: 376.43 ng/ml



#26 AR-1254-1


R.T.: 6.101 min
Delta R.T.: -0.004 min
Response: 933638
Conc: 301.45 ng/ml



#27 AR-1254-2


R.T.: 7.388 min
Delta R.T.: -0.003 min
Response: 2135067
Conc: 316.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#27 AR-1254-2

R.T.: 6.259 min
Delta R.T.: -0.004 min
Response: 1041215
Conc: 387.74 ng/ml




#28 AR-1254-3

R.T.: 7.773 min
Delta R.T.: 0.000 min
Response: 2376244
Conc: 344.58 ng/ml



#28 AR-1254-3


R.T.: 6.676 min
Delta R.T.: -0.003 min
Response: 851985
Conc: 199.81 ng/ml



#29 AR-1254-4


R.T.: 8.067 min
Delta R.T.: -0.003 min
Response: 1093018
Conc: 180.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#29 AR-1254-4

R.T.: 6.914 min
Delta R.T.: -0.004 min
Response: 424431
Conc: 145.62 ng/ml




#30 AR-1254-5

R.T.: 8.498 min
Delta R.T.: -0.002 min
Response: 5426468
Conc: 970.77 ng/ml



#30 AR-1254-5


R.T.: 7.339 min
Delta R.T.: -0.004 min
Response: 7061151
Conc: 1819.35 ng/ml



#31 AR-1260-1


R.T.: 7.939 min
Delta R.T.: -0.001 min
Response: 3401302
Conc: 737.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#31 AR-1260-1

R.T.: 6.812 min
Delta R.T.: -0.005 min
Response: 1869845
Conc: 688.78 ng/ml




#32 AR-1260-2

R.T.: 8.205 min
Delta R.T.: -0.001 min
Response: 8896511
Conc: 1378.34 ng/ml



#32 AR-1260-2


R.T.: 7.009 min
Delta R.T.: -0.003 min
Response: 2275419
Conc: 685.91 ng/ml



#33 AR-1260-3


R.T.: 8.571 min
Delta R.T.: -0.001 min
Response: 3031500
Conc: 555.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#33 AR-1260-3

R.T.: 7.161 min
Delta R.T.: -0.005 min
Response: 2046189
Conc: 688.49 ng/ml




#34 AR-1260-4

R.T.: 8.802 min
Delta R.T.: -0.002 min
Response: 3415757
Conc: 664.48 ng/ml



#34 AR-1260-4


R.T.: 7.639 min
Delta R.T.: -0.004 min
Response: 1407092
Conc: 540.89 ng/ml



#35 AR-1260-5


R.T.: 9.129 min
Delta R.T.: -0.001 min
Response: 6792689
Conc: 575.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#35 AR-1260-5

R.T.: 7.887 min
Delta R.T.: -0.004 min
Response: 3604894
Conc: 569.64 ng/ml




#36 AR-1262-1

R.T.: 8.571 min
Delta R.T.: 0.000 min
Response: 3031500
Conc: 347.39 ng/ml



#36 AR-1262-1


R.T.: 7.339 min
Delta R.T.: -0.002 min
Response: 7061151
Conc: 3237.25 ng/ml



#37 AR-1262-2


R.T.: 9.129 min
Delta R.T.: 0.000 min
Response: 6792689
Conc: 449.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#37 AR-1262-2

R.T.: 7.887 min
Delta R.T.: -0.003 min
Response: 3604894
Conc: 470.06 ng/ml




#38 AR-1262-3

R.T.: 9.461 min
Delta R.T.: 0.023 min
Response: 4127836
Conc: 395.13 ng/ml



#38 AR-1262-3


R.T.: 8.170 min
Delta R.T.: -0.003 min
Response: 765862
Conc: 231.43 ng/ml



#39 AR-1262-4


R.T.: 9.513 min
Delta R.T.: -0.018 min
Response: 2307095
Conc: 312.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#39 AR-1262-4

R.T.: 8.232 min
Delta R.T.: -0.005 min
Response: 2505122
Conc: 436.29 ng/ml




#40 AR-1262-5

R.T.: 10.195 min
Delta R.T.: 0.000 min
Response: 1614528
Conc: 311.33 ng/ml



#40 AR-1262-5


R.T.: 8.729 min
Delta R.T.: -0.003 min
Response: 835510
Conc: 303.73 ng/ml



#41 AR-1268-1


R.T.: 9.461 min
Delta R.T.: 0.021 min
Response: 4127836
Conc: 219.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#41 AR-1268-1

R.T.: 8.170 min
Delta R.T.: -0.004 min
Response: 765862
Conc: 82.09 ng/ml




#42 AR-1268-2

R.T.: 9.513 min
Delta R.T.: -0.023 min
Response: 2307095
Conc: 145.49 ng/ml



#42 AR-1268-2


R.T.: 8.232 min
Delta R.T.: -0.007 min
Response: 2505122
Conc: 299.03 ng/ml



#43 AR-1268-3


R.T.: 9.757 min
Delta R.T.: -0.004 min
Response: 137330
Conc: 9.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS




#43 AR-1268-3

R.T.: 8.440 min
Delta R.T.: -0.004 min
Response: 83101
Conc: 11.48 ng/ml




#44 AR-1268-4

R.T.: 10.195 min
Delta R.T.: -0.003 min
Response: 1614528
Conc: 274.07 ng/ml



#44 AR-1268-4


R.T.: 8.729 min
Delta R.T.: -0.003 min
Response: 835510
Conc: 265.19 ng/ml



#45 AR-1268-5

R.T.: 10.603 min
Delta R.T.: -0.004 min
Response: 538403
Conc: 12.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
SP-1MS



#45 AR-1268-5

R.T.: 9.004 min
Delta R.T.: -0.005 min
Response: 296791
Conc: 13.99 ng/ml