

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0021324\
 Data File : P0101738.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Feb 2024 09:36
 Operator : YP/AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 13 11:26:34 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0021024.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Feb 12 05:22:08 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.291	3.401	82683	205317	0.027	0.077 #
2)	SA Decachlor...	9.858	8.276	87930	266853	0.042	0.140 #
Target Compounds							
3)	L1 AR-1016-1	5.436	4.415f	86132	116953	0.873	1.603 #
4)	L1 AR-1016-2	5.463	4.499	87141	336585	0.599	3.190 #
5)	L1 AR-1016-3	5.514	4.657	229125	153446	2.407	2.675
6)	L1 AR-1016-4	5.617	4.666	30414	12658	0.399	0.251 #
7)	L1 AR-1016-5	5.906	4.907	30798	159410	0.388	2.521 #
8)	L2 AR-1221-1	4.482	3.600	534006	116165	16.952	4.259 #
9)	L2 AR-1221-2	4.579	3.686	66400	79447	2.800	4.060 #
12)	L3 AR-1232-2	5.169	4.499	82025	336585	2.136	6.829 #
13)	L3 AR-1232-3	5.463	4.657	87141	153446	1.260	5.977 #
14)	L3 AR-1232-4	5.617	4.727	30414	313541	0.836	12.337 #
15)	L3 AR-1232-5	5.714	4.907	280716	159410	8.940	6.044 #
16)	L4 AR-1242-1	5.436	4.415f	86132	116953	1.171	2.086 #
17)	L4 AR-1242-2	5.463	4.499	87141	336585	0.800	4.262 #
18)	L4 AR-1242-3	5.514	4.657	229125	153446	3.248	3.603
19)	L4 AR-1242-4	5.617	4.727	30414	313541	0.536	6.770 #
20)	L4 AR-1242-5	6.336	5.244	56526	228848	1.024	4.627 #
21)	L5 AR-1248-1	5.436	4.415f	86132	116953	1.565	2.715 #
22)	L5 AR-1248-2	5.714	4.666	280716	12658	2.999	0.191 #
23)	L5 AR-1248-3	5.906	4.727	30798	313541	0.316	4.557 #
24)	L5 AR-1248-4	6.317	4.907	164732	159410	1.799	2.031
25)	L5 AR-1248-5	6.336	5.299	56526	422841	0.629	6.477 #
26)	L6 AR-1254-1	6.286	5.244	133213	228848	1.199	1.969 #
27)	L6 AR-1254-2	6.502	5.395	258528	149869	1.573	1.418
28)	L6 AR-1254-3	6.871	5.767	554581	775343	3.445	4.795 #
29)	L6 AR-1254-4	7.141	6.016	34361	60105	0.347	0.715 #
30)	L6 AR-1254-5	7.562	6.387f	137771	526420	1.150	3.929 #
31)	L7 AR-1260-1	7.005	5.958f	144625	1099580	1.102	8.906 #
32)	L7 AR-1260-2	7.263	6.085	131183	518872	0.920	3.594 #
33)	L7 AR-1260-3	7.645	6.243	141697	286533	1.346	2.192 #
34)	L7 AR-1260-4	7.832	6.756f	842463	1325275	7.542	12.017 #
35)	L7 AR-1260-5	8.153	6.942	117148	119822	0.534	0.507
36)	L8 AR-1262-1	7.562	6.387	137771	526420	1.141	6.278 #
37)	L8 AR-1262-2	8.153	6.756f	117148	1325275	0.380	8.713 #
38)	L8 AR-1262-3	8.437	7.193f	4778	51785	0.023	0.438 #
39)	L8 AR-1262-4	8.554	0.000	1029803	0	5.990	N.D. #
40)	L8 AR-1262-5	9.146	7.839f	47635	291551	0.462	3.230 #
41)	L9 AR-1268-1	8.437	7.193f	4778	51785	0.014	0.167 #
42)	L9 AR-1268-2	8.554	0.000	1029803	0	3.096	N.D. #
43)	L9 AR-1268-3	8.760	7.478	681937	49626	2.494	0.210 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0021324\
Data File : P0101738.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Feb 2024 09:36
Operator : YP/AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 13 11:26:34 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0021024.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Feb 12 05:22:08 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44)	L9 AR-1268-4	9.146	8.076	47635	662618	0.476	0.920 #
45)	L9 AR-1268-5	9.519	8.276	60516	266853	0.069	0.780 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO021324\
Data File : PO101738.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Feb 2024 09:36
Operator : YP/AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 13 11:26:34 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO021024.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Feb 12 05:22:08 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.291 min
Delta R.T.: 0.000 min
Response: 82683
Conc: 0.03 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.401 min
Delta R.T.: 0.001 min
Response: 205317
Conc: 0.08 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.858 min
Delta R.T.: 0.012 min
Response: 87930
Conc: 0.04 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.276 min
Delta R.T.: -0.008 min
Response: 266853
Conc: 0.14 ng/ml



#3 AR-1016-1


R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 86132
Conc: 0.87 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.415 min
Delta R.T.: -0.040 min
Response: 116953
Conc: 1.60 ng/ml




#4 AR-1016-2

R.T.: 5.463 min
Delta R.T.: 0.004 min
Response: 87141
Conc: 0.60 ng/ml



#4 AR-1016-2


R.T.: 4.499 min
Delta R.T.: 0.026 min
Response: 336585
Conc: 3.19 ng/ml



#5 AR-1016-3


R.T.: 5.514 min
Delta R.T.: -0.006 min
Response: 229125
Conc: 2.41 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.657 min
Delta R.T.: 0.012 min
Response: 153446
Conc: 2.67 ng/ml




#6 AR-1016-4

R.T.: 5.617 min
Delta R.T.: 0.000 min
Response: 30414
Conc: 0.40 ng/ml



#6 AR-1016-4


R.T.: 4.666 min
Delta R.T.: -0.021 min
Response: 12658
Conc: 0.25 ng/ml



#7 AR-1016-5


R.T.: 5.906 min
Delta R.T.: -0.001 min
Response: 30798
Conc: 0.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 4.907 min
Delta R.T.: 0.012 min
Response: 159410
Conc: 2.52 ng/ml




#8 AR-1221-1

R.T.: 4.482 min
Delta R.T.: -0.013 min
Response: 534006
Conc: 16.95 ng/ml



#8 AR-1221-1


R.T.: 3.600 min
Delta R.T.: -0.007 min
Response: 116165
Conc: 4.26 ng/ml



#9 AR-1221-2


R.T.: 4.579 min
Delta R.T.: 0.000 min
Response: 66400
Conc: 2.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.686 min
Delta R.T.: -0.005 min
Response: 79447
Conc: 4.06 ng/ml




#10 AR-1221-3

R.T.: 4.658 min
Delta R.T.: 0.003 min
Response: 25457
Conc: 0.36 ng/ml



#10 AR-1221-3


R.T.: 3.778 min
Delta R.T.: 0.014 min
Response: -43594
Conc: N.D.



#11 AR-1232-1


R.T.: 4.658 min
Delta R.T.: 0.003 min
Response: 25457
Conc: 0.40 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.778 min
Delta R.T.: 0.014 min
Response: -43594
Conc: N.D.




#12 AR-1232-2

R.T.: 5.169 min
Delta R.T.: -0.005 min
Response: 82025
Conc: 2.14 ng/ml



#12 AR-1232-2


R.T.: 4.499 min
Delta R.T.: 0.026 min
Response: 336585
Conc: 6.83 ng/ml



#13 AR-1232-3


R.T.: 5.463 min
Delta R.T.: 0.003 min
Response: 87141
Conc: 1.26 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.657 min
Delta R.T.: 0.012 min
Response: 153446
Conc: 5.98 ng/ml




#14 AR-1232-4

R.T.: 5.617 min
Delta R.T.: 0.000 min
Response: 30414
Conc: 0.84 ng/ml



#14 AR-1232-4


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 313541
Conc: 12.34 ng/ml



#15 AR-1232-5


R.T.: 5.714 min
Delta R.T.: 0.007 min
Response: 280716
Conc: 8.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 4.907 min
Delta R.T.: 0.012 min
Response: 159410
Conc: 6.04 ng/ml




#16 AR-1242-1

R.T.: 5.436 min
Delta R.T.: -0.001 min
Response: 86132
Conc: 1.17 ng/ml



#16 AR-1242-1


R.T.: 4.415 min
Delta R.T.: -0.040 min
Response: 116953
Conc: 2.09 ng/ml



#17 AR-1242-2


R.T.: 5.463 min
Delta R.T.: 0.003 min
Response: 87141
Conc: 0.80 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.499 min
Delta R.T.: 0.026 min
Response: 336585
Conc: 4.26 ng/ml




#18 AR-1242-3

R.T.: 5.514 min
Delta R.T.: -0.006 min
Response: 229125
Conc: 3.25 ng/ml



#18 AR-1242-3


R.T.: 4.657 min
Delta R.T.: 0.012 min
Response: 153446
Conc: 3.60 ng/ml



#19 AR-1242-4


R.T.: 5.617 min
Delta R.T.: 0.000 min
Response: 30414
Conc: 0.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 313541
Conc: 6.77 ng/ml




#20 AR-1242-5

R.T.: 6.336 min
Delta R.T.: -0.008 min
Response: 56526
Conc: 1.02 ng/ml



#20 AR-1242-5


R.T.: 5.244 min
Delta R.T.: 0.004 min
Response: 228848
Conc: 4.63 ng/ml



#21 AR-1248-1


R.T.: 5.436 min
Delta R.T.: -0.002 min
Response: 86132
Conc: 1.57 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.415 min
Delta R.T.: -0.040 min
Response: 116953
Conc: 2.71 ng/ml




#22 AR-1248-2

R.T.: 5.714 min
Delta R.T.: 0.006 min
Response: 280716
Conc: 3.00 ng/ml



#22 AR-1248-2


R.T.: 4.666 min
Delta R.T.: -0.021 min
Response: 12658
Conc: 0.19 ng/ml



#23 AR-1248-3


R.T.: 5.906 min
Delta R.T.: -0.002 min
Response: 30798
Conc: 0.32 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 313541
Conc: 4.56 ng/ml




#24 AR-1248-4

R.T.: 6.317 min
Delta R.T.: 0.010 min
Response: 164732
Conc: 1.80 ng/ml



#24 AR-1248-4


R.T.: 4.907 min
Delta R.T.: 0.012 min
Response: 159410
Conc: 2.03 ng/ml



#25 AR-1248-5


R.T.: 6.336 min
Delta R.T.: -0.009 min
Response: 56526
Conc: 0.63 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.299 min
Delta R.T.: 0.018 min
Response: 422841
Conc: 6.48 ng/ml




#26 AR-1254-1

R.T.: 6.286 min
Delta R.T.: 0.007 min
Response: 133213
Conc: 1.20 ng/ml



#26 AR-1254-1


R.T.: 5.244 min
Delta R.T.: 0.002 min
Response: 228848
Conc: 1.97 ng/ml



#27 AR-1254-2


R.T.: 6.502 min
Delta R.T.: 0.007 min
Response: 258528
Conc: 1.57 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.395 min
Delta R.T.: 0.008 min
Response: 149869
Conc: 1.42 ng/ml




#28 AR-1254-3

R.T.: 6.871 min
Delta R.T.: 0.015 min
Response: 554581
Conc: 3.44 ng/ml



#28 AR-1254-3


R.T.: 5.767 min
Delta R.T.: -0.017 min
Response: 775343
Conc: 4.80 ng/ml



#29 AR-1254-4


R.T.: 7.141 min
Delta R.T.: 0.002 min
Response: 34361
Conc: 0.35 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.016 min
Delta R.T.: 0.005 min
Response: 60105
Conc: 0.71 ng/ml




#30 AR-1254-5

R.T.: 7.562 min
Delta R.T.: 0.009 min
Response: 137771
Conc: 1.15 ng/ml



#30 AR-1254-5


R.T.: 6.387 min
Delta R.T.: -0.035 min
Response: 526420
Conc: 3.93 ng/ml



#31 AR-1260-1


R.T.: 7.005 min
Delta R.T.: -0.014 min
Response: 144625
Conc: 1.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 5.958 min
Delta R.T.: 0.048 min
Response: 1099580
Conc: 8.91 ng/ml




#32 AR-1260-2

R.T.: 7.263 min
Delta R.T.: -0.009 min
Response: 131183
Conc: 0.92 ng/ml



#32 AR-1260-2


R.T.: 6.085 min
Delta R.T.: -0.012 min
Response: 518872
Conc: 3.59 ng/ml



#33 AR-1260-3


R.T.: 7.645 min
Delta R.T.: 0.016 min
Response: 141697
Conc: 1.35 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.243 min
Delta R.T.: -0.005 min
Response: 286533
Conc: 2.19 ng/ml




#34 AR-1260-4

R.T.: 7.832 min
Delta R.T.: -0.020 min
Response: 842463
Conc: 7.54 ng/ml



#34 AR-1260-4


R.T.: 6.756 min
Delta R.T.: 0.042 min
Response: 1325275
Conc: 12.02 ng/ml



#35 AR-1260-5


R.T.: 8.153 min
Delta R.T.: -0.004 min
Response: 117148
Conc: 0.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 6.942 min
Delta R.T.: -0.012 min
Response: 119822
Conc: 0.51 ng/ml




#36 AR-1262-1

R.T.: 7.562 min
Delta R.T.: 0.013 min
Response: 137771
Conc: 1.14 ng/ml



#36 AR-1262-1


R.T.: 6.387 min
Delta R.T.: -0.033 min
Response: 526420
Conc: 6.28 ng/ml



#37 AR-1262-2


R.T.: 8.153 min
Delta R.T.: -0.002 min
Response: 117148
Conc: 0.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.756 min
Delta R.T.: 0.042 min
Response: 1325275
Conc: 8.71 ng/ml




#38 AR-1262-3

R.T.: 8.437 min
Delta R.T.: -0.011 min
Response: 4778
Conc: 0.02 ng/ml



#38 AR-1262-3


R.T.: 7.193 min
Delta R.T.: -0.040 min
Response: 51785
Conc: 0.44 ng/ml



#39 AR-1262-4


R.T.: 8.554 min
Delta R.T.: 0.019 min
Response: 1029803
Conc: 5.99 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 7.298 min
Response: 0
Conc: N.D.




#40 AR-1262-5

R.T.: 9.146 min
Delta R.T.: -0.002 min
Response: 47635
Conc: 0.46 ng/ml



#40 AR-1262-5


R.T.: 7.839 min
Delta R.T.: 0.051 min
Response: 291551
Conc: 3.23 ng/ml



#41 AR-1268-1


R.T.: 8.437 min
Delta R.T.: -0.011 min
Response: 4778
Conc: 0.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.193 min
Delta R.T.: -0.041 min
Response: 51785
Conc: 0.17 ng/ml




#42 AR-1268-2

R.T.: 8.554 min
Delta R.T.: 0.018 min
Response: 1029803
Conc: 3.10 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T.: 7.299 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 8.760 min
Delta R.T.: 0.012 min
Response: 681937
Conc: 2.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.478 min
Delta R.T.: -0.022 min
Response: 49626
Conc: 0.21 ng/ml




#44 AR-1268-4

R.T.: 9.146 min
Delta R.T.: -0.002 min
Response: 47635
Conc: 0.48 ng/ml



#44 AR-1268-4


R.T.: 8.076 min
Delta R.T.: 0.019 min
Response: 662618
Conc: 0.92 ng/ml



#45 AR-1268-5

R.T.: 9.519 min
Delta R.T.: -0.013 min
Response: 60516
Conc: 0.07 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.276 min
Delta R.T.: -0.008 min
Response: 266853
Conc: 0.78 ng/ml