

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0021324\
 Data File : P0101761.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Feb 2024 22:29
 Operator : YP/AJ
 Sample : P1461-01MS
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 TP-1MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 13 23:03:25 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0021024.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Feb 12 05:22:08 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.286	3.398	71278315	55144436	23.116	20.745
2)	SA Decachlor...	9.845	8.280	41844525	35424912	19.955	18.646
Target Compounds							
3)	L1 AR-1016-1	5.432	4.454	51724600	40623638	524.496	556.792
4)	L1 AR-1016-2	5.455	4.472	76880127	58146017	528.820	551.144
5)	L1 AR-1016-3	5.516	4.643	49184937	32006785	516.801	557.912
6)	L1 AR-1016-4	5.613	4.685	40125644	26992817	525.970	536.190
7)	L1 AR-1016-5	5.903	4.893	38235237	32873746	481.675	519.787
8)	L2 AR-1221-1	4.491	3.604	11143930	4441036	353.771	162.821 #
9)	L2 AR-1221-2	4.576	3.687	6370423	9582232	268.607	489.640 #
10)	L2 AR-1221-3	4.650	3.762	27365402	24076887	383.363	395.477
11)	L3 AR-1232-1	4.650	3.762	27365402	24076887	428.903	445.627
12)	L3 AR-1232-2	5.169	4.472	41024911	58146017	1068.541	1179.676
13)	L3 AR-1232-3	5.455	4.643	76880127	32006785	1111.646	1246.738
14)	L3 AR-1232-4	5.613	4.725	40125644	32726745	1103.408	1287.667
15)	L3 AR-1232-5	5.703	4.893	36205793	32873746	1153.018	1246.417
16)	L4 AR-1242-1	5.432	4.454	51724600	40623638	703.164	724.697
17)	L4 AR-1242-2	5.455	4.472	76880127	58146017	705.546	736.251
18)	L4 AR-1242-3	5.516	4.643	49184937	32006785	697.241	751.457
19)	L4 AR-1242-4	5.613	4.725	40125644	32726745	707.550	706.632
20)	L4 AR-1242-5	6.340	5.239	5525968	25714708	100.072	519.897 #
21)	L5 AR-1248-1	5.432	4.454	51724600	40623638	940.018	942.927
22)	L5 AR-1248-2	5.703	4.685	36205793	26992817	386.806	407.495
23)	L5 AR-1248-3	5.903	4.725	38235237	32726745	392.176	475.618
24)	L5 AR-1248-4	6.301	4.893	5234378	32873746	57.154	418.786 #
25)	L5 AR-1248-5	6.340	5.279	5525968	3947987	61.513	60.477
26)	L6 AR-1254-1	6.276	5.239	29339507	25714708	264.131	221.243
27)	L6 AR-1254-2	6.490	5.384	30484511	25180378	185.477	238.182 #
28)	L6 AR-1254-3	6.854	5.795	14961033	42173733	92.931	260.843 #
29)	L6 AR-1254-4	7.135	6.007	8886804	4325454	89.682	51.445 #
30)	L6 AR-1254-5	7.550	6.418	85288591	76082954	712.047	567.837
31)	L7 AR-1260-1	7.016	5.909	64406110	59231516	490.685	479.754
32)	L7 AR-1260-2	7.270	6.095	71090683	69023992	498.785	478.137
33)	L7 AR-1260-3	7.625	6.246	44558995	62658812	423.164	479.409
34)	L7 AR-1260-4	7.850	6.712	53536374	44477291	479.301	403.284
35)	L7 AR-1260-5	8.154	6.952	96583254	101.4E6	440.220	428.904
36)	L8 AR-1262-1	7.550	6.418	85288591	76082954	706.620	907.386 #
37)	L8 AR-1262-2	8.154	6.712	96583254	44477291	313.485	292.411
38)	L8 AR-1262-3	8.463	7.231	62053050	19700525	293.959	166.504 #
39)	L8 AR-1262-4	8.533	7.294	15271960	71857323	88.831	334.342 #
40)	L8 AR-1262-5	9.149	7.785	22462270	20906566	217.802	231.602
41)	L9 AR-1268-1	8.463	7.231	62053050	19700525	180.127	63.439 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0021324\
Data File : P0101761.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Feb 2024 22:29
Operator : YP/AJ
Sample : P1461-01MS
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
TP-1MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 13 23:03:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0021024.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Feb 12 05:22:08 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.533	7.294	15271960	71857323	45.920	253.747 #
43) L9	AR-1268-3	8.750	7.498	2148565	1643040	7.857	6.940
44) L9	AR-1268-4	9.149	8.054	22462270	7314885	224.360	10.159 #
45) L9	AR-1268-5	9.533	8.280	7778751	35424912	8.859	103.567 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO021324\
Data File : PO101761.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Feb 2024 22:29
Operator : YP/AJ
Sample : P1461-01MS
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
TP-1MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 13 23:03:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO021024.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Feb 12 05:22:08 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.286 min
Delta R.T.: -0.005 min
Response: 71278315
Conc: 23.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#1 Tetrachloro-m-xylene

R.T.: 3.398 min
Delta R.T.: -0.002 min
Response: 55144436
Conc: 20.75 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.845 min
Delta R.T.: -0.002 min
Response: 41844525
Conc: 19.96 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.280 min
Delta R.T.: -0.004 min
Response: 35424912
Conc: 18.65 ng/ml



#3 AR-1016-1


R.T.: 5.432 min
Delta R.T.: -0.004 min
Response: 51724600
Conc: 524.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#3 AR-1016-1

R.T.: 4.454 min
Delta R.T.: -0.002 min
Response: 40623638
Conc: 556.79 ng/ml




#4 AR-1016-2

R.T.: 5.455 min
Delta R.T.: -0.004 min
Response: 76880127
Conc: 528.82 ng/ml



#4 AR-1016-2


R.T.: 4.472 min
Delta R.T.: -0.001 min
Response: 58146017
Conc: 551.14 ng/ml



#5 AR-1016-3


R.T.: 5.516 min
Delta R.T.: -0.004 min
Response: 49184937
Conc: 516.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#5 AR-1016-3

R.T.: 4.643 min
Delta R.T.: -0.001 min
Response: 32006785
Conc: 557.91 ng/ml




#6 AR-1016-4

R.T.: 5.613 min
Delta R.T.: -0.004 min
Response: 40125644
Conc: 525.97 ng/ml



#6 AR-1016-4


R.T.: 4.685 min
Delta R.T.: -0.002 min
Response: 26992817
Conc: 536.19 ng/ml



#7 AR-1016-5


R.T.: 5.903 min
Delta R.T.: -0.004 min
Response: 38235237
Conc: 481.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#7 AR-1016-5

R.T.: 4.893 min
Delta R.T.: -0.002 min
Response: 32873746
Conc: 519.79 ng/ml




#8 AR-1221-1

R.T.: 4.491 min
Delta R.T.: -0.005 min
Response: 11143930
Conc: 353.77 ng/ml



#8 AR-1221-1


R.T.: 3.604 min
Delta R.T.: -0.003 min
Response: 4441036
Conc: 162.82 ng/ml



#9 AR-1221-2


R.T.: 4.576 min
Delta R.T.: -0.004 min
Response: 6370423
Conc: 268.61 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#9 AR-1221-2

R.T.: 3.687 min
Delta R.T.: -0.004 min
Response: 9582232
Conc: 489.64 ng/ml




#10 AR-1221-3

R.T.: 4.650 min
Delta R.T.: -0.004 min
Response: 27365402
Conc: 383.36 ng/ml



#10 AR-1221-3


R.T.: 3.762 min
Delta R.T.: -0.002 min
Response: 24076887
Conc: 395.48 ng/ml



#11 AR-1232-1


R.T.: 4.650 min
Delta R.T.: -0.005 min
Response: 27365402
Conc: 428.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#11 AR-1232-1

R.T.: 3.762 min
Delta R.T.: -0.002 min
Response: 24076887
Conc: 445.63 ng/ml




#12 AR-1232-2

R.T.: 5.169 min
Delta R.T.: -0.005 min
Response: 41024911
Conc: 1068.54 ng/ml



#12 AR-1232-2


R.T.: 4.472 min
Delta R.T.: 0.000 min
Response: 58146017
Conc: 1179.68 ng/ml



#13 AR-1232-3


R.T.: 5.455 min
Delta R.T.: -0.004 min
Response: 76880127
Conc: 1111.65 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#13 AR-1232-3

R.T.: 4.643 min
Delta R.T.: -0.001 min
Response: 32006785
Conc: 1246.74 ng/ml




#14 AR-1232-4

R.T.: 5.613 min
Delta R.T.: -0.005 min
Response: 40125644
Conc: 1103.41 ng/ml



#14 AR-1232-4


R.T.: 4.725 min
Delta R.T.: -0.001 min
Response: 32726745
Conc: 1287.67 ng/ml



#15 AR-1232-5


R.T.: 5.703 min
Delta R.T.: -0.004 min
Response: 36205793
Conc: 1153.02 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#15 AR-1232-5

R.T.: 4.893 min
Delta R.T.: -0.002 min
Response: 32873746
Conc: 1246.42 ng/ml




#16 AR-1242-1

R.T.: 5.432 min
Delta R.T.: -0.005 min
Response: 51724600
Conc: 703.16 ng/ml



#16 AR-1242-1


R.T.: 4.454 min
Delta R.T.: -0.002 min
Response: 40623638
Conc: 724.70 ng/ml



#17 AR-1242-2


R.T.: 5.455 min
Delta R.T.: -0.004 min
Response: 76880127
Conc: 705.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#17 AR-1242-2

R.T.: 4.472 min
Delta R.T.: -0.001 min
Response: 58146017
Conc: 736.25 ng/ml




#18 AR-1242-3

R.T.: 5.516 min
Delta R.T.: -0.004 min
Response: 49184937
Conc: 697.24 ng/ml



#18 AR-1242-3


R.T.: 4.643 min
Delta R.T.: -0.001 min
Response: 32006785
Conc: 751.46 ng/ml



#19 AR-1242-4


R.T.: 5.613 min
Delta R.T.: -0.005 min
Response: 40125644
Conc: 707.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#19 AR-1242-4

R.T.: 4.725 min
Delta R.T.: -0.001 min
Response: 32726745
Conc: 706.63 ng/ml




#20 AR-1242-5

R.T.: 6.340 min
Delta R.T.: -0.004 min
Response: 5525968
Conc: 100.07 ng/ml



#20 AR-1242-5


R.T.: 5.239 min
Delta R.T.: -0.002 min
Response: 25714708
Conc: 519.90 ng/ml



#21 AR-1248-1


R.T.: 5.432 min
Delta R.T.: -0.006 min
Response: 51724600
Conc: 940.02 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#21 AR-1248-1

R.T.: 4.454 min
Delta R.T.: -0.002 min
Response: 40623638
Conc: 942.93 ng/ml




#22 AR-1248-2

R.T.: 5.703 min
Delta R.T.: -0.005 min
Response: 36205793
Conc: 386.81 ng/ml



#22 AR-1248-2


R.T.: 4.685 min
Delta R.T.: -0.002 min
Response: 26992817
Conc: 407.50 ng/ml



#23 AR-1248-3


R.T.: 5.903 min
Delta R.T.: -0.005 min
Response: 38235237
Conc: 392.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#23 AR-1248-3

R.T.: 4.725 min
Delta R.T.: -0.002 min
Response: 32726745
Conc: 475.62 ng/ml




#24 AR-1248-4

R.T.: 6.301 min
Delta R.T.: -0.006 min
Response: 5234378
Conc: 57.15 ng/ml



#24 AR-1248-4


R.T.: 4.893 min
Delta R.T.: -0.002 min
Response: 32873746
Conc: 418.79 ng/ml



#25 AR-1248-5


R.T.: 6.340 min
Delta R.T.: -0.005 min
Response: 5525968
Conc: 61.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#25 AR-1248-5

R.T.: 5.279 min
Delta R.T.: -0.002 min
Response: 3947987
Conc: 60.48 ng/ml




#26 AR-1254-1

R.T.: 6.276 min
Delta R.T.: -0.003 min
Response: 29339507
Conc: 264.13 ng/ml



#26 AR-1254-1


R.T.: 5.239 min
Delta R.T.: -0.004 min
Response: 25714708
Conc: 221.24 ng/ml



#27 AR-1254-2


R.T.: 6.490 min
Delta R.T.: -0.004 min
Response: 30484511
Conc: 185.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#27 AR-1254-2

R.T.: 5.384 min
Delta R.T.: -0.004 min
Response: 25180378
Conc: 238.18 ng/ml




#28 AR-1254-3

R.T.: 6.854 min
Delta R.T.: -0.002 min
Response: 14961033
Conc: 92.93 ng/ml



#28 AR-1254-3


R.T.: 5.795 min
Delta R.T.: 0.011 min
Response: 42173733
Conc: 260.84 ng/ml



#29 AR-1254-4


R.T.: 7.135 min
Delta R.T.: -0.003 min
Response: 8886804
Conc: 89.68 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#29 AR-1254-4

R.T.: 6.007 min
Delta R.T.: -0.004 min
Response: 4325454
Conc: 51.44 ng/ml




#30 AR-1254-5

R.T.: 7.550 min
Delta R.T.: -0.003 min
Response: 85288591
Conc: 712.05 ng/ml



#30 AR-1254-5


R.T.: 6.418 min
Delta R.T.: -0.004 min
Response: 76082954
Conc: 567.84 ng/ml



#31 AR-1260-1


R.T.: 7.016 min
Delta R.T.: -0.003 min
Response: 64406110
Conc: 490.69 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#31 AR-1260-1

R.T.: 5.909 min
Delta R.T.: -0.001 min
Response: 59231516
Conc: 479.75 ng/ml




#32 AR-1260-2

R.T.: 7.270 min
Delta R.T.: -0.003 min
Response: 71090683
Conc: 498.78 ng/ml



#32 AR-1260-2


R.T.: 6.095 min
Delta R.T.: -0.002 min
Response: 69023992
Conc: 478.14 ng/ml



#33 AR-1260-3


R.T.: 7.625 min
Delta R.T.: -0.003 min
Response: 44558995
Conc: 423.16 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#33 AR-1260-3

R.T.: 6.246 min
Delta R.T.: -0.002 min
Response: 62658812
Conc: 479.41 ng/ml




#34 AR-1260-4

R.T.: 7.850 min
Delta R.T.: -0.002 min
Response: 53536374
Conc: 479.30 ng/ml



#34 AR-1260-4


R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 44477291
Conc: 403.28 ng/ml



#35 AR-1260-5


R.T.: 8.154 min
Delta R.T.: -0.003 min
Response: 96583254
Conc: 440.22 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#35 AR-1260-5

R.T.: 6.952 min
Delta R.T.: -0.003 min
Response: 101386330
Conc: 428.90 ng/ml




#36 AR-1262-1

R.T.: 7.550 min
Delta R.T.: 0.001 min
Response: 85288591
Conc: 706.62 ng/ml



#36 AR-1262-1


R.T.: 6.418 min
Delta R.T.: -0.002 min
Response: 76082954
Conc: 907.39 ng/ml



#37 AR-1262-2


R.T.: 8.154 min
Delta R.T.: 0.000 min
Response: 96583254
Conc: 313.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#37 AR-1262-2

R.T.: 6.712 min
Delta R.T.: -0.002 min
Response: 44477291
Conc: 292.41 ng/ml




#38 AR-1262-3

R.T.: 8.463 min
Delta R.T.: 0.014 min
Response: 62053050
Conc: 293.96 ng/ml



#38 AR-1262-3


R.T.: 7.231 min
Delta R.T.: -0.003 min
Response: 19700525
Conc: 166.50 ng/ml



#39 AR-1262-4


R.T.: 8.533 min
Delta R.T.: -0.001 min
Response: 15271960
Conc: 88.83 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#39 AR-1262-4

R.T.: 7.294 min
Delta R.T.: -0.004 min
Response: 71857323
Conc: 334.34 ng/ml




#40 AR-1262-5

R.T.: 9.149 min
Delta R.T.: 0.001 min
Response: 22462270
Conc: 217.80 ng/ml



#40 AR-1262-5


R.T.: 7.785 min
Delta R.T.: -0.003 min
Response: 20906566
Conc: 231.60 ng/ml



#41 AR-1268-1


R.T.: 8.463 min
Delta R.T.: 0.015 min
Response: 62053050
Conc: 180.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#41 AR-1268-1

R.T.: 7.231 min
Delta R.T.: -0.004 min
Response: 19700525
Conc: 63.44 ng/ml




#42 AR-1268-2

R.T.: 8.533 min
Delta R.T.: -0.003 min
Response: 15271960
Conc: 45.92 ng/ml



#42 AR-1268-2


R.T.: 7.294 min
Delta R.T.: -0.005 min
Response: 71857323
Conc: 253.75 ng/ml



#43 AR-1268-3


R.T.: 8.750 min
Delta R.T.: 0.000 min
Response: 2148565
Conc: 7.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS




#43 AR-1268-3

R.T.: 7.498 min
Delta R.T.: -0.002 min
Response: 1643040
Conc: 6.94 ng/ml




#44 AR-1268-4

R.T.: 9.149 min
Delta R.T.: 0.000 min
Response: 22462270
Conc: 224.36 ng/ml



#44 AR-1268-4


R.T.: 8.054 min
Delta R.T.: -0.003 min
Response: 7314885
Conc: 10.16 ng/ml



#45 AR-1268-5

R.T.: 9.533 min
Delta R.T.: 0.000 min
Response: 7778751
Conc: 8.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
TP-1MS



#45 AR-1268-5

R.T.: 8.280 min
Delta R.T.: -0.004 min
Response: 35424912
Conc: 103.57 ng/ml