

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030222\
 Data File : P0084994.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 02 Mar 2022 15:30
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 03 04:02:00 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0022822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Feb 28 18:40:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.510	3.596	5597515	1043770	20.020	23.210
2)	SA Decachlor...	10.436	8.623	3593949	827207	20.503	22.512
Target Compounds							
3)	L1 AR-1016-1	5.633f	0.000	44126	0	4.712	N.D. #
4)	L1 AR-1016-2	5.771f	0.000	5371	0	0.403	N.D. #
5)	L1 AR-1016-3	5.771	0.000	5371	0	0.672	N.D. #
6)	L1 AR-1016-4	5.881	0.000	8195	0	1.220	N.D. #
7)	L1 AR-1016-5	6.193	5.140	9589	-1317	1.517	N.D. #
8)	L2 AR-1221-1	4.726	0.000	2551	0	0.797	N.D. #
9)	L2 AR-1221-2	4.799	3.896	2726	14888	1.131	33.878 #
10)	L2 AR-1221-3	4.888	0.000	3817	0	0.524	N.D. #
11)	L3 AR-1232-1	4.888	0.000	3817	0	0.624	N.D. #
12)	L3 AR-1232-2	5.430	0.000	4884	0	1.641	N.D. #
13)	L3 AR-1232-3	5.771f	0.000	5371	0	0.947	N.D. #
14)	L3 AR-1232-4	5.881	0.000	8195	0	2.869	N.D. #
16)	L4 AR-1242-1	5.633f	0.000	44126	0	5.944	N.D. #
17)	L4 AR-1242-2	5.771f	0.000	5371	0	0.507	N.D. #
18)	L4 AR-1242-3	5.771	0.000	5371	0	0.836	N.D. #
19)	L4 AR-1242-4	5.881	0.000	8195	0	1.511	N.D. #
20)	L4 AR-1242-5	6.613	5.517	9768	11140	1.857	8.988 #
21)	L5 AR-1248-1	5.633f	0.000	44126	0	8.133	N.D. #
22)	L5 AR-1248-2	6.005	0.000	1339	0	0.174	N.D. #
23)	L5 AR-1248-3	6.193	0.000	9589	0	1.116	N.D. #
24)	L5 AR-1248-4	6.595	5.140	11252	-1317	1.208	N.D. #
25)	L5 AR-1248-5	6.613	5.517	9768	11140	1.093	6.642 #
26)	L6 AR-1254-1	6.570	5.517	112199	11140	11.439	4.164 #
27)	L6 AR-1254-2	6.792	0.000	8735	0	0.589	N.D. #
28)	L6 AR-1254-3	7.164	0.000	24513	0	1.619	N.D. #
29)	L6 AR-1254-4	7.449	0.000	22781	0	2.124	N.D. #
30)	L6 AR-1254-5	7.871	0.000	54302	0	4.612	N.D. #
31)	L7 AR-1260-1	7.334	0.000	25984	0	2.277	N.D. #
32)	L7 AR-1260-2	7.577	0.000	1627	0	0.127	N.D. #
33)	L7 AR-1260-3	7.946	6.509	17602	5343	2.204	1.954
34)	L7 AR-1260-4	8.169	0.000	10937	0	1.150	N.D. #
35)	L7 AR-1260-5	8.513	7.289f	2039	1161	0.111	0.250 #
36)	L8 AR-1262-1	7.954	0.000	10919	0	1.208	N.D. #
37)	L8 AR-1262-2	8.513	0.000	2039	0	0.128	N.D. #
38)	L8 AR-1262-3	8.845	0.000	986	0	0.094	N.D. #
39)	L8 AR-1262-4	8.932	7.653f	2769	814	0.548	0.287 #
40)	L8 AR-1262-5	9.630	8.081	4288	749	0.784	0.566 #
41)	L9 AR-1268-1	8.838	0.000	8910	0	0.319	N.D. #
42)	L9 AR-1268-2	8.932	7.653f	2769	814	0.111	0.134

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030222\
 Data File : P0084994.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 02 Mar 2022 15:30
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 03 04:02:00 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0022822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Feb 28 18:40:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	9.185	0.000	18731	0	0.877	N.D. #
44) L9	AR-1268-4	9.630	8.081	4288	749	0.467	0.328 #
45) L9	AR-1268-5	10.073	8.372	7059	6011	0.101	0.408 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030222\
Data File : P0084994.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 02 Mar 2022 15:30
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 03 04:02:00 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0022822.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Feb 28 18:40:06 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.510 min
Delta R.T.: 0.004 min
Response: 5597515
Conc: 20.02 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.596 min
Delta R.T.: 0.003 min
Response: 1043770
Conc: 23.21 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.436 min
Delta R.T.: 0.009 min
Response: 3593949
Conc: 20.50 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.623 min
Delta R.T.: 0.005 min
Response: 827207
Conc: 22.51 ng/ml



#3 AR-1016-1


R.T.: 5.633 min
Delta R.T.: -0.062 min
Response: 44126
Conc: 4.71 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.685 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.771 min
Delta R.T.: 0.052 min
Response: 5371
Conc: 0.40 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.703 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.771 min
Delta R.T.: -0.011 min
Response: 5371
Conc: 0.67 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.879 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.881 min
Delta R.T.: 0.000 min
Response: 8195
Conc: 1.22 ng/ml



#6 AR-1016-4


R.T.: 0.000 min
Exp R.T. : 4.923 min
Response: 0
Conc: N.D.



#7 AR-1016-5


R.T.: 6.193 min
Delta R.T.: 0.011 min
Response: 9589
Conc: 1.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#7 AR-1016-5

R.T.: 5.140 min
Delta R.T.: 0.004 min
Response: -1317
Conc: N.D.




#8 AR-1221-1

R.T.: 4.726 min
Delta R.T.: 0.006 min
Response: 2551
Conc: 0.80 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T.: 3.811 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.799 min
Delta R.T.: -0.008 min
Response: 2726
Conc: 1.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#9 AR-1221-2

R.T.: 3.896 min
Delta R.T.: 0.000 min
Response: 14888
Conc: 33.88 ng/ml




#10 AR-1221-3

R.T.: 4.888 min
Delta R.T.: 0.003 min
Response: 3817
Conc: 0.52 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.973 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.888 min
Delta R.T.: 0.004 min
Response: 3817
Conc: 0.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.972 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.430 min
Delta R.T.: 0.005 min
Response: 4884
Conc: 1.64 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.704 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.771 min
Delta R.T.: 0.052 min
Response: 5371
Conc: 0.95 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.879 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.881 min
Delta R.T.: -0.002 min
Response: 8195
Conc: 2.87 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 4.964 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 6.005 min
Delta R.T.: 0.030 min
Response: 1339
Conc: 0.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#15 AR-1232-5

R.T.: 5.140 min
Delta R.T.: 0.005 min
Response: -1317
Conc: N.D.




#16 AR-1242-1

R.T.: 5.633 min
Delta R.T.: -0.064 min
Response: 44126
Conc: 5.94 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T.: 4.686 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.771 min
Delta R.T.: 0.051 min
Response: 5371
Conc: 0.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.705 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.771 min
Delta R.T.: -0.012 min
Response: 5371
Conc: 0.84 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.881 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.881 min
Delta R.T.: -0.002 min
Response: 8195
Conc: 1.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 4.966 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.613 min
Delta R.T.: -0.019 min
Response: 9768
Conc: 1.86 ng/ml



#20 AR-1242-5


R.T.: 5.517 min
Delta R.T.: 0.027 min
Response: 11140
Conc: 8.99 ng/ml



#21 AR-1248-1


R.T.: 5.633 min
Delta R.T.: -0.064 min
Response: 44126
Conc: 8.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.685 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 6.005 min
Delta R.T.: 0.029 min
Response: 1339
Conc: 0.17 ng/ml



#22 AR-1248-2


R.T.: 0.000 min
Exp R.T. : 4.924 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 6.193 min
Delta R.T.: 0.009 min
Response: 9589
Conc: 1.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 4.964 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.595 min
Delta R.T.: 0.002 min
Response: 11252
Conc: 1.21 ng/ml



#24 AR-1248-4


R.T.: 5.140 min
Delta R.T.: 0.004 min
Response: -1317
Conc: N.D.



#25 AR-1248-5


R.T.: 6.613 min
Delta R.T.: -0.018 min
Response: 9768
Conc: 1.09 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#25 AR-1248-5

R.T.: 5.517 min
Delta R.T.: -0.014 min
Response: 11140
Conc: 6.64 ng/ml




#26 AR-1254-1

R.T.: 6.570 min
Delta R.T.: 0.003 min
Response: 112199
Conc: 11.44 ng/ml



#26 AR-1254-1


R.T.: 5.517 min
Delta R.T.: 0.027 min
Response: 11140
Conc: 4.16 ng/ml



#27 AR-1254-2


R.T.: 6.792 min
Delta R.T.: 0.003 min
Response: 8735
Conc: 0.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#27 AR-1254-2

R.T.: 0.000 min
Exp R.T. : 5.639 min
Response: 0
Conc: N.D.




#28 AR-1254-3

R.T.: 7.164 min
Delta R.T.: 0.004 min
Response: 24513
Conc: 1.62 ng/ml



#28 AR-1254-3


R.T.: 0.000 min
Exp R.T. : 6.043 min
Response: 0
Conc: N.D.



#29 AR-1254-4


R.T.: 7.449 min
Delta R.T.: 0.000 min
Response: 22781
Conc: 2.12 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.274 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 7.871 min
Delta R.T.: -0.002 min
Response: 54302
Conc: 4.61 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T. : 6.693 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 7.334 min
Delta R.T.: 0.010 min
Response: 25984
Conc: 2.28 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T. : 6.173 min
Response: 0
Conc: N.D.




#32 AR-1260-2

R.T.: 7.577 min
Delta R.T.: -0.007 min
Response: 1627
Conc: 0.13 ng/ml



#32 AR-1260-2


R.T.: 0.000 min
Exp R.T. : 6.362 min
Response: 0
Conc: N.D.



#33 AR-1260-3


R.T.: 7.946 min
Delta R.T.: -0.002 min
Response: 17602
Conc: 2.20 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#33 AR-1260-3

R.T.: 6.509 min
Delta R.T.: -0.006 min
Response: 5343
Conc: 1.95 ng/ml




#34 AR-1260-4

R.T.: 8.169 min
Delta R.T.: -0.010 min
Response: 10937
Conc: 1.15 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T.: 6.990 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.513 min
Delta R.T.: 0.002 min
Response: 2039
Conc: 0.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#35 AR-1260-5

R.T.: 7.289 min
Delta R.T.: 0.055 min
Response: 1161
Conc: 0.25 ng/ml




#36 AR-1262-1

R.T.: 7.954 min
Delta R.T.: 0.004 min
Response: 10919
Conc: 1.21 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T.: 6.692 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 8.513 min
Delta R.T.: -0.002 min
Response: 2039
Conc: 0.13 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 6.992 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.845 min
Delta R.T.: 0.002 min
Response: 986
Conc: 0.09 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T. : 7.521 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.932 min
Delta R.T.: -0.002 min
Response: 2769
Conc: 0.55 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#39 AR-1262-4

R.T.: 7.653 min
Delta R.T.: 0.068 min
Response: 814
Conc: 0.29 ng/ml




#40 AR-1262-5

R.T.: 9.630 min
Delta R.T.: 0.002 min
Response: 4288
Conc: 0.78 ng/ml



#40 AR-1262-5


R.T.: 8.081 min
Delta R.T.: 0.000 min
Response: 749
Conc: 0.57 ng/ml



#41 AR-1268-1


R.T.: 8.838 min
Delta R.T.: -0.002 min
Response: 8910
Conc: 0.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.521 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.932 min
Delta R.T.: -0.006 min
Response: 2769
Conc: 0.11 ng/ml



#42 AR-1268-2


R.T.: 7.653 min
Delta R.T.: 0.068 min
Response: 814
Conc: 0.13 ng/ml



#43 AR-1268-3


R.T.: 9.185 min
Delta R.T.: 0.005 min
Response: 18731
Conc: 0.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.793 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.630 min
Delta R.T.: 0.002 min
Response: 4288
Conc: 0.47 ng/ml



#44 AR-1268-4


R.T.: 8.081 min
Delta R.T.: 0.000 min
Response: 749
Conc: 0.33 ng/ml



#45 AR-1268-5

R.T.: 10.073 min
Delta R.T.: 0.005 min
Response: 7059
Conc: 0.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
I.BLK



#45 AR-1268-5

R.T.: 8.372 min
Delta R.T.: 0.003 min
Response: 6011
Conc: 0.41 ng/ml