

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0030422\
 Data File : P0085088.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 04 Mar 2022 12:07
 Operator : YP\AJ
 Sample : N1789-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 05 00:34:01 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0022822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Feb 28 18:40:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.507	3.595	2899116	720664	10.369	16.025 #
2)	SA Decachlor...	10.424	8.615	3425316	757867	19.541	20.625
Target Compounds							
3)	L1 AR-1016-1	5.731f	4.702	32030	2336	3.420	1.447 #
4)	L1 AR-1016-2	5.731	4.702	32030	2336	2.401	1.028 #
5)	L1 AR-1016-3	5.794	4.891	33272	7366	4.164	5.765 #
6)	L1 AR-1016-4	5.885	4.891	5245	7366	0.781	7.006 #
7)	L1 AR-1016-5	6.193	5.123	17597	9167	2.783	6.917 #
8)	L2 AR-1221-1	4.719	0.000	184986	0	57.817	N.D. #
9)	L2 AR-1221-2	4.819	3.893	40409	13274	16.759	30.205 #
10)	L2 AR-1221-3	4.886	4.015f	10076	47251	1.384	35.486 #
11)	L3 AR-1232-1	4.886	4.015f	10076	47251	1.646	42.469 #
12)	L3 AR-1232-2	5.408	4.702	382	2336	0.128	2.324 #
13)	L3 AR-1232-3	5.731	4.891	32030	7366	5.649	13.563 #
14)	L3 AR-1232-4	5.885	4.994	5245	7377	1.837	14.538 #
15)	L3 AR-1232-5	5.977	5.123	24574	9167	10.877	16.530 #
16)	L4 AR-1242-1	5.731	4.702	32030	2336	4.315	1.770 #
17)	L4 AR-1242-2	5.731	4.702	32030	2336	3.023	1.256 #
18)	L4 AR-1242-3	5.794	4.891	33272	7366	5.176	7.196 #
19)	L4 AR-1242-4	5.885	4.994	5245	7377	0.967	7.080 #
20)	L4 AR-1242-5	6.638	5.492	18192	32982	3.459	26.612 #
21)	L5 AR-1248-1	5.731	4.702	32030	2336	5.903	2.385 #
22)	L5 AR-1248-2	5.977	4.891	24574	7366	3.196	5.118 #
23)	L5 AR-1248-3	6.193	4.994	17597	7377	2.048	4.914 #
24)	L5 AR-1248-4	6.608	5.123	15090	9167	1.620	5.277 #
25)	L5 AR-1248-5	6.638	5.535	18192	3425	2.035	2.042
26)	L6 AR-1254-1	6.577	5.492	100282	32982	10.224	12.329
27)	L6 AR-1254-2	6.793	5.637	59281	11594	3.995	4.916
28)	L6 AR-1254-3	7.160	6.039	79329	11667	5.239	3.103 #
29)	L6 AR-1254-4	7.449	6.276	31435	6453	2.931	2.753
30)	L6 AR-1254-5	7.870	6.688	192590	31422	16.356	9.286 #
31)	L7 AR-1260-1	7.324	6.171	90588	24324	7.938	9.801
32)	L7 AR-1260-2	7.582	6.360	185294	19364	14.410	6.542 #
33)	L7 AR-1260-3	7.948	6.513	94696	21094	11.858	7.713 #
34)	L7 AR-1260-4	8.180	6.987	42477	22429	4.466	11.188 #
35)	L7 AR-1260-5	8.511	7.231	145115	30691	7.893	6.600
36)	L8 AR-1262-1	7.948	6.688	94696	31422	10.476	26.035 #
37)	L8 AR-1262-2	8.511	6.987	145115	22429	9.097	11.045
38)	L8 AR-1262-3	8.859	7.517	174364	10897	16.628	7.010 #
39)	L8 AR-1262-4	8.936	7.579	13803	24256	2.731	8.561 #
40)	L8 AR-1262-5	9.629	8.076	12941	19374	2.366	14.637 #
41)	L9 AR-1268-1	8.859	7.517	174364	10897	6.242	1.597 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030422\
Data File : P0085088.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 04 Mar 2022 12:07
Operator : YP\AJ
Sample : N1789-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 05 00:34:01 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0022822.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Feb 28 18:40:06 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.936	7.579	13803	24256	0.551	4.002 #
43)	L9 AR-1268-3	9.182	7.794	12667	4407	0.593	0.879 #
44)	L9 AR-1268-4	9.629	8.076	12941	19374	1.410	8.488 #
45)	L9 AR-1268-5	10.064	8.364	21235	16324	0.303	1.109 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO030422\
Data File : PO085088.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 04 Mar 2022 12:07
Operator : YP\AJ
Sample : N1789-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 05 00:34:01 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO022822.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Feb 28 18:40:06 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.507 min
Delta R.T.: 0.001 min
Response: 2899116
Conc: 10.37 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.595 min
Delta R.T.: 0.001 min
Response: 720664
Conc: 16.03 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.424 min
Delta R.T.: -0.002 min
Response: 3425316
Conc: 19.54 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.615 min
Delta R.T.: -0.003 min
Response: 757867
Conc: 20.62 ng/ml



#3 AR-1016-1


R.T.: 5.731 min
Delta R.T.: 0.035 min
Response: 32030
Conc: 3.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.702 min
Delta R.T.: 0.016 min
Response: 2336
Conc: 1.45 ng/ml




#4 AR-1016-2

R.T.: 5.731 min
Delta R.T.: 0.011 min
Response: 32030
Conc: 2.40 ng/ml



#4 AR-1016-2


R.T.: 4.702 min
Delta R.T.: -0.002 min
Response: 2336
Conc: 1.03 ng/ml



#5 AR-1016-3


R.T.: 5.794 min
Delta R.T.: 0.011 min
Response: 33272
Conc: 4.16 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.891 min
Delta R.T.: 0.012 min
Response: 7366
Conc: 5.77 ng/ml




#6 AR-1016-4

R.T.: 5.885 min
Delta R.T.: 0.003 min
Response: 5245
Conc: 0.78 ng/ml



#6 AR-1016-4


R.T.: 4.891 min
Delta R.T.: -0.032 min
Response: 7366
Conc: 7.01 ng/ml



#7 AR-1016-5


R.T.: 6.193 min
Delta R.T.: 0.012 min
Response: 17597
Conc: 2.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.123 min
Delta R.T.: -0.013 min
Response: 9167
Conc: 6.92 ng/ml




#8 AR-1221-1

R.T.: 4.719 min
Delta R.T.: -0.001 min
Response: 184986
Conc: 57.82 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.811 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.819 min
Delta R.T.: 0.012 min
Response: 40409
Conc: 16.76 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.893 min
Delta R.T.: -0.003 min
Response: 13274
Conc: 30.21 ng/ml




#10 AR-1221-3

R.T.: 4.886 min
Delta R.T.: 0.000 min
Response: 10076
Conc: 1.38 ng/ml



#10 AR-1221-3


R.T.: 4.015 min
Delta R.T.: 0.042 min
Response: 47251
Conc: 35.49 ng/ml



#11 AR-1232-1


R.T.: 4.886 min
Delta R.T.: 0.002 min
Response: 10076
Conc: 1.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.015 min
Delta R.T.: 0.043 min
Response: 47251
Conc: 42.47 ng/ml




#12 AR-1232-2

R.T.: 5.408 min
Delta R.T.: -0.017 min
Response: 382
Conc: 0.13 ng/ml



#12 AR-1232-2


R.T.: 4.702 min
Delta R.T.: -0.002 min
Response: 2336
Conc: 2.32 ng/ml



#13 AR-1232-3


R.T.: 5.731 min
Delta R.T.: 0.011 min
Response: 32030
Conc: 5.65 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.891 min
Delta R.T.: 0.012 min
Response: 7366
Conc: 13.56 ng/ml




#14 AR-1232-4

R.T.: 5.885 min
Delta R.T.: 0.002 min
Response: 5245
Conc: 1.84 ng/ml



#14 AR-1232-4


R.T.: 4.994 min
Delta R.T.: 0.030 min
Response: 7377
Conc: 14.54 ng/ml



#15 AR-1232-5


R.T.: 5.977 min
Delta R.T.: 0.002 min
Response: 24574
Conc: 10.88 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.123 min
Delta R.T.: -0.012 min
Response: 9167
Conc: 16.53 ng/ml




#16 AR-1242-1

R.T.: 5.731 min
Delta R.T.: 0.034 min
Response: 32030
Conc: 4.31 ng/ml



#16 AR-1242-1


R.T.: 4.702 min
Delta R.T.: 0.016 min
Response: 2336
Conc: 1.77 ng/ml



#17 AR-1242-2


R.T.: 5.731 min
Delta R.T.: 0.011 min
Response: 32030
Conc: 3.02 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.702 min
Delta R.T.: -0.003 min
Response: 2336
Conc: 1.26 ng/ml




#18 AR-1242-3

R.T.: 5.794 min
Delta R.T.: 0.011 min
Response: 33272
Conc: 5.18 ng/ml



#18 AR-1242-3


R.T.: 4.891 min
Delta R.T.: 0.011 min
Response: 7366
Conc: 7.20 ng/ml



#19 AR-1242-4


R.T.: 5.885 min
Delta R.T.: 0.001 min
Response: 5245
Conc: 0.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.994 min
Delta R.T.: 0.029 min
Response: 7377
Conc: 7.08 ng/ml




#20 AR-1242-5

R.T.: 6.638 min
Delta R.T.: 0.005 min
Response: 18192
Conc: 3.46 ng/ml



#20 AR-1242-5


R.T.: 5.492 min
Delta R.T.: 0.002 min
Response: 32982
Conc: 26.61 ng/ml



#21 AR-1248-1


R.T.: 5.731 min
Delta R.T.: 0.034 min
Response: 32030
Conc: 5.90 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.702 min
Delta R.T.: 0.016 min
Response: 2336
Conc: 2.39 ng/ml




#22 AR-1248-2

R.T.: 5.977 min
Delta R.T.: 0.000 min
Response: 24574
Conc: 3.20 ng/ml



#22 AR-1248-2


R.T.: 4.891 min
Delta R.T.: -0.032 min
Response: 7366
Conc: 5.12 ng/ml



#23 AR-1248-3


R.T.: 6.193 min
Delta R.T.: 0.010 min
Response: 17597
Conc: 2.05 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.994 min
Delta R.T.: 0.030 min
Response: 7377
Conc: 4.91 ng/ml




#24 AR-1248-4

R.T.: 6.608 min
Delta R.T.: 0.015 min
Response: 15090
Conc: 1.62 ng/ml



#24 AR-1248-4


R.T.: 5.123 min
Delta R.T.: -0.013 min
Response: 9167
Conc: 5.28 ng/ml



#25 AR-1248-5


R.T.: 6.638 min
Delta R.T.: 0.006 min
Response: 18192
Conc: 2.03 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.535 min
Delta R.T.: 0.004 min
Response: 3425
Conc: 2.04 ng/ml




#26 AR-1254-1

R.T.: 6.577 min
Delta R.T.: 0.011 min
Response: 100282
Conc: 10.22 ng/ml



#26 AR-1254-1


R.T.: 5.492 min
Delta R.T.: 0.002 min
Response: 32982
Conc: 12.33 ng/ml



#27 AR-1254-2


R.T.: 6.793 min
Delta R.T.: 0.003 min
Response: 59281
Conc: 3.99 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.637 min
Delta R.T.: -0.002 min
Response: 11594
Conc: 4.92 ng/ml




#28 AR-1254-3

R.T.: 7.160 min
Delta R.T.: 0.000 min
Response: 79329
Conc: 5.24 ng/ml



#28 AR-1254-3


R.T.: 6.039 min
Delta R.T.: -0.005 min
Response: 11667
Conc: 3.10 ng/ml



#29 AR-1254-4


R.T.: 7.449 min
Delta R.T.: 0.000 min
Response: 31435
Conc: 2.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.276 min
Delta R.T.: 0.002 min
Response: 6453
Conc: 2.75 ng/ml




#30 AR-1254-5

R.T.: 7.870 min
Delta R.T.: -0.003 min
Response: 192590
Conc: 16.36 ng/ml



#30 AR-1254-5


R.T.: 6.688 min
Delta R.T.: -0.005 min
Response: 31422
Conc: 9.29 ng/ml



#31 AR-1260-1


R.T.: 7.324 min
Delta R.T.: 0.000 min
Response: 90588
Conc: 7.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.171 min
Delta R.T.: -0.001 min
Response: 24324
Conc: 9.80 ng/ml




#32 AR-1260-2

R.T.: 7.582 min
Delta R.T.: -0.001 min
Response: 185294
Conc: 14.41 ng/ml



#32 AR-1260-2


R.T.: 6.360 min
Delta R.T.: -0.002 min
Response: 19364
Conc: 6.54 ng/ml



#33 AR-1260-3


R.T.: 7.948 min
Delta R.T.: 0.000 min
Response: 94696
Conc: 11.86 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.513 min
Delta R.T.: -0.002 min
Response: 21094
Conc: 7.71 ng/ml




#34 AR-1260-4

R.T.: 8.180 min
Delta R.T.: 0.000 min
Response: 42477
Conc: 4.47 ng/ml



#34 AR-1260-4


R.T.: 6.987 min
Delta R.T.: -0.003 min
Response: 22429
Conc: 11.19 ng/ml



#35 AR-1260-5


R.T.: 8.511 min
Delta R.T.: 0.000 min
Response: 145115
Conc: 7.89 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.231 min
Delta R.T.: -0.002 min
Response: 30691
Conc: 6.60 ng/ml




#36 AR-1262-1

R.T.: 7.948 min
Delta R.T.: -0.002 min
Response: 94696
Conc: 10.48 ng/ml



#36 AR-1262-1


R.T.: 6.688 min
Delta R.T.: -0.004 min
Response: 31422
Conc: 26.03 ng/ml



#37 AR-1262-2


R.T.: 8.511 min
Delta R.T.: -0.003 min
Response: 145115
Conc: 9.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.987 min
Delta R.T.: -0.005 min
Response: 22429
Conc: 11.05 ng/ml




#38 AR-1262-3

R.T.: 8.859 min
Delta R.T.: 0.016 min
Response: 174364
Conc: 16.63 ng/ml



#38 AR-1262-3


R.T.: 7.517 min
Delta R.T.: -0.004 min
Response: 10897
Conc: 7.01 ng/ml



#39 AR-1262-4


R.T.: 8.936 min
Delta R.T.: 0.002 min
Response: 13803
Conc: 2.73 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.579 min
Delta R.T.: -0.006 min
Response: 24256
Conc: 8.56 ng/ml




#40 AR-1262-5

R.T.: 9.629 min
Delta R.T.: 0.002 min
Response: 12941
Conc: 2.37 ng/ml



#40 AR-1262-5


R.T.: 8.076 min
Delta R.T.: -0.005 min
Response: 19374
Conc: 14.64 ng/ml



#41 AR-1268-1


R.T.: 8.859 min
Delta R.T.: 0.019 min
Response: 174364
Conc: 6.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.517 min
Delta R.T.: -0.004 min
Response: 10897
Conc: 1.60 ng/ml




#42 AR-1268-2

R.T.: 8.936 min
Delta R.T.: -0.002 min
Response: 13803
Conc: 0.55 ng/ml



#42 AR-1268-2


R.T.: 7.579 min
Delta R.T.: -0.006 min
Response: 24256
Conc: 4.00 ng/ml



#43 AR-1268-3


R.T.: 9.182 min
Delta R.T.: 0.003 min
Response: 12667
Conc: 0.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.794 min
Delta R.T.: 0.001 min
Response: 4407
Conc: 0.88 ng/ml




#44 AR-1268-4

R.T.: 9.629 min
Delta R.T.: 0.001 min
Response: 12941
Conc: 1.41 ng/ml



#44 AR-1268-4


R.T.: 8.076 min
Delta R.T.: -0.005 min
Response: 19374
Conc: 8.49 ng/ml



#45 AR-1268-5

R.T.: 10.064 min
Delta R.T.: -0.003 min
Response: 21235
Conc: 0.30 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.364 min
Delta R.T.: -0.005 min
Response: 16324
Conc: 1.11 ng/ml