

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0030922\
 Data File : P0085204.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 09 Mar 2022 20:08
 Operator : YP\AJ
 Sample : N1645-08
 Misc : AR1242 LOQ 50 PPB
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 10 02:18:23 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0030822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 09 04:29:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.499	3.591	3861120	1240919	22.487	27.194
2)	SA Decachlor...	10.415	8.610	1764054	1124068	26.939	29.525
Target Compounds							
3)	L1 AR-1016-1	5.690	4.680	150452	66327	32.988	39.615
4)	L1 AR-1016-2	5.712	4.699	204755	103331	30.397	42.672 #
5)	L1 AR-1016-3	5.775	4.874	145082	51592	35.932	37.687
6)	L1 AR-1016-4	5.876	4.918	103279	49120	30.827	42.771 #
7)	L1 AR-1016-5	6.175	5.130	93706	57716	30.364	40.299 #
8)	L2 AR-1221-1	4.711	3.806	187961	7249	101.721	13.150 #
9)	L2 AR-1221-2	4.809	3.890	86545	36292	65.062	85.361 #
10)	L2 AR-1221-3	4.877	3.968	151121	39151	38.738	30.057
11)	L3 AR-1232-1	4.877	3.968	151121	39151	53.526	39.418 #
12)	L3 AR-1232-2	5.417	4.699	172379	103331	107.005	98.718
13)	L3 AR-1232-3	5.712	4.874	204755	51592	72.335	90.614 #
14)	L3 AR-1232-4	5.876	4.959	103279	55668	75.732	105.408 #
15)	L3 AR-1232-5	5.967	5.130	79442	57716	77.224	97.686 #
16)	L4 AR-1242-1	5.690	4.680	150452	66327	44.152	52.980
17)	L4 AR-1242-2	5.712	4.699	204755	103331	40.901	57.530 #
18)	L4 AR-1242-3	5.775	4.874	145082	51592	47.778	52.284
19)	L4 AR-1242-4	5.876	4.959	103279	55668	43.839	54.438
20)	L4 AR-1242-5	6.624	5.483	90142	63548	47.644	49.491
21)	L5 AR-1248-1	5.690	4.680	150452	66327	56.615	64.983
22)	L5 AR-1248-2	5.967	4.918	79442	49120	23.943	33.904 #
23)	L5 AR-1248-3	6.175	4.959	93706	55668	27.345	37.636 #
24)	L5 AR-1248-4	6.585	5.130	90498	57716	27.279	33.063
25)	L5 AR-1248-5	6.624	5.524	90142	45217	28.516	27.628
26)	L6 AR-1254-1	6.557	5.483	69044	63548	20.193	24.921
27)	L6 AR-1254-2	6.784	5.631	108982	15349	21.445	6.572 #
28)	L6 AR-1254-3	7.153	6.035	78925	21686	15.671	5.999 #
29)	L6 AR-1254-4	7.441	6.265	129493	32892	35.405	14.753 #
30)	L6 AR-1254-5	7.874	6.686	240555	5209	61.457	1.551 #
31)	L7 AR-1260-1	7.277f	6.178	164603	30470	40.463	11.607 #
32)	L7 AR-1260-2	7.594	6.359	112968	17983	23.566	5.751 #
33)	L7 AR-1260-3	7.957	6.498	75111	29080	23.112	9.389 #
34)	L7 AR-1260-4	8.146	7.028f	134415	2382	35.168	1.081 #
35)	L7 AR-1260-5	8.522	7.265f	38995	4311	5.665	0.866 #
36)	L8 AR-1262-1	7.957	6.686	75111	5209	16.485	3.032 #
37)	L8 AR-1262-2	8.522	7.028f	38995	2382	4.751	0.827 #
38)	L8 AR-1262-3	8.851	0.000	3361	0	0.628	N.D. #
39)	L8 AR-1262-4	8.921	7.639f	5403	4848	2.172	1.178 #
40)	L8 AR-1262-5	9.615	0.000	2568	0	0.928	N.D. #
41)	L9 AR-1268-1	8.851	0.000	3361	0	0.359	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030922\
Data File : P0085204.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 09 Mar 2022 20:08
Operator : YP\AJ
Sample : N1645-08
Misc : AR1242 LOQ 50 PPB
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 10 02:18:23 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030822.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 09 04:29:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.921	7.639f	5403	4848	0.637	0.829 #
43)	L9 AR-1268-3	9.174	0.000	9800	0	1.367	N.D. #
44)	L9 AR-1268-4	9.615	0.000	2568	0	0.839	N.D. #
45)	L9 AR-1268-5	10.063	8.356	13996	6477	0.587	0.451



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030922\
Data File : P0085204.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 09 Mar 2022 20:08
Operator : YP\AJ
Sample : N1645-08
Misc : AR1242 LOQ 50 PPB
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 10 02:18:23 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030822.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 09 04:29:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.499 min
Delta R.T.: 0.000 min
Response: 3861120
Conc: 22.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.591 min
Delta R.T.: -0.001 min
Response: 1240919
Conc: 27.19 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.415 min
Delta R.T.: -0.002 min
Response: 1764054
Conc: 26.94 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.610 min
Delta R.T.: -0.002 min
Response: 1124068
Conc: 29.52 ng/ml



#3 AR-1016-1


R.T.: 5.690 min
Delta R.T.: 0.000 min
Response: 150452
Conc: 32.99 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.680 min
Delta R.T.: -0.002 min
Response: 66327
Conc: 39.61 ng/ml




#4 AR-1016-2

R.T.: 5.712 min
Delta R.T.: 0.000 min
Response: 204755
Conc: 30.40 ng/ml



#4 AR-1016-2


R.T.: 4.699 min
Delta R.T.: -0.001 min
Response: 103331
Conc: 42.67 ng/ml



#5 AR-1016-3


R.T.: 5.775 min
Delta R.T.: 0.000 min
Response: 145082
Conc: 35.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.874 min
Delta R.T.: -0.002 min
Response: 51592
Conc: 37.69 ng/ml




#6 AR-1016-4

R.T.: 5.876 min
Delta R.T.: 0.000 min
Response: 103279
Conc: 30.83 ng/ml



#6 AR-1016-4


R.T.: 4.918 min
Delta R.T.: -0.001 min
Response: 49120
Conc: 42.77 ng/ml



#7 AR-1016-5


R.T.: 6.175 min
Delta R.T.: 0.000 min
Response: 93706
Conc: 30.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.130 min
Delta R.T.: -0.002 min
Response: 57716
Conc: 40.30 ng/ml




#8 AR-1221-1

R.T.: 4.711 min
Delta R.T.: 0.000 min
Response: 187961
Conc: 101.72 ng/ml



#8 AR-1221-1


R.T.: 3.806 min
Delta R.T.: 0.000 min
Response: 7249
Conc: 13.15 ng/ml



#9 AR-1221-2


R.T.: 4.809 min
Delta R.T.: 0.010 min
Response: 86545
Conc: 65.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.890 min
Delta R.T.: -0.002 min
Response: 36292
Conc: 85.36 ng/ml




#10 AR-1221-3

R.T.: 4.877 min
Delta R.T.: 0.000 min
Response: 151121
Conc: 38.74 ng/ml



#10 AR-1221-3


R.T.: 3.968 min
Delta R.T.: 0.000 min
Response: 39151
Conc: 30.06 ng/ml



#11 AR-1232-1


R.T.: 4.877 min
Delta R.T.: 0.000 min
Response: 151121
Conc: 53.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.968 min
Delta R.T.: 0.000 min
Response: 39151
Conc: 39.42 ng/ml




#12 AR-1232-2

R.T.: 5.417 min
Delta R.T.: 0.000 min
Response: 172379
Conc: 107.00 ng/ml



#12 AR-1232-2


R.T.: 4.699 min
Delta R.T.: -0.001 min
Response: 103331
Conc: 98.72 ng/ml



#13 AR-1232-3


R.T.: 5.712 min
Delta R.T.: 0.000 min
Response: 204755
Conc: 72.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.874 min
Delta R.T.: 0.000 min
Response: 51592
Conc: 90.61 ng/ml




#14 AR-1232-4

R.T.: 5.876 min
Delta R.T.: 0.000 min
Response: 103279
Conc: 75.73 ng/ml



#14 AR-1232-4


R.T.: 4.959 min
Delta R.T.: -0.001 min
Response: 55668
Conc: 105.41 ng/ml



#15 AR-1232-5


R.T.: 5.967 min
Delta R.T.: 0.000 min
Response: 79442
Conc: 77.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.130 min
Delta R.T.: -0.001 min
Response: 57716
Conc: 97.69 ng/ml




#16 AR-1242-1

R.T.: 5.690 min
Delta R.T.: 0.002 min
Response: 150452
Conc: 44.15 ng/ml



#16 AR-1242-1


R.T.: 4.680 min
Delta R.T.: 0.000 min
Response: 66327
Conc: 52.98 ng/ml



#17 AR-1242-2


R.T.: 5.712 min
Delta R.T.: 0.000 min
Response: 204755
Conc: 40.90 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.699 min
Delta R.T.: 0.000 min
Response: 103331
Conc: 57.53 ng/ml




#18 AR-1242-3

R.T.: 5.775 min
Delta R.T.: 0.000 min
Response: 145082
Conc: 47.78 ng/ml



#18 AR-1242-3


R.T.: 4.874 min
Delta R.T.: 0.000 min
Response: 51592
Conc: 52.28 ng/ml



#19 AR-1242-4


R.T.: 5.876 min
Delta R.T.: 0.001 min
Response: 103279
Conc: 43.84 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.959 min
Delta R.T.: 0.000 min
Response: 55668
Conc: 54.44 ng/ml




#20 AR-1242-5

R.T.: 6.624 min
Delta R.T.: 0.000 min
Response: 90142
Conc: 47.64 ng/ml



#20 AR-1242-5


R.T.: 5.483 min
Delta R.T.: 0.000 min
Response: 63548
Conc: 49.49 ng/ml



#21 AR-1248-1


R.T.: 5.690 min
Delta R.T.: 0.001 min
Response: 150452
Conc: 56.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.680 min
Delta R.T.: 0.000 min
Response: 66327
Conc: 64.98 ng/ml




#22 AR-1248-2

R.T.: 5.967 min
Delta R.T.: 0.000 min
Response: 79442
Conc: 23.94 ng/ml



#22 AR-1248-2


R.T.: 4.918 min
Delta R.T.: 0.000 min
Response: 49120
Conc: 33.90 ng/ml



#23 AR-1248-3


R.T.: 6.175 min
Delta R.T.: 0.000 min
Response: 93706
Conc: 27.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.959 min
Delta R.T.: 0.000 min
Response: 55668
Conc: 37.64 ng/ml




#24 AR-1248-4

R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 90498
Conc: 27.28 ng/ml



#24 AR-1248-4


R.T.: 5.130 min
Delta R.T.: 0.000 min
Response: 57716
Conc: 33.06 ng/ml



#25 AR-1248-5


R.T.: 6.624 min
Delta R.T.: 0.000 min
Response: 90142
Conc: 28.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.524 min
Delta R.T.: 0.000 min
Response: 45217
Conc: 27.63 ng/ml




#26 AR-1254-1

R.T.: 6.557 min
Delta R.T.: -0.002 min
Response: 69044
Conc: 20.19 ng/ml



#26 AR-1254-1


R.T.: 5.483 min
Delta R.T.: -0.001 min
Response: 63548
Conc: 24.92 ng/ml



#27 AR-1254-2


R.T.: 6.784 min
Delta R.T.: 0.003 min
Response: 108982
Conc: 21.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.631 min
Delta R.T.: 0.000 min
Response: 15349
Conc: 6.57 ng/ml




#28 AR-1254-3

R.T.: 7.153 min
Delta R.T.: 0.000 min
Response: 78925
Conc: 15.67 ng/ml



#28 AR-1254-3


R.T.: 6.035 min
Delta R.T.: -0.001 min
Response: 21686
Conc: 6.00 ng/ml



#29 AR-1254-4


R.T.: 7.441 min
Delta R.T.: 0.000 min
Response: 129493
Conc: 35.40 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.265 min
Delta R.T.: -0.001 min
Response: 32892
Conc: 14.75 ng/ml




#30 AR-1254-5

R.T.: 7.874 min
Delta R.T.: 0.008 min
Response: 240555
Conc: 61.46 ng/ml



#30 AR-1254-5


R.T.: 6.686 min
Delta R.T.: 0.001 min
Response: 5209
Conc: 1.55 ng/ml



#31 AR-1260-1


R.T.: 7.277 min
Delta R.T.: -0.042 min
Response: 164603
Conc: 40.46 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.178 min
Delta R.T.: 0.009 min
Response: 30470
Conc: 11.61 ng/ml




#32 AR-1260-2

R.T.: 7.594 min
Delta R.T.: 0.015 min
Response: 112968
Conc: 23.57 ng/ml



#32 AR-1260-2


R.T.: 6.359 min
Delta R.T.: 0.000 min
Response: 17983
Conc: 5.75 ng/ml



#33 AR-1260-3


R.T.: 7.957 min
Delta R.T.: 0.015 min
Response: 75111
Conc: 23.11 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.498 min
Delta R.T.: -0.013 min
Response: 29080
Conc: 9.39 ng/ml




#34 AR-1260-4

R.T.: 8.146 min
Delta R.T.: -0.027 min
Response: 134415
Conc: 35.17 ng/ml



#34 AR-1260-4


R.T.: 7.028 min
Delta R.T.: 0.043 min
Response: 2382
Conc: 1.08 ng/ml



#35 AR-1260-5


R.T.: 8.522 min
Delta R.T.: 0.015 min
Response: 38995
Conc: 5.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.265 min
Delta R.T.: 0.036 min
Response: 4311
Conc: 0.87 ng/ml




#36 AR-1262-1

R.T.: 7.957 min
Delta R.T.: 0.016 min
Response: 75111
Conc: 16.49 ng/ml



#36 AR-1262-1


R.T.: 6.686 min
Delta R.T.: 0.002 min
Response: 5209
Conc: 3.03 ng/ml



#37 AR-1262-2


R.T.: 8.522 min
Delta R.T.: 0.018 min
Response: 38995
Conc: 4.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.028 min
Delta R.T.: 0.045 min
Response: 2382
Conc: 0.83 ng/ml




#38 AR-1262-3

R.T.: 8.851 min
Delta R.T.: 0.018 min
Response: 3361
Conc: 0.63 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T.: 7.512 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.921 min
Delta R.T.: -0.005 min
Response: 5403
Conc: 2.17 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.639 min
Delta R.T.: 0.063 min
Response: 4848
Conc: 1.18 ng/ml




#40 AR-1262-5

R.T.: 9.615 min
Delta R.T.: 0.000 min
Response: 2568
Conc: 0.93 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.072 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.851 min
Delta R.T.: 0.022 min
Response: 3361
Conc: 0.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.513 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.921 min
Delta R.T.: -0.007 min
Response: 5403
Conc: 0.64 ng/ml



#42 AR-1268-2


R.T.: 7.639 min
Delta R.T.: 0.061 min
Response: 4848
Conc: 0.83 ng/ml



#43 AR-1268-3


R.T.: 9.174 min
Delta R.T.: 0.006 min
Response: 9800
Conc: 1.37 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.785 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.615 min
Delta R.T.: 0.000 min
Response: 2568
Conc: 0.84 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.073 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 10.063 min
Delta R.T.: 0.009 min
Response: 13996
Conc: 0.59 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.356 min
Delta R.T.: -0.004 min
Response: 6477
Conc: 0.45 ng/ml