

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0030922\
 Data File : P0085224.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Mar 2022 1:58
 Operator : YP\AJ
 Sample : N1645-07
 Misc : AR1242 LOD 40 PPB
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 10 04:21:44 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0030822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 09 04:29:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.498	3.590	4402334	1409536	25.639	30.890
2)	SA Decachlor...	10.412	8.609	2032576	1261612	31.040	33.137
Target Compounds							
3)	L1 AR-1016-1	5.687	4.679	109525	49783	24.014	29.734
4)	L1 AR-1016-2	5.711	4.697	154251	74025	22.900	30.570 #
5)	L1 AR-1016-3	5.773	4.873	96970	39032	24.016	28.513
6)	L1 AR-1016-4	5.875	4.916	79518	35327	23.734	30.761 #
7)	L1 AR-1016-5	6.175	5.129	72307	42100	23.430	29.396 #
8)	L2 AR-1221-1	4.709	3.804	1474518	4195	797.986	7.609 #
9)	L2 AR-1221-2	4.808	3.873	132353	159608	99.499	375.407 #
10)	L2 AR-1221-3	4.876	3.966	140096	32463	35.912	24.922 #
11)	L3 AR-1232-1	4.876	3.966	140096	32463	49.621	32.684 #
12)	L3 AR-1232-2	5.416	4.697	138249	74025	85.818	70.721
13)	L3 AR-1232-3	5.711	4.873	154251	39032	54.493	68.555 #
14)	L3 AR-1232-4	5.875	4.958	79518	41257	58.308	78.122 #
15)	L3 AR-1232-5	5.966	5.129	50175	42100	48.774	71.256 #
16)	L4 AR-1242-1	5.687	4.679	109525	49783	32.142	39.765
17)	L4 AR-1242-2	5.711	4.697	154251	74025	30.812	41.214 #
18)	L4 AR-1242-3	5.773	4.873	96970	39032	31.934	39.556
19)	L4 AR-1242-4	5.875	4.958	79518	41257	33.753	40.346
20)	L4 AR-1242-5	6.621	5.482	67942	47619	35.910	37.085
21)	L5 AR-1248-1	5.687	4.679	109525	49783	41.214	48.774
22)	L5 AR-1248-2	5.966	4.916	50175	35327	15.122	24.384 #
23)	L5 AR-1248-3	6.175	4.958	72307	41257	21.100	27.893 #
24)	L5 AR-1248-4	6.583	5.129	70700	42100	21.311	24.117
25)	L5 AR-1248-5	6.621	5.523	67942	33313	21.493	20.355
26)	L6 AR-1254-1	6.555	5.482	53179	47619	15.553	18.675
27)	L6 AR-1254-2	6.783	5.630	85458	11780	16.816	5.044 #
28)	L6 AR-1254-3	7.151	6.034	64112	34677	12.730	9.593
29)	L6 AR-1254-4	7.441	6.265	89947	35458	24.592	15.904 #
30)	L6 AR-1254-5	7.861	6.685	82509	5852	21.080	1.742 #
31)	L7 AR-1260-1	7.315	6.179	30481	28669	7.493	10.921 #
32)	L7 AR-1260-2	7.588	6.358	55901	20690	11.662	6.617 #
33)	L7 AR-1260-3	7.943	6.497	10687	10313	3.288	3.330
34)	L7 AR-1260-4	8.171	0.000	21282	0	5.568	N.D. #
35)	L7 AR-1260-5	8.512	0.000	6807	0	0.989	N.D. #
36)	L8 AR-1262-1	7.943	6.685	10687	5852	2.346	3.406 #
37)	L8 AR-1262-2	8.512	0.000	6807	0	0.829	N.D. #
38)	L8 AR-1262-3	8.833	0.000	1074	0	0.201	N.D. #
39)	L8 AR-1262-4	8.925	0.000	1409	0	0.567	N.D. #
40)	L8 AR-1262-5	9.613	0.000	610	0	0.220	N.D. #
41)	L9 AR-1268-1	8.826	0.000	1268	0	0.135	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030922\
 Data File : P0085224.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Mar 2022 1:58
 Operator : YP\AJ
 Sample : N1645-07
 Misc : AR1242 LOD 40 PPB
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 10 04:21:44 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 09 04:29:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.925	0.000	1409	0	0.166	N.D. #
43) L9	AR-1268-3	9.168	0.000	3216	0	0.448	N.D. #
44) L9	AR-1268-4	9.613	0.000	610	0	0.199	N.D. #
45) L9	AR-1268-5	10.054	8.358	3347	6844	0.140	0.477 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0030922\
Data File : P0085224.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 10 Mar 2022 1:58
Operator : YP\AJ
Sample : N1645-07
Misc : AR1242 LOD 40 PPB
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 10 04:21:44 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030822.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 09 04:29:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.498 min
Delta R.T.: -0.002 min
Response: 4402334
Conc: 25.64 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.590 min
Delta R.T.: -0.003 min
Response: 1409536
Conc: 30.89 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.412 min
Delta R.T.: -0.006 min
Response: 2032576
Conc: 31.04 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.609 min
Delta R.T.: -0.003 min
Response: 1261612
Conc: 33.14 ng/ml



#3 AR-1016-1


R.T.: 5.687 min
Delta R.T.: -0.002 min
Response: 109525
Conc: 24.01 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.679 min
Delta R.T.: -0.002 min
Response: 49783
Conc: 29.73 ng/ml




#4 AR-1016-2

R.T.: 5.711 min
Delta R.T.: -0.001 min
Response: 154251
Conc: 22.90 ng/ml



#4 AR-1016-2


R.T.: 4.697 min
Delta R.T.: -0.002 min
Response: 74025
Conc: 30.57 ng/ml



#5 AR-1016-3


R.T.: 5.773 min
Delta R.T.: -0.002 min
Response: 96970
Conc: 24.02 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.873 min
Delta R.T.: -0.002 min
Response: 39032
Conc: 28.51 ng/ml




#6 AR-1016-4

R.T.: 5.875 min
Delta R.T.: 0.000 min
Response: 79518
Conc: 23.73 ng/ml



#6 AR-1016-4


R.T.: 4.916 min
Delta R.T.: -0.003 min
Response: 35327
Conc: 30.76 ng/ml



#7 AR-1016-5


R.T.: 6.175 min
Delta R.T.: -0.001 min
Response: 72307
Conc: 23.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.129 min
Delta R.T.: -0.004 min
Response: 42100
Conc: 29.40 ng/ml




#8 AR-1221-1

R.T.: 4.709 min
Delta R.T.: -0.002 min
Response: 1474518
Conc: 797.99 ng/ml



#8 AR-1221-1


R.T.: 3.804 min
Delta R.T.: -0.003 min
Response: 4195
Conc: 7.61 ng/ml



#9 AR-1221-2


R.T.: 4.808 min
Delta R.T.: 0.010 min
Response: 132353
Conc: 99.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.873 min
Delta R.T.: -0.019 min
Response: 159608
Conc: 375.41 ng/ml




#10 AR-1221-3

R.T.: 4.876 min
Delta R.T.: 0.000 min
Response: 140096
Conc: 35.91 ng/ml



#10 AR-1221-3


R.T.: 3.966 min
Delta R.T.: -0.002 min
Response: 32463
Conc: 24.92 ng/ml



#11 AR-1232-1


R.T.: 4.876 min
Delta R.T.: 0.000 min
Response: 140096
Conc: 49.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.966 min
Delta R.T.: -0.002 min
Response: 32463
Conc: 32.68 ng/ml




#12 AR-1232-2

R.T.: 5.416 min
Delta R.T.: 0.000 min
Response: 138249
Conc: 85.82 ng/ml



#12 AR-1232-2


R.T.: 4.697 min
Delta R.T.: -0.002 min
Response: 74025
Conc: 70.72 ng/ml



#13 AR-1232-3


R.T.: 5.711 min
Delta R.T.: 0.000 min
Response: 154251
Conc: 54.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.873 min
Delta R.T.: -0.002 min
Response: 39032
Conc: 68.56 ng/ml




#14 AR-1232-4

R.T.: 5.875 min
Delta R.T.: 0.000 min
Response: 79518
Conc: 58.31 ng/ml



#14 AR-1232-4


R.T.: 4.958 min
Delta R.T.: -0.002 min
Response: 41257
Conc: 78.12 ng/ml



#15 AR-1232-5


R.T.: 5.966 min
Delta R.T.: -0.002 min
Response: 50175
Conc: 48.77 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.129 min
Delta R.T.: -0.003 min
Response: 42100
Conc: 71.26 ng/ml




#16 AR-1242-1

R.T.: 5.687 min
Delta R.T.: -0.001 min
Response: 109525
Conc: 32.14 ng/ml



#16 AR-1242-1


R.T.: 4.679 min
Delta R.T.: -0.001 min
Response: 49783
Conc: 39.77 ng/ml



#17 AR-1242-2


R.T.: 5.711 min
Delta R.T.: 0.000 min
Response: 154251
Conc: 30.81 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.697 min
Delta R.T.: -0.002 min
Response: 74025
Conc: 41.21 ng/ml




#18 AR-1242-3

R.T.: 5.773 min
Delta R.T.: -0.002 min
Response: 96970
Conc: 31.93 ng/ml



#18 AR-1242-3


R.T.: 4.873 min
Delta R.T.: -0.001 min
Response: 39032
Conc: 39.56 ng/ml



#19 AR-1242-4


R.T.: 5.875 min
Delta R.T.: 0.000 min
Response: 79518
Conc: 33.75 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.958 min
Delta R.T.: -0.002 min
Response: 41257
Conc: 40.35 ng/ml




#20 AR-1242-5

R.T.: 6.621 min
Delta R.T.: -0.002 min
Response: 67942
Conc: 35.91 ng/ml



#20 AR-1242-5


R.T.: 5.482 min
Delta R.T.: -0.002 min
Response: 47619
Conc: 37.09 ng/ml



#21 AR-1248-1


R.T.: 5.687 min
Delta R.T.: -0.002 min
Response: 109525
Conc: 41.21 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.679 min
Delta R.T.: 0.000 min
Response: 49783
Conc: 48.77 ng/ml




#22 AR-1248-2

R.T.: 5.966 min
Delta R.T.: -0.001 min
Response: 50175
Conc: 15.12 ng/ml



#22 AR-1248-2


R.T.: 4.916 min
Delta R.T.: -0.002 min
Response: 35327
Conc: 24.38 ng/ml



#23 AR-1248-3


R.T.: 6.175 min
Delta R.T.: 0.000 min
Response: 72307
Conc: 21.10 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.958 min
Delta R.T.: -0.001 min
Response: 41257
Conc: 27.89 ng/ml




#24 AR-1248-4

R.T.: 6.583 min
Delta R.T.: -0.001 min
Response: 70700
Conc: 21.31 ng/ml



#24 AR-1248-4


R.T.: 5.129 min
Delta R.T.: -0.002 min
Response: 42100
Conc: 24.12 ng/ml



#25 AR-1248-5


R.T.: 6.621 min
Delta R.T.: -0.002 min
Response: 67942
Conc: 21.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.523 min
Delta R.T.: -0.001 min
Response: 33313
Conc: 20.35 ng/ml




#26 AR-1254-1

R.T.: 6.555 min
Delta R.T.: -0.004 min
Response: 53179
Conc: 15.55 ng/ml



#26 AR-1254-1


R.T.: 5.482 min
Delta R.T.: -0.002 min
Response: 47619
Conc: 18.67 ng/ml



#27 AR-1254-2


R.T.: 6.783 min
Delta R.T.: 0.003 min
Response: 85458
Conc: 16.82 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.630 min
Delta R.T.: -0.002 min
Response: 11780
Conc: 5.04 ng/ml




#28 AR-1254-3

R.T.: 7.151 min
Delta R.T.: -0.001 min
Response: 64112
Conc: 12.73 ng/ml



#28 AR-1254-3


R.T.: 6.034 min
Delta R.T.: -0.002 min
Response: 34677
Conc: 9.59 ng/ml



#29 AR-1254-4


R.T.: 7.441 min
Delta R.T.: 0.000 min
Response: 89947
Conc: 24.59 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.265 min
Delta R.T.: -0.001 min
Response: 35458
Conc: 15.90 ng/ml




#30 AR-1254-5

R.T.: 7.861 min
Delta R.T.: -0.004 min
Response: 82509
Conc: 21.08 ng/ml



#30 AR-1254-5


R.T.: 6.685 min
Delta R.T.: 0.000 min
Response: 5852
Conc: 1.74 ng/ml



#31 AR-1260-1


R.T.: 7.315 min
Delta R.T.: -0.004 min
Response: 30481
Conc: 7.49 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.179 min
Delta R.T.: 0.010 min
Response: 28669
Conc: 10.92 ng/ml




#32 AR-1260-2

R.T.: 7.588 min
Delta R.T.: 0.009 min
Response: 55901
Conc: 11.66 ng/ml



#32 AR-1260-2


R.T.: 6.358 min
Delta R.T.: 0.000 min
Response: 20690
Conc: 6.62 ng/ml



#33 AR-1260-3


R.T.: 7.943 min
Delta R.T.: 0.000 min
Response: 10687
Conc: 3.29 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.497 min
Delta R.T.: -0.015 min
Response: 10313
Conc: 3.33 ng/ml




#34 AR-1260-4

R.T.: 8.171 min
Delta R.T.: -0.002 min
Response: 21282
Conc: 5.57 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T. : 6.985 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.512 min
Delta R.T.: 0.006 min
Response: 6807
Conc: 0.99 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T. : 7.229 min
Response: 0
Conc: N.D.




#36 AR-1262-1

R.T.: 7.943 min
Delta R.T.: 0.002 min
Response: 10687
Conc: 2.35 ng/ml



#36 AR-1262-1


R.T.: 6.685 min
Delta R.T.: 0.002 min
Response: 5852
Conc: 3.41 ng/ml



#37 AR-1262-2


R.T.: 8.512 min
Delta R.T.: 0.008 min
Response: 6807
Conc: 0.83 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 6.983 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.833 min
Delta R.T.: 0.000 min
Response: 1074
Conc: 0.20 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T. : 7.512 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.925 min
Delta R.T.: -0.001 min
Response: 1409
Conc: 0.57 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 7.575 min
Response: 0
Conc: N.D.




#40 AR-1262-5

R.T.: 9.613 min
Delta R.T.: -0.001 min
Response: 610
Conc: 0.22 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.072 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.826 min
Delta R.T.: -0.003 min
Response: 1268
Conc: 0.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.513 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.925 min
Delta R.T.: -0.003 min
Response: 1409
Conc: 0.17 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T. : 7.578 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 9.168 min
Delta R.T.: 0.000 min
Response: 3216
Conc: 0.45 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.785 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.613 min
Delta R.T.: -0.002 min
Response: 610
Conc: 0.20 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.073 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 10.054 min
Delta R.T.: 0.000 min
Response: 3347
Conc: 0.14 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.358 min
Delta R.T.: -0.002 min
Response: 6844
Conc: 0.48 ng/ml