

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\P0031022\
 Data File : P0085278.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Mar 2022 17:56
 Operator : YP\AJ
 Sample : N1645-01
 Misc : AR1254 LOD 40 PPB
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_0
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 11 02:18:17 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\P0030822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 09 04:29:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.496	3.589	3057429	976160	17.806	21.392
2)	SA Decachlor...	10.404	8.608	1417697	895299	21.650	23.516
Target Compounds							
3)	L1 AR-1016-1	5.689	4.691	2211	5526	0.485	3.300 #
4)	L1 AR-1016-2	5.689	4.691	2211	5526	0.328	2.282 #
5)	L1 AR-1016-3	5.760	4.916f	2220	53065	0.550	38.764 #
6)	L1 AR-1016-4	5.877	4.916	4307	53065	1.285	46.207 #
7)	L1 AR-1016-5	6.171	5.129	55441	27934	17.964	19.505
8)	L2 AR-1221-1	4.708	3.874f	1327224	124428	718.272	225.719 #
9)	L2 AR-1221-2	4.809	3.874	77151	124428	58.000	292.660 #
10)	L2 AR-1221-3	4.875	0.000	7273	0	1.864	N.D. #
11)	L3 AR-1232-1	4.875	0.000	7273	0	2.576	N.D. #
12)	L3 AR-1232-2	5.481f	4.691	6951	5526	4.315	5.279
13)	L3 AR-1232-3	5.689	4.916f	2211	53065	0.781	93.202 #
14)	L3 AR-1232-4	5.877	4.958	4307	13613	3.158	25.777 #
15)	L3 AR-1232-5	5.963	5.129	88069	27934	85.611	47.279 #
16)	L4 AR-1242-1	5.689	4.691	2211	5526	0.649	4.414 #
17)	L4 AR-1242-2	5.689	4.691	2211	5526	0.442	3.076 #
18)	L4 AR-1242-3	5.760	4.916f	2220	53065	0.731	53.778 #
19)	L4 AR-1242-4	5.877	4.958	4307	13613	1.828	13.313 #
20)	L4 AR-1242-5	6.623	5.482	42810	127557	22.627	99.340 #
21)	L5 AR-1248-1	5.689	4.691	2211	5526	0.832	5.414 #
22)	L5 AR-1248-2	5.963	4.916	88069	53065	26.543	36.627 #
23)	L5 AR-1248-3	6.171	4.958	55441	13613	16.178	9.204 #
24)	L5 AR-1248-4	6.579	5.129	71591	27934	21.580	16.002 #
25)	L5 AR-1248-5	6.623	5.524	42810	15122	13.543	9.240 #
26)	L6 AR-1254-1	6.553	5.482	152133	127557	44.494	50.024
27)	L6 AR-1254-2	6.776	5.631	226293	117595	44.529	50.349
28)	L6 AR-1254-3	7.147	6.034	216570	171657	43.000	47.488
29)	L6 AR-1254-4	7.436	6.265	161413	105187	44.132	47.180
30)	L6 AR-1254-5	7.860	6.683	174469	144186	44.574	42.917
31)	L7 AR-1260-1	7.313	6.166	87142	88813	21.422	33.831 #
32)	L7 AR-1260-2	7.572	6.355	90642	67218	18.909	21.497
33)	L7 AR-1260-3	7.948	6.507	1673	73601	0.515	23.764 #
34)	L7 AR-1260-4	8.187	6.983	2766	8042	0.724	3.650 #
35)	L7 AR-1260-5	8.510	7.226	7849	15957	1.140	3.205 #
36)	L8 AR-1262-1	7.948	6.683	1673	144186	0.367	83.933 #
37)	L8 AR-1262-2	8.498	6.983	24186	8042	2.946	2.792
38)	L8 AR-1262-3	8.835	7.572f	17252	16092	3.225	7.122 #
39)	L8 AR-1262-4	8.927	7.572	2636	16092	1.060	3.912 #
40)	L8 AR-1262-5	9.616	0.000	1939	0	0.701	N.D. #
41)	L9 AR-1268-1	8.835	7.572f	17252	16092	1.841	2.453 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031022\
 Data File : P0085278.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 10 Mar 2022 17:56
 Operator : YP\AJ
 Sample : N1645-01
 Misc : AR1254 LOD 40 PPB
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 11 02:18:17 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 09 04:29:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.927	7.572	2636	16092	0.311	2.751 #
43) L9	AR-1268-3	9.167	0.000	4422	0	0.617	N.D. #
44) L9	AR-1268-4	9.616	0.000	1939	0	0.634	N.D. #
45) L9	AR-1268-5	10.051	8.359	1124	4543	0.047	0.316 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031022\
Data File : P0085278.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 10 Mar 2022 17:56
Operator : YP\AJ
Sample : N1645-01
Misc : AR1254 LOD 40 PPB
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 11 02:18:17 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0030822.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 09 04:29:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.496 min
Delta R.T.: -0.004 min
Response: 3057429
Conc: 17.81 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.589 min
Delta R.T.: -0.003 min
Response: 976160
Conc: 21.39 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.404 min
Delta R.T.: -0.013 min
Response: 1417697
Conc: 21.65 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.608 min
Delta R.T.: -0.004 min
Response: 895299
Conc: 23.52 ng/ml



#3 AR-1016-1


R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 2211
Conc: 0.48 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.691 min
Delta R.T.: 0.010 min
Response: 5526
Conc: 3.30 ng/ml




#4 AR-1016-2

R.T.: 5.689 min
Delta R.T.: -0.024 min
Response: 2211
Conc: 0.33 ng/ml



#4 AR-1016-2


R.T.: 4.691 min
Delta R.T.: -0.008 min
Response: 5526
Conc: 2.28 ng/ml



#5 AR-1016-3


R.T.: 5.760 min
Delta R.T.: -0.016 min
Response: 2220
Conc: 0.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.916 min
Delta R.T.: 0.040 min
Response: 53065
Conc: 38.76 ng/ml




#6 AR-1016-4

R.T.: 5.877 min
Delta R.T.: 0.001 min
Response: 4307
Conc: 1.29 ng/ml



#6 AR-1016-4


R.T.: 4.916 min
Delta R.T.: -0.003 min
Response: 53065
Conc: 46.21 ng/ml



#7 AR-1016-5


R.T.: 6.171 min
Delta R.T.: -0.004 min
Response: 55441
Conc: 17.96 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.129 min
Delta R.T.: -0.004 min
Response: 27934
Conc: 19.50 ng/ml




#8 AR-1221-1

R.T.: 4.708 min
Delta R.T.: -0.003 min
Response: 1327224
Conc: 718.27 ng/ml



#8 AR-1221-1


R.T.: 3.874 min
Delta R.T.: 0.067 min
Response: 124428
Conc: 225.72 ng/ml



#9 AR-1221-2


R.T.: 4.809 min
Delta R.T.: 0.010 min
Response: 77151
Conc: 58.00 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.874 min
Delta R.T.: -0.018 min
Response: 124428
Conc: 292.66 ng/ml




#10 AR-1221-3

R.T.: 4.875 min
Delta R.T.: -0.002 min
Response: 7273
Conc: 1.86 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.968 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.875 min
Delta R.T.: -0.002 min
Response: 7273
Conc: 2.58 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.969 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.481 min
Delta R.T.: 0.064 min
Response: 6951
Conc: 4.31 ng/ml



#12 AR-1232-2


R.T.: 4.691 min
Delta R.T.: -0.008 min
Response: 5526
Conc: 5.28 ng/ml



#13 AR-1232-3


R.T.: 5.689 min
Delta R.T.: -0.023 min
Response: 2211
Conc: 0.78 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.916 min
Delta R.T.: 0.041 min
Response: 53065
Conc: 93.20 ng/ml




#14 AR-1232-4

R.T.: 5.877 min
Delta R.T.: 0.002 min
Response: 4307
Conc: 3.16 ng/ml



#14 AR-1232-4


R.T.: 4.958 min
Delta R.T.: -0.002 min
Response: 13613
Conc: 25.78 ng/ml



#15 AR-1232-5


R.T.: 5.963 min
Delta R.T.: -0.004 min
Response: 88069
Conc: 85.61 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.129 min
Delta R.T.: -0.003 min
Response: 27934
Conc: 47.28 ng/ml




#16 AR-1242-1

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 2211
Conc: 0.65 ng/ml



#16 AR-1242-1


R.T.: 4.691 min
Delta R.T.: 0.011 min
Response: 5526
Conc: 4.41 ng/ml



#17 AR-1242-2


R.T.: 5.689 min
Delta R.T.: -0.022 min
Response: 2211
Conc: 0.44 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.691 min
Delta R.T.: -0.008 min
Response: 5526
Conc: 3.08 ng/ml




#18 AR-1242-3

R.T.: 5.760 min
Delta R.T.: -0.015 min
Response: 2220
Conc: 0.73 ng/ml



#18 AR-1242-3


R.T.: 4.916 min
Delta R.T.: 0.041 min
Response: 53065
Conc: 53.78 ng/ml



#19 AR-1242-4


R.T.: 5.877 min
Delta R.T.: 0.003 min
Response: 4307
Conc: 1.83 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.958 min
Delta R.T.: -0.002 min
Response: 13613
Conc: 13.31 ng/ml




#20 AR-1242-5

R.T.: 6.623 min
Delta R.T.: 0.000 min
Response: 42810
Conc: 22.63 ng/ml



#20 AR-1242-5


R.T.: 5.482 min
Delta R.T.: -0.001 min
Response: 127557
Conc: 99.34 ng/ml



#21 AR-1248-1


R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 2211
Conc: 0.83 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.691 min
Delta R.T.: 0.011 min
Response: 5526
Conc: 5.41 ng/ml




#22 AR-1248-2

R.T.: 5.963 min
Delta R.T.: -0.004 min
Response: 88069
Conc: 26.54 ng/ml



#22 AR-1248-2


R.T.: 4.916 min
Delta R.T.: -0.002 min
Response: 53065
Conc: 36.63 ng/ml



#23 AR-1248-3


R.T.: 6.171 min
Delta R.T.: -0.003 min
Response: 55441
Conc: 16.18 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.958 min
Delta R.T.: -0.002 min
Response: 13613
Conc: 9.20 ng/ml




#24 AR-1248-4

R.T.: 6.579 min
Delta R.T.: -0.005 min
Response: 71591
Conc: 21.58 ng/ml



#24 AR-1248-4


R.T.: 5.129 min
Delta R.T.: -0.002 min
Response: 27934
Conc: 16.00 ng/ml



#25 AR-1248-5


R.T.: 6.623 min
Delta R.T.: 0.000 min
Response: 42810
Conc: 13.54 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.524 min
Delta R.T.: 0.000 min
Response: 15122
Conc: 9.24 ng/ml




#26 AR-1254-1

R.T.: 6.553 min
Delta R.T.: -0.006 min
Response: 152133
Conc: 44.49 ng/ml



#26 AR-1254-1


R.T.: 5.482 min
Delta R.T.: -0.002 min
Response: 127557
Conc: 50.02 ng/ml



#27 AR-1254-2


R.T.: 6.776 min
Delta R.T.: -0.005 min
Response: 226293
Conc: 44.53 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.631 min
Delta R.T.: -0.002 min
Response: 117595
Conc: 50.35 ng/ml




#28 AR-1254-3

R.T.: 7.147 min
Delta R.T.: -0.005 min
Response: 216570
Conc: 43.00 ng/ml



#28 AR-1254-3


R.T.: 6.034 min
Delta R.T.: -0.002 min
Response: 171657
Conc: 47.49 ng/ml



#29 AR-1254-4


R.T.: 7.436 min
Delta R.T.: -0.006 min
Response: 161413
Conc: 44.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.265 min
Delta R.T.: -0.001 min
Response: 105187
Conc: 47.18 ng/ml




#30 AR-1254-5

R.T.: 7.860 min
Delta R.T.: -0.006 min
Response: 174469
Conc: 44.57 ng/ml



#30 AR-1254-5


R.T.: 6.683 min
Delta R.T.: -0.002 min
Response: 144186
Conc: 42.92 ng/ml



#31 AR-1260-1


R.T.: 7.313 min
Delta R.T.: -0.006 min
Response: 87142
Conc: 21.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.166 min
Delta R.T.: -0.003 min
Response: 88813
Conc: 33.83 ng/ml




#32 AR-1260-2

R.T.: 7.572 min
Delta R.T.: -0.007 min
Response: 90642
Conc: 18.91 ng/ml



#32 AR-1260-2


R.T.: 6.355 min
Delta R.T.: -0.003 min
Response: 67218
Conc: 21.50 ng/ml



#33 AR-1260-3


R.T.: 7.948 min
Delta R.T.: 0.005 min
Response: 1673
Conc: 0.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.507 min
Delta R.T.: -0.005 min
Response: 73601
Conc: 23.76 ng/ml




#34 AR-1260-4

R.T.: 8.187 min
Delta R.T.: 0.014 min
Response: 2766
Conc: 0.72 ng/ml



#34 AR-1260-4


R.T.: 6.983 min
Delta R.T.: -0.002 min
Response: 8042
Conc: 3.65 ng/ml



#35 AR-1260-5


R.T.: 8.510 min
Delta R.T.: 0.004 min
Response: 7849
Conc: 1.14 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.226 min
Delta R.T.: -0.003 min
Response: 15957
Conc: 3.20 ng/ml




#36 AR-1262-1

R.T.: 7.948 min
Delta R.T.: 0.007 min
Response: 1673
Conc: 0.37 ng/ml



#36 AR-1262-1


R.T.: 6.683 min
Delta R.T.: 0.000 min
Response: 144186
Conc: 83.93 ng/ml



#37 AR-1262-2


R.T.: 8.498 min
Delta R.T.: -0.006 min
Response: 24186
Conc: 2.95 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.983 min
Delta R.T.: 0.000 min
Response: 8042
Conc: 2.79 ng/ml




#38 AR-1262-3

R.T.: 8.835 min
Delta R.T.: 0.002 min
Response: 17252
Conc: 3.23 ng/ml



#38 AR-1262-3


R.T.: 7.572 min
Delta R.T.: 0.061 min
Response: 16092
Conc: 7.12 ng/ml



#39 AR-1262-4


R.T.: 8.927 min
Delta R.T.: 0.001 min
Response: 2636
Conc: 1.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.572 min
Delta R.T.: -0.003 min
Response: 16092
Conc: 3.91 ng/ml




#40 AR-1262-5

R.T.: 9.616 min
Delta R.T.: 0.002 min
Response: 1939
Conc: 0.70 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.072 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.835 min
Delta R.T.: 0.006 min
Response: 17252
Conc: 1.84 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.572 min
Delta R.T.: 0.059 min
Response: 16092
Conc: 2.45 ng/ml




#42 AR-1268-2

R.T.: 8.927 min
Delta R.T.: 0.000 min
Response: 2636
Conc: 0.31 ng/ml



#42 AR-1268-2


R.T.: 7.572 min
Delta R.T.: -0.005 min
Response: 16092
Conc: 2.75 ng/ml



#43 AR-1268-3


R.T.: 9.167 min
Delta R.T.: -0.001 min
Response: 4422
Conc: 0.62 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.785 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.616 min
Delta R.T.: 0.000 min
Response: 1939
Conc: 0.63 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.073 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 10.051 min
Delta R.T.: -0.003 min
Response: 1124
Conc: 0.05 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.359 min
Delta R.T.: -0.001 min
Response: 4543
Conc: 0.32 ng/ml