

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_0\Data\P0031022\  
 Data File : P0085287.D  
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH  
 Acq On : 10 Mar 2022 20:51  
 Operator : YP\AJ  
 Sample : N1645-07  
 Misc : AR1248 LOD 40 PPB  
 ALS Vial : 33 Sample Multiplier: 1

Instrument :  
 ECD\_0  
 ClientSampleId :

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Mar 11 02:22:36 2022  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_0\methods\P0030822.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Wed Mar 09 04:29:31 2022  
 Response via : Initial Calibration  
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2   | Resp#1  | Resp#2 | ng/ml   | ng/ml     |
|-----------------------------|-----------------|--------|--------|---------|--------|---------|-----------|
| -----                       |                 |        |        |         |        |         |           |
| System Monitoring Compounds |                 |        |        |         |        |         |           |
| 1)                          | SA Tetrachlo... | 4.497  | 3.590  | 3091595 | 985062 | 18.005  | 21.587    |
| 2)                          | SA Decachlor... | 10.403 | 8.610  | 1441883 | 905425 | 22.019  | 23.782    |
| Target Compounds            |                 |        |        |         |        |         |           |
| 3)                          | L1 AR-1016-1    | 5.685  | 4.680  | 83687   | 43272  | 18.349  | 25.845 #  |
| 4)                          | L1 AR-1016-2    | 5.708  | 4.697  | 104539  | 47307  | 15.520  | 19.536 #  |
| 5)                          | L1 AR-1016-3    | 5.771  | 4.874  | 57190   | 30108  | 14.164  | 21.994 #  |
| 6)                          | L1 AR-1016-4    | 5.870  | 4.917  | 53549   | 70997  | 15.983  | 61.820 #  |
| 7)                          | L1 AR-1016-5    | 6.171  | 5.130  | 137650  | 80020  | 44.603  | 55.873 #  |
| 8)                          | L2 AR-1221-1    | 4.708  | 3.876f | 826696  | 77080  | 447.395 | 139.828 # |
| 9)                          | L2 AR-1221-2    | 4.808  | 3.876  | 56976   | 77080  | 42.833  | 181.297 # |
| 10)                         | L2 AR-1221-3    | 4.870  | 3.965  | 22909   | 4402   | 5.873   | 3.380 #   |
| 11)                         | L3 AR-1232-1    | 4.870  | 3.965  | 22909   | 4402   | 8.114   | 4.432 #   |
| 12)                         | L3 AR-1232-2    | 5.412  | 4.697  | 45020   | 47307  | 27.946  | 45.196 #  |
| 13)                         | L3 AR-1232-3    | 5.708  | 4.874  | 104539  | 30108  | 36.931  | 52.881 #  |
| 14)                         | L3 AR-1232-4    | 5.870  | 4.958  | 53549   | 70093  | 39.266  | 132.724 # |
| 15)                         | L3 AR-1232-5    | 5.964  | 5.130  | 113467  | 80020  | 110.300 | 135.435   |
| 16)                         | L4 AR-1242-1    | 5.685  | 4.680  | 83687   | 43272  | 24.559  | 34.564 #  |
| 17)                         | L4 AR-1242-2    | 5.708  | 4.697  | 104539  | 47307  | 20.882  | 26.339 #  |
| 18)                         | L4 AR-1242-3    | 5.771  | 4.874  | 57190   | 30108  | 18.834  | 30.512 #  |
| 19)                         | L4 AR-1242-4    | 5.870  | 4.958  | 53549   | 70093  | 22.730  | 68.545 #  |
| 20)                         | L4 AR-1242-5    | 6.619  | 5.483  | 125983  | 111552 | 66.587  | 86.876 #  |
| 21)                         | L5 AR-1248-1    | 5.685  | 4.680  | 83687   | 43272  | 31.491  | 42.395 #  |
| 22)                         | L5 AR-1248-2    | 5.964  | 4.917  | 113467  | 70997  | 34.198  | 49.004 #  |
| 23)                         | L5 AR-1248-3    | 6.171  | 4.958  | 137650  | 70093  | 40.168  | 47.389    |
| 24)                         | L5 AR-1248-4    | 6.579  | 5.130  | 139503  | 80020  | 42.051  | 45.840    |
| 25)                         | L5 AR-1248-5    | 6.619  | 5.524  | 125983  | 73673  | 39.854  | 45.015    |
| 26)                         | L6 AR-1254-1    | 6.552  | 5.483  | 108777  | 111552 | 31.814  | 43.747 #  |
| 27)                         | L6 AR-1254-2    | 6.779  | 5.632  | 144752  | 33134  | 28.484  | 14.186 #  |
| 28)                         | L6 AR-1254-3    | 7.146  | 6.035  | 75866   | 51846  | 15.063  | 14.343    |
| 29)                         | L6 AR-1254-4    | 7.435  | 6.266  | 52739   | 36173  | 14.419  | 16.225    |
| 30)                         | L6 AR-1254-5    | 7.858  | 6.685  | 36665   | 6891   | 9.367   | 2.051 #   |
| 31)                         | L7 AR-1260-1    | 7.315  | 6.179  | 5340    | 27457  | 1.313   | 10.459 #  |
| 32)                         | L7 AR-1260-2    | 7.576  | 6.356  | 6273    | 5540   | 1.309   | 1.772 #   |
| 33)                         | L7 AR-1260-3    | 7.940  | 6.503  | 7151    | 13699  | 2.201   | 4.423 #   |
| 34)                         | L7 AR-1260-4    | 8.213f | 7.019  | 85259   | 7413   | 22.307  | 3.365 #   |
| 35)                         | L7 AR-1260-5    | 8.503  | 7.231  | 15113   | 1585   | 2.195   | 0.318 #   |
| 36)                         | L8 AR-1262-1    | 7.940  | 6.685  | 7151    | 6891   | 1.570   | 4.012 #   |
| 37)                         | L8 AR-1262-2    | 8.503  | 7.019f | 15113   | 7413   | 1.841   | 2.574 #   |
| 38)                         | L8 AR-1262-3    | 8.812  | 7.573f | 1794    | 2507   | 0.335   | 1.109 #   |
| 39)                         | L8 AR-1262-4    | 8.913  | 7.573  | 4787    | 2507   | 1.924   | 0.609 #   |
| 40)                         | L8 AR-1262-5    | 9.599  | 0.000  | 5412    | 0      | 1.956   | N.D. #    |
| 41)                         | L9 AR-1268-1    | 8.812  | 7.573f | 1794    | 2507   | 0.191   | 0.382 #   |

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_O\Data\P0031022\  
 Data File : P0085287.D  
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH  
 Acq On : 10 Mar 2022 20:51  
 Operator : YP\AJ  
 Sample : N1645-07  
 Misc : AR1248 LOD 40 PPB  
 ALS Vial : 33 Sample Multiplier: 1

Instrument :  
 ECD\_O  
 ClientSampleId :

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Mar 11 02:22:36 2022  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_O\methods\P0030822.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Wed Mar 09 04:29:31 2022  
 Response via : Initial Calibration  
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|        | Compound  | RT#1   | RT#2  | Resp#1 | Resp#2 | ng/ml | ng/ml  |
|--------|-----------|--------|-------|--------|--------|-------|--------|
| 42) L9 | AR-1268-2 | 8.913  | 7.573 | 4787   | 2507   | 0.564 | 0.429  |
| 43) L9 | AR-1268-3 | 9.166  | 0.000 | 3466   | 0      | 0.483 | N.D. # |
| 44) L9 | AR-1268-4 | 9.599  | 0.000 | 5412   | 0      | 1.768 | N.D. # |
| 45) L9 | AR-1268-5 | 10.046 | 8.359 | 13582  | 6541   | 0.570 | 0.456  |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_O\Data\P0031022\  
Data File : P0085287.D  
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH  
Acq On : 10 Mar 2022 20:51  
Operator : YP\AJ  
Sample : N1645-07  
Misc : AR1248 LOD 40 PPB  
ALS Vial : 33 Sample Multiplier: 1

Instrument :  
ECD\_O  
ClientSampleId :

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Mar 11 02:22:36 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_O\methods\P0030822.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Wed Mar 09 04:29:31 2022  
Response via : Initial Calibration  
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.497 min  
Delta R.T.: -0.003 min  
Response: 3091595  
Conc: 18.01 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.590 min  
Delta R.T.: -0.002 min  
Response: 985062  
Conc: 21.59 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.403 min  
Delta R.T.: -0.014 min  
Response: 1441883  
Conc: 22.02 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.610 min  
Delta R.T.: -0.002 min  
Response: 905425  
Conc: 23.78 ng/ml



#3 AR-1016-1


R.T.: 5.685 min  
Delta R.T.: -0.004 min  
Response: 83687  
Conc: 18.35 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#3 AR-1016-1

R.T.: 4.680 min  
Delta R.T.: -0.002 min  
Response: 43272  
Conc: 25.84 ng/ml




#4 AR-1016-2

R.T.: 5.708 min  
Delta R.T.: -0.005 min  
Response: 104539  
Conc: 15.52 ng/ml



#4 AR-1016-2


R.T.: 4.697 min  
Delta R.T.: -0.003 min  
Response: 47307  
Conc: 19.54 ng/ml



#5 AR-1016-3


R.T.: 5.771 min  
Delta R.T.: -0.005 min  
Response: 57190  
Conc: 14.16 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#5 AR-1016-3

R.T.: 4.874 min  
Delta R.T.: -0.002 min  
Response: 30108  
Conc: 21.99 ng/ml




#6 AR-1016-4

R.T.: 5.870 min  
Delta R.T.: -0.006 min  
Response: 53549  
Conc: 15.98 ng/ml



#6 AR-1016-4


R.T.: 4.917 min  
Delta R.T.: -0.002 min  
Response: 70997  
Conc: 61.82 ng/ml



#7 AR-1016-5


R.T.: 6.171 min  
Delta R.T.: -0.005 min  
Response: 137650  
Conc: 44.60 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#7 AR-1016-5

R.T.: 5.130 min  
Delta R.T.: -0.003 min  
Response: 80020  
Conc: 55.87 ng/ml




#8 AR-1221-1

R.T.: 4.708 min  
Delta R.T.: -0.003 min  
Response: 826696  
Conc: 447.39 ng/ml



#8 AR-1221-1


R.T.: 3.876 min  
Delta R.T.: 0.069 min  
Response: 77080  
Conc: 139.83 ng/ml



#9 AR-1221-2


R.T.: 4.808 min  
Delta R.T.: 0.010 min  
Response: 56976  
Conc: 42.83 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#9 AR-1221-2

R.T.: 3.876 min  
Delta R.T.: -0.016 min  
Response: 77080  
Conc: 181.30 ng/ml




#10 AR-1221-3

R.T.: 4.870 min  
Delta R.T.: -0.007 min  
Response: 22909  
Conc: 5.87 ng/ml



#10 AR-1221-3


R.T.: 3.965 min  
Delta R.T.: -0.003 min  
Response: 4402  
Conc: 3.38 ng/ml



#11 AR-1232-1


R.T.: 4.870 min  
Delta R.T.: -0.007 min  
Response: 22909  
Conc: 8.11 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#11 AR-1232-1

R.T.: 3.965 min  
Delta R.T.: -0.003 min  
Response: 4402  
Conc: 4.43 ng/ml




#12 AR-1232-2

R.T.: 5.412 min  
Delta R.T.: -0.004 min  
Response: 45020  
Conc: 27.95 ng/ml



#12 AR-1232-2


R.T.: 4.697 min  
Delta R.T.: -0.003 min  
Response: 47307  
Conc: 45.20 ng/ml



#13 AR-1232-3


R.T.: 5.708 min  
Delta R.T.: -0.004 min  
Response: 104539  
Conc: 36.93 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#13 AR-1232-3

R.T.: 4.874 min  
Delta R.T.: 0.000 min  
Response: 30108  
Conc: 52.88 ng/ml




#14 AR-1232-4

R.T.: 5.870 min  
Delta R.T.: -0.005 min  
Response: 53549  
Conc: 39.27 ng/ml



#14 AR-1232-4


R.T.: 4.958 min  
Delta R.T.: -0.002 min  
Response: 70093  
Conc: 132.72 ng/ml



#15 AR-1232-5


R.T.: 5.964 min  
Delta R.T.: -0.004 min  
Response: 113467  
Conc: 110.30 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#15 AR-1232-5

R.T.: 5.130 min  
Delta R.T.: -0.002 min  
Response: 80020  
Conc: 135.44 ng/ml




#16 AR-1242-1

R.T.: 5.685 min  
Delta R.T.: -0.003 min  
Response: 83687  
Conc: 24.56 ng/ml



#16 AR-1242-1


R.T.: 4.680 min  
Delta R.T.: 0.000 min  
Response: 43272  
Conc: 34.56 ng/ml



#17 AR-1242-2


R.T.: 5.708 min  
Delta R.T.: -0.003 min  
Response: 104539  
Conc: 20.88 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#17 AR-1242-2

R.T.: 4.697 min  
Delta R.T.: -0.002 min  
Response: 47307  
Conc: 26.34 ng/ml




#18 AR-1242-3

R.T.: 5.771 min  
Delta R.T.: -0.004 min  
Response: 57190  
Conc: 18.83 ng/ml



#18 AR-1242-3


R.T.: 4.874 min  
Delta R.T.: 0.000 min  
Response: 30108  
Conc: 30.51 ng/ml



#19 AR-1242-4


R.T.: 5.870 min  
Delta R.T.: -0.005 min  
Response: 53549  
Conc: 22.73 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#19 AR-1242-4

R.T.: 4.958 min  
Delta R.T.: -0.001 min  
Response: 70093  
Conc: 68.54 ng/ml




#20 AR-1242-5

R.T.: 6.619 min  
Delta R.T.: -0.004 min  
Response: 125983  
Conc: 66.59 ng/ml



#20 AR-1242-5


R.T.: 5.483 min  
Delta R.T.: 0.000 min  
Response: 111552  
Conc: 86.88 ng/ml



#21 AR-1248-1


R.T.: 5.685 min  
Delta R.T.: -0.003 min  
Response: 83687  
Conc: 31.49 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#21 AR-1248-1

R.T.: 4.680 min  
Delta R.T.: 0.000 min  
Response: 43272  
Conc: 42.39 ng/ml




#22 AR-1248-2

R.T.: 5.964 min  
Delta R.T.: -0.003 min  
Response: 113467  
Conc: 34.20 ng/ml



#22 AR-1248-2


R.T.: 4.917 min  
Delta R.T.: 0.000 min  
Response: 70997  
Conc: 49.00 ng/ml



#23 AR-1248-3


R.T.: 6.171 min  
Delta R.T.: -0.004 min  
Response: 137650  
Conc: 40.17 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#23 AR-1248-3

R.T.: 4.958 min  
Delta R.T.: 0.000 min  
Response: 70093  
Conc: 47.39 ng/ml




#24 AR-1248-4

R.T.: 6.579 min  
Delta R.T.: -0.005 min  
Response: 139503  
Conc: 42.05 ng/ml



#24 AR-1248-4


R.T.: 5.130 min  
Delta R.T.: 0.000 min  
Response: 80020  
Conc: 45.84 ng/ml



#25 AR-1248-5


R.T.: 6.619 min  
Delta R.T.: -0.005 min  
Response: 125983  
Conc: 39.85 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#25 AR-1248-5

R.T.: 5.524 min  
Delta R.T.: 0.000 min  
Response: 73673  
Conc: 45.01 ng/ml




#26 AR-1254-1

R.T.: 6.552 min  
Delta R.T.: -0.007 min  
Response: 108777  
Conc: 31.81 ng/ml



#26 AR-1254-1


R.T.: 5.483 min  
Delta R.T.: -0.001 min  
Response: 111552  
Conc: 43.75 ng/ml



#27 AR-1254-2


R.T.: 6.779 min  
Delta R.T.: -0.002 min  
Response: 144752  
Conc: 28.48 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#27 AR-1254-2

R.T.: 5.632 min  
Delta R.T.: 0.000 min  
Response: 33134  
Conc: 14.19 ng/ml




#28 AR-1254-3

R.T.: 7.146 min  
Delta R.T.: -0.006 min  
Response: 75866  
Conc: 15.06 ng/ml



#28 AR-1254-3


R.T.: 6.035 min  
Delta R.T.: -0.001 min  
Response: 51846  
Conc: 14.34 ng/ml



#29 AR-1254-4


R.T.: 7.435 min  
Delta R.T.: -0.006 min  
Response: 52739  
Conc: 14.42 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#29 AR-1254-4

R.T.: 6.266 min  
Delta R.T.: 0.000 min  
Response: 36173  
Conc: 16.22 ng/ml




#30 AR-1254-5

R.T.: 7.858 min  
Delta R.T.: -0.007 min  
Response: 36665  
Conc: 9.37 ng/ml



#30 AR-1254-5


R.T.: 6.685 min  
Delta R.T.: 0.000 min  
Response: 6891  
Conc: 2.05 ng/ml



#31 AR-1260-1


R.T.: 7.315 min  
Delta R.T.: -0.004 min  
Response: 5340  
Conc: 1.31 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#31 AR-1260-1

R.T.: 6.179 min  
Delta R.T.: 0.010 min  
Response: 27457  
Conc: 10.46 ng/ml




#32 AR-1260-2

R.T.: 7.576 min  
Delta R.T.: -0.002 min  
Response: 6273  
Conc: 1.31 ng/ml



#32 AR-1260-2


R.T.: 6.356 min  
Delta R.T.: -0.003 min  
Response: 5540  
Conc: 1.77 ng/ml



#33 AR-1260-3


R.T.: 7.940 min  
Delta R.T.: -0.003 min  
Response: 7151  
Conc: 2.20 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#33 AR-1260-3

R.T.: 6.503 min  
Delta R.T.: -0.009 min  
Response: 13699  
Conc: 4.42 ng/ml




#34 AR-1260-4

R.T.: 8.213 min  
Delta R.T.: 0.040 min  
Response: 85259  
Conc: 22.31 ng/ml



#34 AR-1260-4


R.T.: 7.019 min  
Delta R.T.: 0.034 min  
Response: 7413  
Conc: 3.36 ng/ml



#35 AR-1260-5


R.T.: 8.503 min  
Delta R.T.: -0.003 min  
Response: 15113  
Conc: 2.20 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#35 AR-1260-5

R.T.: 7.231 min  
Delta R.T.: 0.001 min  
Response: 1585  
Conc: 0.32 ng/ml




#36 AR-1262-1

R.T.: 7.940 min  
Delta R.T.: -0.001 min  
Response: 7151  
Conc: 1.57 ng/ml



#36 AR-1262-1


R.T.: 6.685 min  
Delta R.T.: 0.000 min  
Response: 6891  
Conc: 4.01 ng/ml



#37 AR-1262-2


R.T.: 8.503 min  
Delta R.T.: 0.000 min  
Response: 15113  
Conc: 1.84 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#37 AR-1262-2

R.T.: 7.019 min  
Delta R.T.: 0.036 min  
Response: 7413  
Conc: 2.57 ng/ml




#38 AR-1262-3

R.T.: 8.812 min  
Delta R.T.: -0.020 min  
Response: 1794  
Conc: 0.34 ng/ml



#38 AR-1262-3


R.T.: 7.573 min  
Delta R.T.: 0.061 min  
Response: 2507  
Conc: 1.11 ng/ml



#39 AR-1262-4


R.T.: 8.913 min  
Delta R.T.: -0.013 min  
Response: 4787  
Conc: 1.92 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#39 AR-1262-4

R.T.: 7.573 min  
Delta R.T.: -0.002 min  
Response: 2507  
Conc: 0.61 ng/ml




#40 AR-1262-5

R.T.: 9.599 min  
Delta R.T.: -0.016 min  
Response: 5412  
Conc: 1.96 ng/ml



#40 AR-1262-5


R.T.: 0.000 min  
Exp R.T. : 8.072 min  
Response: 0  
Conc: N.D.



#41 AR-1268-1


R.T.: 8.812 min  
Delta R.T.: -0.016 min  
Response: 1794  
Conc: 0.19 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#41 AR-1268-1

R.T.: 7.573 min  
Delta R.T.: 0.060 min  
Response: 2507  
Conc: 0.38 ng/ml




#42 AR-1268-2

R.T.: 8.913 min  
Delta R.T.: -0.015 min  
Response: 4787  
Conc: 0.56 ng/ml



#42 AR-1268-2


R.T.: 7.573 min  
Delta R.T.: -0.005 min  
Response: 2507  
Conc: 0.43 ng/ml



#43 AR-1268-3


R.T.: 9.166 min  
Delta R.T.: -0.003 min  
Response: 3466  
Conc: 0.48 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :




#43 AR-1268-3

R.T.: 0.000 min  
Exp R.T. : 7.785 min  
Response: 0  
Conc: N.D.




#44 AR-1268-4

R.T.: 9.599 min  
Delta R.T.: -0.017 min  
Response: 5412  
Conc: 1.77 ng/ml



#44 AR-1268-4


R.T.: 0.000 min  
Exp R.T. : 8.073 min  
Response: 0  
Conc: N.D.



#45 AR-1268-5

R.T.: 10.046 min  
Delta R.T.: -0.008 min  
Response: 13582  
Conc: 0.57 ng/ml

Instrument :  
ECD\_O  
ClientSampleId :



#45 AR-1268-5

R.T.: 8.359 min  
Delta R.T.: 0.000 min  
Response: 6541  
Conc: 0.46 ng/ml