

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031324\
 Data File : P0102460.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2024 14:55
 Operator : YP/AJ
 Sample : PB159563BL
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB159563BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 14 01:38:56 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031224.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 13 04:51:15 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.270	3.385	74201817	49587618	18.103	17.697
2)	SA Decachlor...	9.812	8.252	36072564	24253258	18.997	19.673
Target Compounds							
3)	L1 AR-1016-1	5.419	4.440	285973	114550	2.862	1.828 #
4)	L1 AR-1016-2	5.444	4.463	288681	100465	1.990	1.158 #
5)	L1 AR-1016-3	5.496	4.626	145855	210091	1.561	4.180 #
6)	L1 AR-1016-4	5.602	4.659	58215	33391	0.770	0.710
7)	L1 AR-1016-5	5.884	4.874	367077	19030	4.486	0.331 #
8)	L2 AR-1221-1	4.477	3.580	49781	38468	1.319	1.495
9)	L2 AR-1221-2	4.573	3.675	1748378	747627	59.437	38.443 #
10)	L2 AR-1221-3	4.641	3.773	152933	87021	1.812	1.606
11)	L3 AR-1232-1	4.641	3.773	152933	87021	1.888	1.659
12)	L3 AR-1232-2	5.167	4.463	619691	100465	12.296	2.205 #
13)	L3 AR-1232-3	5.444	4.626	288681	210091	3.840	8.250 #
14)	L3 AR-1232-4	5.602	4.711	58215	55580	1.530	2.067 #
15)	L3 AR-1232-5	5.686	4.874	220508	19030	6.186	0.701 #
16)	L4 AR-1242-1	5.419	4.440	285973	114550	3.822	2.374 #
17)	L4 AR-1242-2	5.444	4.463	288681	100465	2.632	1.527 #
18)	L4 AR-1242-3	5.496	4.626	145855	210091	2.079	5.444 #
19)	L4 AR-1242-4	5.602	4.711	58215	55580	1.036	1.255
20)	L4 AR-1242-5	6.331	5.205	460377	38454	8.895	0.918 #
21)	L5 AR-1248-1	5.419	4.440	285973	114550	4.912	3.033 #
22)	L5 AR-1248-2	5.686	4.659	220508	33391	2.204	0.525 #
23)	L5 AR-1248-3	5.884	4.711	367077	55580	3.524	0.840 #
24)	L5 AR-1248-4	6.331f	4.874	460377	19030	5.161	0.259 #
25)	L5 AR-1248-5	6.331	5.278	460377	338517	5.299	6.284
26)	L6 AR-1254-1	6.223	5.205	187177	38454	1.585	0.362 #
27)	L6 AR-1254-2	6.468	5.369	243550	229742	1.464	2.522 #
28)	L6 AR-1254-3	6.850	5.748	563321	436939	3.674	3.361
29)	L6 AR-1254-4	7.112	5.986	38088	175087	0.443	2.784 #
30)	L6 AR-1254-5	7.553	0.000	1084076	0	10.394	N.D. #
31)	L7 AR-1260-1	6.990	5.950f	95387	1036629	0.696	9.878 #
32)	L7 AR-1260-2	7.260	6.069	739758	189312	5.615	1.732 #
33)	L7 AR-1260-3	7.595	6.242	256773	1764366	2.519	15.645 #
34)	L7 AR-1260-4	7.860	6.705	27759	861182	0.240	10.094 #
35)	L7 AR-1260-5	8.131	0.000	486119	0	2.501	N.D. #
36)	L8 AR-1262-1	7.553	0.000	1084076	0	9.110	N.D. #
37)	L8 AR-1262-2	8.131	6.705	486119	861182	1.738	5.969 #
38)	L8 AR-1262-3	8.429	0.000	28283	0	0.145	N.D. #
39)	L8 AR-1262-4	8.514	7.324f	90352	562920	0.592	3.234 #
40)	L8 AR-1262-5	9.118	0.000	154069	0	1.619	N.D. #
41)	L9 AR-1268-1	8.429	0.000	28283	0	0.107	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031324\
Data File : P0102460.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2024 14:55
Operator : YP/AJ
Sample : PB159563BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB159563BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 14 01:38:56 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031224.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 13 04:51:15 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.514	7.324f	90352	562920	0.382	2.927 #
43)	L9 AR-1268-3	8.742	7.478	305445	118264	1.396	0.660 #
44)	L9 AR-1268-4	9.118	8.061	154069	215648	2.119	0.504 #
45)	L9 AR-1268-5	9.508	8.252	297610	24253258	0.485	112.020 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031324\
Data File : P0102460.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2024 14:55
Operator : YP/AJ
Sample : PB159563BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB159563BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 14 01:38:56 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031224.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 13 04:51:15 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.270 min
Delta R.T.: -0.001 min
Response: 74201817
Conc: 18.10 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#1 Tetrachloro-m-xylene

R.T.: 3.385 min
Delta R.T.: 0.000 min
Response: 49587618
Conc: 17.70 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.812 min
Delta R.T.: -0.002 min
Response: 36072564
Conc: 19.00 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.252 min
Delta R.T.: -0.002 min
Response: 24253258
Conc: 19.67 ng/ml



#3 AR-1016-1


R.T.: 5.419 min
Delta R.T.: 0.004 min
Response: 285973
Conc: 2.86 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#3 AR-1016-1

R.T.: 4.440 min
Delta R.T.: 0.003 min
Response: 114550
Conc: 1.83 ng/ml




#4 AR-1016-2

R.T.: 5.444 min
Delta R.T.: 0.006 min
Response: 288681
Conc: 1.99 ng/ml



#4 AR-1016-2


R.T.: 4.463 min
Delta R.T.: 0.009 min
Response: 100465
Conc: 1.16 ng/ml



#5 AR-1016-3


R.T.: 5.496 min
Delta R.T.: -0.003 min
Response: 145855
Conc: 1.56 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#5 AR-1016-3

R.T.: 4.626 min
Delta R.T.: 0.000 min
Response: 210091
Conc: 4.18 ng/ml




#6 AR-1016-4

R.T.: 5.602 min
Delta R.T.: 0.006 min
Response: 58215
Conc: 0.77 ng/ml



#6 AR-1016-4


R.T.: 4.659 min
Delta R.T.: -0.008 min
Response: 33391
Conc: 0.71 ng/ml



#7 AR-1016-5


R.T.: 5.884 min
Delta R.T.: -0.002 min
Response: 367077
Conc: 4.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#7 AR-1016-5

R.T.: 4.874 min
Delta R.T.: -0.001 min
Response: 19030
Conc: 0.33 ng/ml




#8 AR-1221-1

R.T.: 4.477 min
Delta R.T.: 0.004 min
Response: 49781
Conc: 1.32 ng/ml



#8 AR-1221-1


R.T.: 3.580 min
Delta R.T.: -0.011 min
Response: 38468
Conc: 1.49 ng/ml



#9 AR-1221-2


R.T.: 4.573 min
Delta R.T.: 0.014 min
Response: 1748378
Conc: 59.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#9 AR-1221-2

R.T.: 3.675 min
Delta R.T.: 0.001 min
Response: 747627
Conc: 38.44 ng/ml




#10 AR-1221-3

R.T.: 4.641 min
Delta R.T.: 0.008 min
Response: 152933
Conc: 1.81 ng/ml



#10 AR-1221-3


R.T.: 3.773 min
Delta R.T.: 0.025 min
Response: 87021
Conc: 1.61 ng/ml



#11 AR-1232-1


R.T.: 4.641 min
Delta R.T.: 0.007 min
Response: 152933
Conc: 1.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#11 AR-1232-1

R.T.: 3.773 min
Delta R.T.: 0.025 min
Response: 87021
Conc: 1.66 ng/ml




#12 AR-1232-2

R.T.: 5.167 min
Delta R.T.: 0.014 min
Response: 619691
Conc: 12.30 ng/ml



#12 AR-1232-2


R.T.: 4.463 min
Delta R.T.: 0.008 min
Response: 100465
Conc: 2.21 ng/ml



#13 AR-1232-3


R.T.: 5.444 min
Delta R.T.: 0.006 min
Response: 288681
Conc: 3.84 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#13 AR-1232-3

R.T.: 4.626 min
Delta R.T.: 0.000 min
Response: 210091
Conc: 8.25 ng/ml




#14 AR-1232-4

R.T.: 5.602 min
Delta R.T.: 0.005 min
Response: 58215
Conc: 1.53 ng/ml



#14 AR-1232-4


R.T.: 4.711 min
Delta R.T.: 0.003 min
Response: 55580
Conc: 2.07 ng/ml



#15 AR-1232-5


R.T.: 5.686 min
Delta R.T.: 0.000 min
Response: 220508
Conc: 6.19 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#15 AR-1232-5

R.T.: 4.874 min
Delta R.T.: -0.002 min
Response: 19030
Conc: 0.70 ng/ml




#16 AR-1242-1

R.T.: 5.419 min
Delta R.T.: 0.004 min
Response: 285973
Conc: 3.82 ng/ml



#16 AR-1242-1


R.T.: 4.440 min
Delta R.T.: 0.003 min
Response: 114550
Conc: 2.37 ng/ml



#17 AR-1242-2


R.T.: 5.444 min
Delta R.T.: 0.007 min
Response: 288681
Conc: 2.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#17 AR-1242-2

R.T.: 4.463 min
Delta R.T.: 0.009 min
Response: 100465
Conc: 1.53 ng/ml




#18 AR-1242-3

R.T.: 5.496 min
Delta R.T.: -0.002 min
Response: 145855
Conc: 2.08 ng/ml



#18 AR-1242-3


R.T.: 4.626 min
Delta R.T.: 0.000 min
Response: 210091
Conc: 5.44 ng/ml



#19 AR-1242-4


R.T.: 5.602 min
Delta R.T.: 0.006 min
Response: 58215
Conc: 1.04 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#19 AR-1242-4

R.T.: 4.711 min
Delta R.T.: 0.003 min
Response: 55580
Conc: 1.25 ng/ml




#20 AR-1242-5

R.T.: 6.331 min
Delta R.T.: 0.010 min
Response: 460377
Conc: 8.89 ng/ml



#20 AR-1242-5


R.T.: 5.205 min
Delta R.T.: -0.015 min
Response: 38454
Conc: 0.92 ng/ml



#21 AR-1248-1


R.T.: 5.419 min
Delta R.T.: 0.004 min
Response: 285973
Conc: 4.91 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#21 AR-1248-1

R.T.: 4.440 min
Delta R.T.: 0.003 min
Response: 114550
Conc: 3.03 ng/ml




#22 AR-1248-2

R.T.: 5.686 min
Delta R.T.: 0.000 min
Response: 220508
Conc: 2.20 ng/ml



#22 AR-1248-2


R.T.: 4.659 min
Delta R.T.: -0.008 min
Response: 33391
Conc: 0.53 ng/ml



#23 AR-1248-3


R.T.: 5.884 min
Delta R.T.: -0.001 min
Response: 367077
Conc: 3.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#23 AR-1248-3

R.T.: 4.711 min
Delta R.T.: 0.003 min
Response: 55580
Conc: 0.84 ng/ml




#24 AR-1248-4

R.T.: 6.331 min
Delta R.T.: 0.048 min
Response: 460377
Conc: 5.16 ng/ml



#24 AR-1248-4


R.T.: 4.874 min
Delta R.T.: -0.002 min
Response: 19030
Conc: 0.26 ng/ml



#25 AR-1248-5


R.T.: 6.331 min
Delta R.T.: 0.010 min
Response: 460377
Conc: 5.30 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#25 AR-1248-5

R.T.: 5.278 min
Delta R.T.: 0.017 min
Response: 338517
Conc: 6.28 ng/ml




#26 AR-1254-1

R.T.: 6.223 min
Delta R.T.: -0.034 min
Response: 187177
Conc: 1.58 ng/ml



#26 AR-1254-1


R.T.: 5.205 min
Delta R.T.: -0.014 min
Response: 38454
Conc: 0.36 ng/ml



#27 AR-1254-2


R.T.: 6.468 min
Delta R.T.: -0.004 min
Response: 243550
Conc: 1.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#27 AR-1254-2

R.T.: 5.369 min
Delta R.T.: 0.005 min
Response: 229742
Conc: 2.52 ng/ml




#28 AR-1254-3

R.T.: 6.850 min
Delta R.T.: 0.015 min
Response: 563321
Conc: 3.67 ng/ml



#28 AR-1254-3


R.T.: 5.748 min
Delta R.T.: -0.012 min
Response: 436939
Conc: 3.36 ng/ml



#29 AR-1254-4


R.T.: 7.112 min
Delta R.T.: -0.005 min
Response: 38088
Conc: 0.44 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#29 AR-1254-4

R.T.: 5.986 min
Delta R.T.: 0.000 min
Response: 175087
Conc: 2.78 ng/ml




#30 AR-1254-5

R.T.: 7.553 min
Delta R.T.: 0.022 min
Response: 1084076
Conc: 10.39 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T.: 6.397 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 6.990 min
Delta R.T.: -0.008 min
Response: 95387
Conc: 0.70 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#31 AR-1260-1

R.T.: 5.950 min
Delta R.T.: 0.062 min
Response: 1036629
Conc: 9.88 ng/ml




#32 AR-1260-2

R.T.: 7.260 min
Delta R.T.: 0.009 min
Response: 739758
Conc: 5.61 ng/ml



#32 AR-1260-2


R.T.: 6.069 min
Delta R.T.: -0.006 min
Response: 189312
Conc: 1.73 ng/ml



#33 AR-1260-3


R.T.: 7.595 min
Delta R.T.: -0.011 min
Response: 256773
Conc: 2.52 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#33 AR-1260-3

R.T.: 6.242 min
Delta R.T.: 0.017 min
Response: 1764366
Conc: 15.65 ng/ml




#34 AR-1260-4

R.T.: 7.860 min
Delta R.T.: 0.030 min
Response: 27759
Conc: 0.24 ng/ml



#34 AR-1260-4


R.T.: 6.705 min
Delta R.T.: 0.017 min
Response: 861182
Conc: 10.09 ng/ml



#35 AR-1260-5


R.T.: 8.131 min
Delta R.T.: -0.004 min
Response: 486119
Conc: 2.50 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T. : 6.930 min
Response: 0
Conc: N.D.




#36 AR-1262-1

R.T.: 7.553 min
Delta R.T.: 0.025 min
Response: 1084076
Conc: 9.11 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T. : 6.395 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 8.131 min
Delta R.T.: -0.003 min
Response: 486119
Conc: 1.74 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#37 AR-1262-2

R.T.: 6.705 min
Delta R.T.: 0.019 min
Response: 861182
Conc: 5.97 ng/ml




#38 AR-1262-3

R.T.: 8.429 min
Delta R.T.: 0.002 min
Response: 28283
Conc: 0.14 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T.: 7.207 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.514 min
Delta R.T.: 0.003 min
Response: 90352
Conc: 0.59 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#39 AR-1262-4

R.T.: 7.324 min
Delta R.T.: 0.054 min
Response: 562920
Conc: 3.23 ng/ml




#40 AR-1262-5

R.T.: 9.118 min
Delta R.T.: -0.004 min
Response: 154069
Conc: 1.62 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 7.761 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.429 min
Delta R.T.: 0.004 min
Response: 28283
Conc: 0.11 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.207 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.514 min
Delta R.T.: 0.002 min
Response: 90352
Conc: 0.38 ng/ml



#42 AR-1268-2


R.T.: 7.324 min
Delta R.T.: 0.053 min
Response: 562920
Conc: 2.93 ng/ml



#43 AR-1268-3


R.T.: 8.742 min
Delta R.T.: 0.018 min
Response: 305445
Conc: 1.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL




#43 AR-1268-3

R.T.: 7.478 min
Delta R.T.: 0.006 min
Response: 118264
Conc: 0.66 ng/ml




#44 AR-1268-4

R.T.: 9.118 min
Delta R.T.: -0.003 min
Response: 154069
Conc: 2.12 ng/ml



#44 AR-1268-4


R.T.: 8.061 min
Delta R.T.: 0.032 min
Response: 215648
Conc: 0.50 ng/ml



#45 AR-1268-5

R.T.: 9.508 min
Delta R.T.: 0.005 min
Response: 297610
Conc: 0.48 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB159563BL



#45 AR-1268-5

R.T.: 8.252 min
Delta R.T.: 0.000 min
Response: 24253258
Conc: 112.02 ng/ml