

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031721\
 Data File : P0076255.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 17 Mar 2021 20:14
 Operator : DD\AJ
 Sample : PB135195BSD
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 18 01:37:04 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031521.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Mar 16 07:18:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.922	3.935	1226969	836088	21.598	20.040
2)	SA Decachlor...	10.921	9.200	914847	842306	23.785	21.936
Target Compounds							
3)	L1 AR-1016-1	6.244	5.183	917563	630079	556.869	538.368
4)	L1 AR-1016-2	6.269	5.202	1388195	1121522	543.278	509.092
5)	L1 AR-1016-3	6.335	5.392	867489	526817	550.881	512.361
6)	L1 AR-1016-4	6.442	5.443	685088	459818	553.857	468.792
7)	L1 AR-1016-5	6.757	5.671	660694	558416	514.721	490.661
8)	L2 AR-1221-1	5.177	4.190	115786	65839	219.285	149.316 #
9)	L2 AR-1221-2	5.272	4.290	107055	82540	261.369	252.742
10)	L2 AR-1221-3	5.359	4.377	494115	380195	368.104	360.636
11)	L3 AR-1232-1	5.359	4.377	494115	380195	458.017	444.833
12)	L3 AR-1232-2	5.949	5.202	713919	1121522	1212.495	1188.268
13)	L3 AR-1232-3	6.269	5.392	1388195	526817	1332.546	1268.399
14)	L3 AR-1232-4	6.442	5.488	685088	539645	1403.068	1288.861
15)	L3 AR-1232-5	6.540	5.671	552065	558416	1482.224	1268.339
16)	L4 AR-1242-1	6.244	5.183	917563	630079	726.568	710.181
17)	L4 AR-1242-2	6.269	5.202	1388195	1121522	700.427	647.965
18)	L4 AR-1242-3	6.335	5.392	867489	526817	684.594	654.034
19)	L4 AR-1242-4	6.442	5.488	685088	539645	707.515	621.686
20)	L4 AR-1242-5	7.228	6.048	84515	462244	84.122	458.671 #
21)	L5 AR-1248-1	6.244	5.183	917563	630079	973.256	917.432
22)	L5 AR-1248-2	6.540	5.443	552065	459818	366.482	355.385
23)	L5 AR-1248-3	6.757	5.488	660694	539645	380.932	422.190
24)	L5 AR-1248-4	7.188	5.671	97560	558416	55.453	379.756 #
25)	L5 AR-1248-5	7.228	6.093	84515	71165	47.786	46.015
26)	L6 AR-1254-1	7.156	6.048	486690	462244	237.479	202.250
27)	L6 AR-1254-2	7.385	6.207	517052	443205	166.385	223.779 #
28)	L6 AR-1254-3	7.768	6.644f	272019	772502	85.502	256.472 #
29)	L6 AR-1254-4	8.063	6.866	169640	83458	80.968	47.293 #
30)	L6 AR-1254-5	8.493	7.292	1684568	1458312	733.481	557.018
31)	L7 AR-1260-1	7.935	6.762	1239599	1084631	533.154	527.982
32)	L7 AR-1260-2	8.201	6.961	1425060	1316088	558.116	542.663
33)	L7 AR-1260-3	8.567	7.113	912481	1206175	460.277	533.317
34)	L7 AR-1260-4	8.798	7.595	1055163	872562	467.062	452.811
35)	L7 AR-1260-5	9.123	7.844	1932138	2059356	472.688	465.809
36)	L8 AR-1262-1	8.567	7.292	912481	1458312	308.411	998.575 #
37)	L8 AR-1262-2	9.123	7.844	1932138	2059356	399.119	415.729
38)	L8 AR-1262-3	9.453f	8.128	1230872	437699	372.444	203.735 #
39)	L8 AR-1262-4	9.506f	8.191	693291	1497902	269.695	396.035 #
40)	L8 AR-1262-5	10.184	8.689	463593	478600	281.829	276.473
41)	L9 AR-1268-1	9.453f	8.128	1230872	437699	211.302	74.527 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0031721\
 Data File : P0076255.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 17 Mar 2021 20:14
 Operator : DD\AJ
 Sample : PB135195BSD
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 18 01:37:04 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031521.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Mar 16 07:18:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.506f	8.191	693291	1497902	130.689	281.229 #
43) L9	AR-1268-3	9.750	8.399	35875	35702	7.739	7.527
44) L9	AR-1268-4	10.184	8.689	463593	478600	266.005	257.541
45) L9	AR-1268-5	10.592	8.963	160206	162290	11.636	12.161



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_0\Data\PO031721\
Data File : PO076255.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 17 Mar 2021 20:14
Operator : DD\AJ
Sample : PB135195BSD
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 18 01:37:04 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_0\methods\PO031521.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Mar 16 07:18:57 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.922 min
Delta R.T.: 0.000 min
Response: 1226969
Conc: 21.60 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 836088
Conc: 20.04 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.921 min
Delta R.T.: -0.002 min
Response: 914847
Conc: 23.78 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.200 min
Delta R.T.: -0.004 min
Response: 842306
Conc: 21.94 ng/ml



#3 AR-1016-1


R.T.: 6.244 min
Delta R.T.: 0.000 min
Response: 917563
Conc: 556.87 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 5.183 min
Delta R.T.: -0.003 min
Response: 630079
Conc: 538.37 ng/ml




#4 AR-1016-2

R.T.: 6.269 min
Delta R.T.: 0.000 min
Response: 1388195
Conc: 543.28 ng/ml



#4 AR-1016-2


R.T.: 5.202 min
Delta R.T.: -0.003 min
Response: 1121522
Conc: 509.09 ng/ml



#5 AR-1016-3


R.T.: 6.335 min
Delta R.T.: 0.000 min
Response: 867489
Conc: 550.88 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 5.392 min
Delta R.T.: -0.003 min
Response: 526817
Conc: 512.36 ng/ml




#6 AR-1016-4

R.T.: 6.442 min
Delta R.T.: 0.000 min
Response: 685088
Conc: 553.86 ng/ml



#6 AR-1016-4


R.T.: 5.443 min
Delta R.T.: -0.003 min
Response: 459818
Conc: 468.79 ng/ml



#7 AR-1016-5


R.T.: 6.757 min
Delta R.T.: 0.000 min
Response: 660694
Conc: 514.72 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.671 min
Delta R.T.: -0.002 min
Response: 558416
Conc: 490.66 ng/ml




#8 AR-1221-1

R.T.: 5.177 min
Delta R.T.: 0.001 min
Response: 115786
Conc: 219.28 ng/ml



#8 AR-1221-1


R.T.: 4.190 min
Delta R.T.: -0.005 min
Response: 65839
Conc: 149.32 ng/ml



#9 AR-1221-2


R.T.: 5.272 min
Delta R.T.: -0.002 min
Response: 107055
Conc: 261.37 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 4.290 min
Delta R.T.: -0.003 min
Response: 82540
Conc: 252.74 ng/ml




#10 AR-1221-3

R.T.: 5.359 min
Delta R.T.: -0.002 min
Response: 494115
Conc: 368.10 ng/ml



#10 AR-1221-3


R.T.: 4.377 min
Delta R.T.: -0.004 min
Response: 380195
Conc: 360.64 ng/ml



#11 AR-1232-1


R.T.: 5.359 min
Delta R.T.: -0.002 min
Response: 494115
Conc: 458.02 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 4.377 min
Delta R.T.: -0.005 min
Response: 380195
Conc: 444.83 ng/ml




#12 AR-1232-2

R.T.: 5.949 min
Delta R.T.: -0.002 min
Response: 713919
Conc: 1212.49 ng/ml



#12 AR-1232-2


R.T.: 5.202 min
Delta R.T.: -0.005 min
Response: 1121522
Conc: 1188.27 ng/ml



#13 AR-1232-3


R.T.: 6.269 min
Delta R.T.: -0.003 min
Response: 1388195
Conc: 1332.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 5.392 min
Delta R.T.: -0.005 min
Response: 526817
Conc: 1268.40 ng/ml




#14 AR-1232-4

R.T.: 6.442 min
Delta R.T.: -0.003 min
Response: 685088
Conc: 1403.07 ng/ml



#14 AR-1232-4


R.T.: 5.488 min
Delta R.T.: -0.004 min
Response: 539645
Conc: 1288.86 ng/ml



#15 AR-1232-5


R.T.: 6.540 min
Delta R.T.: -0.002 min
Response: 552065
Conc: 1482.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.671 min
Delta R.T.: -0.003 min
Response: 558416
Conc: 1268.34 ng/ml




#16 AR-1242-1

R.T.: 6.244 min
Delta R.T.: -0.001 min
Response: 917563
Conc: 726.57 ng/ml



#16 AR-1242-1


R.T.: 5.183 min
Delta R.T.: -0.003 min
Response: 630079
Conc: 710.18 ng/ml



#17 AR-1242-2


R.T.: 6.269 min
Delta R.T.: 0.000 min
Response: 1388195
Conc: 700.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 5.202 min
Delta R.T.: -0.003 min
Response: 1121522
Conc: 647.96 ng/ml




#18 AR-1242-3

R.T.: 6.335 min
Delta R.T.: 0.000 min
Response: 867489
Conc: 684.59 ng/ml



#18 AR-1242-3


R.T.: 5.392 min
Delta R.T.: -0.003 min
Response: 526817
Conc: 654.03 ng/ml



#19 AR-1242-4


R.T.: 6.442 min
Delta R.T.: -0.001 min
Response: 685088
Conc: 707.51 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 5.488 min
Delta R.T.: -0.002 min
Response: 539645
Conc: 621.69 ng/ml




#20 AR-1242-5

R.T.: 7.228 min
Delta R.T.: 0.000 min
Response: 84515
Conc: 84.12 ng/ml



#20 AR-1242-5


R.T.: 6.048 min
Delta R.T.: -0.004 min
Response: 462244
Conc: 458.67 ng/ml



#21 AR-1248-1


R.T.: 6.244 min
Delta R.T.: -0.001 min
Response: 917563
Conc: 973.26 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 5.183 min
Delta R.T.: -0.003 min
Response: 630079
Conc: 917.43 ng/ml




#22 AR-1248-2

R.T.: 6.540 min
Delta R.T.: 0.000 min
Response: 552065
Conc: 366.48 ng/ml



#22 AR-1248-2


R.T.: 5.443 min
Delta R.T.: -0.002 min
Response: 459818
Conc: 355.39 ng/ml



#23 AR-1248-3


R.T.: 6.757 min
Delta R.T.: 0.000 min
Response: 660694
Conc: 380.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 5.488 min
Delta R.T.: -0.002 min
Response: 539645
Conc: 422.19 ng/ml




#24 AR-1248-4

R.T.: 7.188 min
Delta R.T.: 0.000 min
Response: 97560
Conc: 55.45 ng/ml



#24 AR-1248-4


R.T.: 5.671 min
Delta R.T.: -0.002 min
Response: 558416
Conc: 379.76 ng/ml



#25 AR-1248-5


R.T.: 7.228 min
Delta R.T.: 0.001 min
Response: 84515
Conc: 47.79 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 6.093 min
Delta R.T.: -0.002 min
Response: 71165
Conc: 46.01 ng/ml




#26 AR-1254-1

R.T.: 7.156 min
Delta R.T.: 0.000 min
Response: 486690
Conc: 237.48 ng/ml



#26 AR-1254-1


R.T.: 6.048 min
Delta R.T.: -0.003 min
Response: 462244
Conc: 202.25 ng/ml



#27 AR-1254-2


R.T.: 7.385 min
Delta R.T.: -0.002 min
Response: 517052
Conc: 166.39 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 6.207 min
Delta R.T.: -0.002 min
Response: 443205
Conc: 223.78 ng/ml




#28 AR-1254-3

R.T.: 7.768 min
Delta R.T.: 0.000 min
Response: 272019
Conc: 85.50 ng/ml



#28 AR-1254-3


R.T.: 6.644 min
Delta R.T.: 0.016 min
Response: 772502
Conc: 256.47 ng/ml



#29 AR-1254-4


R.T.: 8.063 min
Delta R.T.: -0.004 min
Response: 169640
Conc: 80.97 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.866 min
Delta R.T.: -0.002 min
Response: 83458
Conc: 47.29 ng/ml




#30 AR-1254-5

R.T.: 8.493 min
Delta R.T.: -0.002 min
Response: 1684568
Conc: 733.48 ng/ml



#30 AR-1254-5


R.T.: 7.292 min
Delta R.T.: -0.003 min
Response: 1458312
Conc: 557.02 ng/ml



#31 AR-1260-1


R.T.: 7.935 min
Delta R.T.: 0.000 min
Response: 1239599
Conc: 533.15 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.762 min
Delta R.T.: -0.003 min
Response: 1084631
Conc: 527.98 ng/ml




#32 AR-1260-2

R.T.: 8.201 min
Delta R.T.: 0.000 min
Response: 1425060
Conc: 558.12 ng/ml



#32 AR-1260-2


R.T.: 6.961 min
Delta R.T.: -0.003 min
Response: 1316088
Conc: 542.66 ng/ml



#33 AR-1260-3


R.T.: 8.567 min
Delta R.T.: 0.000 min
Response: 912481
Conc: 460.28 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 7.113 min
Delta R.T.: -0.003 min
Response: 1206175
Conc: 533.32 ng/ml




#34 AR-1260-4

R.T.: 8.798 min
Delta R.T.: 0.000 min
Response: 1055163
Conc: 467.06 ng/ml



#34 AR-1260-4


R.T.: 7.595 min
Delta R.T.: -0.003 min
Response: 872562
Conc: 452.81 ng/ml



#35 AR-1260-5


R.T.: 9.123 min
Delta R.T.: 0.000 min
Response: 1932138
Conc: 472.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.844 min
Delta R.T.: -0.002 min
Response: 2059356
Conc: 465.81 ng/ml




#36 AR-1262-1

R.T.: 8.567 min
Delta R.T.: 0.000 min
Response: 912481
Conc: 308.41 ng/ml



#36 AR-1262-1


R.T.: 7.292 min
Delta R.T.: -0.001 min
Response: 1458312
Conc: 998.57 ng/ml



#37 AR-1262-2


R.T.: 9.123 min
Delta R.T.: 0.000 min
Response: 1932138
Conc: 399.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.844 min
Delta R.T.: -0.001 min
Response: 2059356
Conc: 415.73 ng/ml




#38 AR-1262-3

R.T.: 9.453 min
Delta R.T.: 0.021 min
Response: 1230872
Conc: 372.44 ng/ml



#38 AR-1262-3


R.T.: 8.128 min
Delta R.T.: -0.002 min
Response: 437699
Conc: 203.73 ng/ml



#39 AR-1262-4


R.T.: 9.506 min
Delta R.T.: -0.017 min
Response: 693291
Conc: 269.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 8.191 min
Delta R.T.: -0.004 min
Response: 1497902
Conc: 396.03 ng/ml




#40 AR-1262-5

R.T.: 10.184 min
Delta R.T.: 0.000 min
Response: 463593
Conc: 281.83 ng/ml



#40 AR-1262-5


R.T.: 8.689 min
Delta R.T.: 0.000 min
Response: 478600
Conc: 276.47 ng/ml



#41 AR-1268-1


R.T.: 9.453 min
Delta R.T.: 0.021 min
Response: 1230872
Conc: 211.30 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 8.128 min
Delta R.T.: 0.000 min
Response: 437699
Conc: 74.53 ng/ml




#42 AR-1268-2

R.T.: 9.506 min
Delta R.T.: -0.019 min
Response: 693291
Conc: 130.69 ng/ml



#42 AR-1268-2


R.T.: 8.191 min
Delta R.T.: -0.004 min
Response: 1497902
Conc: 281.23 ng/ml



#43 AR-1268-3


R.T.: 9.750 min
Delta R.T.: 0.000 min
Response: 35875
Conc: 7.74 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 8.399 min
Delta R.T.: -0.001 min
Response: 35702
Conc: 7.53 ng/ml




#44 AR-1268-4

R.T.: 10.184 min
Delta R.T.: 0.001 min
Response: 463593
Conc: 266.01 ng/ml



#44 AR-1268-4


R.T.: 8.689 min
Delta R.T.: 0.000 min
Response: 478600
Conc: 257.54 ng/ml



#45 AR-1268-5

R.T.: 10.592 min
Delta R.T.: 0.000 min
Response: 160206
Conc: 11.64 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.963 min
Delta R.T.: -0.002 min
Response: 162290
Conc: 12.16 ng/ml