

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0032122\
 Data File : P0085531.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 21 Mar 2022 11:57
 Operator : YP\AJ
 Sample : AR1248CCC500
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 21 15:45:24 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031522.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 16 04:43:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.491	3.589	12150544	2447179	59.422	57.120
2)	SA Decachlor...	10.394	8.606	5378200	1572851	44.741	40.967
Target Compounds							
3)	L1 AR-1016-1	5.679	4.677	2198272	493230	349.312	309.065
4)	L1 AR-1016-2	5.702	4.695	2583478	493452	282.040	213.268
5)	L1 AR-1016-3	5.765	4.872	1219682	354711	224.075	283.822 #
6)	L1 AR-1016-4	5.864	4.915	1401102	716147	317.635	656.031 #
7)	L1 AR-1016-5	6.165	5.127	3354250	871457	789.947	644.287
8)	L2 AR-1221-1	4.702	3.798	24426	6558	11.073	12.717
9)	L2 AR-1221-2	4.803	3.888	176865	42236	108.573	100.586
10)	L2 AR-1221-3	4.868	3.964	197568	46375	38.422	36.164
11)	L3 AR-1232-1	4.868	3.964	197568	46375	41.981	39.142
12)	L3 AR-1232-2	5.407	4.695	973299	493452	422.366	452.894
13)	L3 AR-1232-3	5.702	4.872	2583478	354711	612.231	583.714
14)	L3 AR-1232-4	5.864	4.955	1401102	752707	697.770	1350.617 #
15)	L3 AR-1232-5	5.957	5.127	3056503	871457	2076.708	1413.370 #
16)	L4 AR-1242-1	5.679	4.677	2198272	493230	432.406	377.480
17)	L4 AR-1242-2	5.702	4.695	2583478	493452	348.028	267.016
18)	L4 AR-1242-3	5.765	4.872	1219682	354711	277.546	350.800 #
19)	L4 AR-1242-4	5.864	4.955	1401102	752707	386.119	724.138 #
20)	L4 AR-1242-5	6.612	5.480	3382811	1197852	951.997	970.599
21)	L5 AR-1248-1	5.679	4.677	2198272	493230	589.695	510.168
22)	L5 AR-1248-2	5.957	4.915	3056503	716147	576.643	489.071
23)	L5 AR-1248-3	6.165	4.955	3354250	752707	570.125	491.085
24)	L5 AR-1248-4	6.573	5.127	3548054	871457	550.348	495.793
25)	L5 AR-1248-5	6.612	5.521	3382811	849820	546.381	494.773
26)	L6 AR-1254-1	6.545	5.480	2757895	1197852	416.144	455.765
27)	L6 AR-1254-2	6.771	5.628	3347004	373396	334.443	160.023 #
28)	L6 AR-1254-3	7.139	6.032	1665181	546720	161.801	148.856
29)	L6 AR-1254-4	7.428	6.262	1108020	367627	157.930	165.965
30)	L6 AR-1254-5	7.853	6.681	237319	110490	31.016	33.968
31)	L7 AR-1260-1	7.307	6.176	191527	279733	27.758	117.990 #
32)	L7 AR-1260-2	7.563	6.352	228160	43846	29.167	15.706 #
33)	L7 AR-1260-3	7.919	6.504	55378	60853	9.428	23.145 #
34)	L7 AR-1260-4	8.147	6.980	128928	9614	18.666	4.292 #
35)	L7 AR-1260-5	8.493	7.223	48157	15957	3.428	3.167
36)	L8 AR-1262-1	7.919	6.681	55378	110490	6.131	64.351 #
37)	L8 AR-1262-2	8.493	6.980	48157	9614	3.022	3.357
38)	L8 AR-1262-3	8.840	7.507	29932	4193	2.896	1.915 #
39)	L8 AR-1262-4	8.915	7.572	4258	13106	0.907	3.284 #
40)	L8 AR-1262-5	9.596	0.000	11922	0	2.242	N.D. #
41)	L9 AR-1268-1	8.840	7.507	29932	4193	1.551	0.631 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0032122\
Data File : P0085531.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 21 Mar 2022 11:57
Operator : YP\AJ
Sample : AR1248CCC500
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 21 15:45:24 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031522.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 16 04:43:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.915	7.572	4258	13106	0.245	2.224 #
43) L9	AR-1268-3	9.163	7.783	15614	5391	1.058	1.085
44) L9	AR-1268-4	9.596	0.000	11922	0	1.954	N.D. #
45) L9	AR-1268-5	10.039	8.355	24296	9221	0.503	0.658 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0032122\
Data File : P0085531.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 21 Mar 2022 11:57
Operator : YP\AJ
Sample : AR1248CCC500
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 21 15:45:24 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031522.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 16 04:43:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.491 min
Delta R.T.: 0.000 min
Response: 12150544
Conc: 59.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.589 min
Delta R.T.: 0.000 min
Response: 2447179
Conc: 57.12 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.394 min
Delta R.T.: -0.002 min
Response: 5378200
Conc: 44.74 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.606 min
Delta R.T.: 0.000 min
Response: 1572851
Conc: 40.97 ng/ml



#3 AR-1016-1


R.T.: 5.679 min
Delta R.T.: -0.001 min
Response: 2198272
Conc: 349.31 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 4.677 min
Delta R.T.: -0.002 min
Response: 493230
Conc: 309.07 ng/ml




#4 AR-1016-2

R.T.: 5.702 min
Delta R.T.: 0.000 min
Response: 2583478
Conc: 282.04 ng/ml



#4 AR-1016-2


R.T.: 4.695 min
Delta R.T.: -0.002 min
Response: 493452
Conc: 213.27 ng/ml



#5 AR-1016-3


R.T.: 5.765 min
Delta R.T.: -0.002 min
Response: 1219682
Conc: 224.08 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 4.872 min
Delta R.T.: 0.000 min
Response: 354711
Conc: 283.82 ng/ml




#6 AR-1016-4

R.T.: 5.864 min
Delta R.T.: -0.002 min
Response: 1401102
Conc: 317.64 ng/ml



#6 AR-1016-4


R.T.: 4.915 min
Delta R.T.: -0.001 min
Response: 716147
Conc: 656.03 ng/ml



#7 AR-1016-5


R.T.: 6.165 min
Delta R.T.: 0.000 min
Response: 3354250
Conc: 789.95 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.127 min
Delta R.T.: -0.002 min
Response: 871457
Conc: 644.29 ng/ml




#8 AR-1221-1

R.T.: 4.702 min
Delta R.T.: -0.001 min
Response: 24426
Conc: 11.07 ng/ml



#8 AR-1221-1


R.T.: 3.798 min
Delta R.T.: -0.007 min
Response: 6558
Conc: 12.72 ng/ml



#9 AR-1221-2


R.T.: 4.803 min
Delta R.T.: 0.012 min
Response: 176865
Conc: 108.57 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 3.888 min
Delta R.T.: -0.002 min
Response: 42236
Conc: 100.59 ng/ml




#10 AR-1221-3

R.T.: 4.868 min
Delta R.T.: 0.000 min
Response: 197568
Conc: 38.42 ng/ml



#10 AR-1221-3


R.T.: 3.964 min
Delta R.T.: -0.002 min
Response: 46375
Conc: 36.16 ng/ml



#11 AR-1232-1


R.T.: 4.868 min
Delta R.T.: 0.000 min
Response: 197568
Conc: 41.98 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 3.964 min
Delta R.T.: -0.001 min
Response: 46375
Conc: 39.14 ng/ml




#12 AR-1232-2

R.T.: 5.407 min
Delta R.T.: -0.002 min
Response: 973299
Conc: 422.37 ng/ml



#12 AR-1232-2


R.T.: 4.695 min
Delta R.T.: -0.001 min
Response: 493452
Conc: 452.89 ng/ml



#13 AR-1232-3


R.T.: 5.702 min
Delta R.T.: -0.001 min
Response: 2583478
Conc: 612.23 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 4.872 min
Delta R.T.: 0.000 min
Response: 354711
Conc: 583.71 ng/ml




#14 AR-1232-4

R.T.: 5.864 min
Delta R.T.: -0.002 min
Response: 1401102
Conc: 697.77 ng/ml



#14 AR-1232-4


R.T.: 4.955 min
Delta R.T.: -0.002 min
Response: 752707
Conc: 1350.62 ng/ml



#15 AR-1232-5


R.T.: 5.957 min
Delta R.T.: -0.001 min
Response: 3056503
Conc: 2076.71 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.127 min
Delta R.T.: -0.001 min
Response: 871457
Conc: 1413.37 ng/ml




#16 AR-1242-1

R.T.: 5.679 min
Delta R.T.: -0.001 min
Response: 2198272
Conc: 432.41 ng/ml



#16 AR-1242-1


R.T.: 4.677 min
Delta R.T.: -0.001 min
Response: 493230
Conc: 377.48 ng/ml



#17 AR-1242-2


R.T.: 5.702 min
Delta R.T.: 0.000 min
Response: 2583478
Conc: 348.03 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 4.695 min
Delta R.T.: -0.001 min
Response: 493452
Conc: 267.02 ng/ml




#18 AR-1242-3

R.T.: 5.765 min
Delta R.T.: -0.001 min
Response: 1219682
Conc: 277.55 ng/ml



#18 AR-1242-3


R.T.: 4.872 min
Delta R.T.: 0.000 min
Response: 354711
Conc: 350.80 ng/ml



#19 AR-1242-4


R.T.: 5.864 min
Delta R.T.: -0.002 min
Response: 1401102
Conc: 386.12 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 4.955 min
Delta R.T.: -0.002 min
Response: 752707
Conc: 724.14 ng/ml




#20 AR-1242-5

R.T.: 6.612 min
Delta R.T.: 0.000 min
Response: 3382811
Conc: 952.00 ng/ml



#20 AR-1242-5


R.T.: 5.480 min
Delta R.T.: 0.000 min
Response: 1197852
Conc: 970.60 ng/ml



#21 AR-1248-1


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 2198272
Conc: 589.69 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 4.677 min
Delta R.T.: -0.001 min
Response: 493230
Conc: 510.17 ng/ml




#22 AR-1248-2

R.T.: 5.957 min
Delta R.T.: 0.000 min
Response: 3056503
Conc: 576.64 ng/ml



#22 AR-1248-2


R.T.: 4.915 min
Delta R.T.: 0.000 min
Response: 716147
Conc: 489.07 ng/ml



#23 AR-1248-3


R.T.: 6.165 min
Delta R.T.: 0.000 min
Response: 3354250
Conc: 570.13 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 4.955 min
Delta R.T.: -0.001 min
Response: 752707
Conc: 491.09 ng/ml




#24 AR-1248-4

R.T.: 6.573 min
Delta R.T.: 0.000 min
Response: 3548054
Conc: 550.35 ng/ml



#24 AR-1248-4


R.T.: 5.127 min
Delta R.T.: 0.000 min
Response: 871457
Conc: 495.79 ng/ml



#25 AR-1248-5


R.T.: 6.612 min
Delta R.T.: 0.000 min
Response: 3382811
Conc: 546.38 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 5.521 min
Delta R.T.: 0.000 min
Response: 849820
Conc: 494.77 ng/ml




#26 AR-1254-1

R.T.: 6.545 min
Delta R.T.: -0.002 min
Response: 2757895
Conc: 416.14 ng/ml



#26 AR-1254-1


R.T.: 5.480 min
Delta R.T.: 0.000 min
Response: 1197852
Conc: 455.77 ng/ml



#27 AR-1254-2


R.T.: 6.771 min
Delta R.T.: 0.003 min
Response: 3347004
Conc: 334.44 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 5.628 min
Delta R.T.: 0.000 min
Response: 373396
Conc: 160.02 ng/ml




#28 AR-1254-3

R.T.: 7.139 min
Delta R.T.: 0.000 min
Response: 1665181
Conc: 161.80 ng/ml



#28 AR-1254-3


R.T.: 6.032 min
Delta R.T.: 0.000 min
Response: 546720
Conc: 148.86 ng/ml



#29 AR-1254-4


R.T.: 7.428 min
Delta R.T.: 0.000 min
Response: 1108020
Conc: 157.93 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 6.262 min
Delta R.T.: 0.000 min
Response: 367627
Conc: 165.97 ng/ml




#30 AR-1254-5

R.T.: 7.853 min
Delta R.T.: 0.000 min
Response: 237319
Conc: 31.02 ng/ml



#30 AR-1254-5


R.T.: 6.681 min
Delta R.T.: 0.000 min
Response: 110490
Conc: 33.97 ng/ml



#31 AR-1260-1


R.T.: 7.307 min
Delta R.T.: 0.000 min
Response: 191527
Conc: 27.76 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 6.176 min
Delta R.T.: 0.011 min
Response: 279733
Conc: 117.99 ng/ml




#32 AR-1260-2

R.T.: 7.563 min
Delta R.T.: -0.002 min
Response: 228160
Conc: 29.17 ng/ml



#32 AR-1260-2


R.T.: 6.352 min
Delta R.T.: -0.003 min
Response: 43846
Conc: 15.71 ng/ml



#33 AR-1260-3


R.T.: 7.919 min
Delta R.T.: -0.011 min
Response: 55378
Conc: 9.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 6.504 min
Delta R.T.: -0.003 min
Response: 60853
Conc: 23.15 ng/ml




#34 AR-1260-4

R.T.: 8.147 min
Delta R.T.: -0.013 min
Response: 128928
Conc: 18.67 ng/ml



#34 AR-1260-4


R.T.: 6.980 min
Delta R.T.: 0.000 min
Response: 9614
Conc: 4.29 ng/ml



#35 AR-1260-5


R.T.: 8.493 min
Delta R.T.: 0.002 min
Response: 48157
Conc: 3.43 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.223 min
Delta R.T.: -0.002 min
Response: 15957
Conc: 3.17 ng/ml




#36 AR-1262-1

R.T.: 7.919 min
Delta R.T.: -0.011 min
Response: 55378
Conc: 6.13 ng/ml



#36 AR-1262-1


R.T.: 6.681 min
Delta R.T.: 0.000 min
Response: 110490
Conc: 64.35 ng/ml



#37 AR-1262-2


R.T.: 8.493 min
Delta R.T.: 0.003 min
Response: 48157
Conc: 3.02 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 6.980 min
Delta R.T.: 0.000 min
Response: 9614
Conc: 3.36 ng/ml




#38 AR-1262-3

R.T.: 8.840 min
Delta R.T.: 0.022 min
Response: 29932
Conc: 2.90 ng/ml



#38 AR-1262-3


R.T.: 7.507 min
Delta R.T.: 0.000 min
Response: 4193
Conc: 1.91 ng/ml



#39 AR-1262-4


R.T.: 8.915 min
Delta R.T.: 0.005 min
Response: 4258
Conc: 0.91 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 7.572 min
Delta R.T.: 0.000 min
Response: 13106
Conc: 3.28 ng/ml




#40 AR-1262-5

R.T.: 9.596 min
Delta R.T.: -0.001 min
Response: 11922
Conc: 2.24 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.067 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.840 min
Delta R.T.: 0.026 min
Response: 29932
Conc: 1.55 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 7.507 min
Delta R.T.: 0.000 min
Response: 4193
Conc: 0.63 ng/ml




#42 AR-1268-2

R.T.: 8.915 min
Delta R.T.: 0.004 min
Response: 4258
Conc: 0.25 ng/ml



#42 AR-1268-2


R.T.: 7.572 min
Delta R.T.: 0.000 min
Response: 13106
Conc: 2.22 ng/ml



#43 AR-1268-3


R.T.: 9.163 min
Delta R.T.: 0.012 min
Response: 15614
Conc: 1.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 7.783 min
Delta R.T.: 0.003 min
Response: 5391
Conc: 1.09 ng/ml




#44 AR-1268-4

R.T.: 9.596 min
Delta R.T.: 0.000 min
Response: 11922
Conc: 1.95 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.068 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 10.039 min
Delta R.T.: 0.006 min
Response: 24296
Conc: 0.50 ng/ml

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.355 min
Delta R.T.: 0.000 min
Response: 9221
Conc: 0.66 ng/ml