

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0032521\
 Data File : P0076537.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 24 Mar 2021 15:52
 Operator : DD\AJ
 Sample : M1776-01
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 25 02:48:04 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0032421.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 24 05:38:14 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.913	3.928	1693091	1121964	19.332	20.454
2)	SA Decachlor...	10.890	9.183	1765860	1556338	27.128	33.028
Target Compounds							
3)	L1 AR-1016-1	6.228	5.195f	54960	40149	20.337	24.377
4)	L1 AR-1016-2	6.258	5.195	70852	40149	17.235	13.835
5)	L1 AR-1016-3	6.320	0.000	57076	0	23.655	N.D. #
6)	L1 AR-1016-4	6.447f	5.424	50321	24425	25.963	21.760
7)	L1 AR-1016-5	6.744	5.663	29859	30580	15.331	22.207 #
8)	L2 AR-1221-1	5.163	0.000	321869	0	365.819	N.D. #
9)	L2 AR-1221-2	5.265	0.000	68869	0	101.696	N.D. #
10)	L2 AR-1221-3	5.340	0.000	26646	0	12.314	N.D. #
11)	L3 AR-1232-1	5.340	0.000	26646	0	15.064	N.D. #
12)	L3 AR-1232-2	5.955f	5.195	81621	40149	92.025	33.591 #
13)	L3 AR-1232-3	6.258	0.000	70852	0	41.958	N.D. #
14)	L3 AR-1232-4	6.447f	0.000	50321	0	64.269	N.D. #
15)	L3 AR-1232-5	6.528	5.663	123967	30580	224.876	56.057 #
16)	L4 AR-1242-1	6.228	5.195f	54960	40149	24.584	31.172 #
17)	L4 AR-1242-2	6.258	5.195	70852	40149	20.853	17.132
18)	L4 AR-1242-3	6.320	0.000	57076	0	28.243	N.D. #
19)	L4 AR-1242-4	6.447f	0.000	50321	0	31.244	N.D. #
20)	L4 AR-1242-5	7.212	6.041	275153	145754	157.531	109.885 #
21)	L5 AR-1248-1	6.228	5.195f	54960	40149	33.203	40.060
22)	L5 AR-1248-2	6.528	5.424	123967	24425	50.784	15.001 #
23)	L5 AR-1248-3	6.744	0.000	29859	0	10.422	N.D. #
24)	L5 AR-1248-4	7.156f	5.663	486375	30580	155.762	15.729 #
25)	L5 AR-1248-5	7.212	6.112f	275153	37895	88.364	20.451 #
26)	L6 AR-1254-1	7.156	6.041	486375	145754	146.433	49.209 #
27)	L6 AR-1254-2	7.381	6.202	289346	33991	56.217	13.083 #
28)	L6 AR-1254-3	7.759	6.616	177408	67205	33.352	16.779 #
29)	L6 AR-1254-4	8.049	0.000	104918	0	29.090	N.D. #
30)	L6 AR-1254-5	8.483	7.280	127399	107062	32.501	30.376
31)	L7 AR-1260-1	7.922	0.000	122066	0	35.522	N.D. #
32)	L7 AR-1260-2	8.180	6.950	286707	53193	70.712	17.152 #
33)	L7 AR-1260-3	8.558	7.099	90463	42750	29.943	14.552 #
34)	L7 AR-1260-4	8.778	7.585	46489	236879	13.341	99.390 #
35)	L7 AR-1260-5	9.106	7.830	60836	67353	9.002	11.872 #
36)	L8 AR-1262-1	8.558	7.280	90463	107062	17.485	54.443 #
37)	L8 AR-1262-2	9.106	7.830	60836	67353	7.059	10.018 #
38)	L8 AR-1262-3	9.426f	8.105	57021	30745	10.058	11.415
39)	L8 AR-1262-4	9.486	8.209f	99318	223474	23.070	44.906 #
40)	L8 AR-1262-5	0.000	8.671	0	217456	N.D.	100.085 #
41)	L9 AR-1268-1	9.426f	8.105	57021	30745	5.496	3.944 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0032521\
 Data File : P0076537.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 24 Mar 2021 15:52
 Operator : DD\AJ
 Sample : M1776-01
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 25 02:48:04 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0032421.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 24 05:38:14 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.486f	8.209f	99318	223474	10.673	31.506 #
43) L9	AR-1268-3	0.000	8.413f	0	72926	N.D.	12.025 #
44) L9	AR-1268-4	0.000	8.671	0	217456	N.D.	90.049 #
45) L9	AR-1268-5	0.000	8.928f	0	60857	N.D.	3.363 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0032521\
Data File : P0076537.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 24 Mar 2021 15:52
Operator : DD\AJ
Sample : M1776-01
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 25 02:48:04 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0032421.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 24 05:38:14 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.913 min
Delta R.T.: 0.001 min
Response: 1693091
Conc: 19.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.928 min
Delta R.T.: 0.000 min
Response: 1121964
Conc: 20.45 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.890 min
Delta R.T.: 0.012 min
Response: 1765860
Conc: 27.13 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.183 min
Delta R.T.: -0.003 min
Response: 1556338
Conc: 33.03 ng/ml



#3 AR-1016-1


R.T.: 6.228 min
Delta R.T.: -0.004 min
Response: 54960
Conc: 20.34 ng/ml

Instrument :
ECD_O
ClientSampleId :




#3 AR-1016-1

R.T.: 5.195 min
Delta R.T.: 0.020 min
Response: 40149
Conc: 24.38 ng/ml




#4 AR-1016-2

R.T.: 6.258 min
Delta R.T.: 0.002 min
Response: 70852
Conc: 17.24 ng/ml



#4 AR-1016-2


R.T.: 5.195 min
Delta R.T.: 0.000 min
Response: 40149
Conc: 13.84 ng/ml



#5 AR-1016-3


R.T.: 6.320 min
Delta R.T.: -0.002 min
Response: 57076
Conc: 23.66 ng/ml

Instrument :
ECD_O
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 5.384 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 6.447 min
Delta R.T.: 0.019 min
Response: 50321
Conc: 25.96 ng/ml



#6 AR-1016-4


R.T.: 5.424 min
Delta R.T.: -0.012 min
Response: 24425
Conc: 21.76 ng/ml



#7 AR-1016-5


R.T.: 6.744 min
Delta R.T.: 0.001 min
Response: 29859
Conc: 15.33 ng/ml

Instrument :
ECD_O
ClientSampleId :




#7 AR-1016-5

R.T.: 5.663 min
Delta R.T.: 0.000 min
Response: 30580
Conc: 22.21 ng/ml




#8 AR-1221-1

R.T.: 5.163 min
Delta R.T.: -0.003 min
Response: 321869
Conc: 365.82 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T.: 4.187 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 5.265 min
Delta R.T.: -0.001 min
Response: 68869
Conc: 101.70 ng/ml

Instrument :
ECD_O
ClientSampleId :




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 4.285 min
Response: 0
Conc: N.D.




#10 AR-1221-3

R.T.: 5.340 min
Delta R.T.: -0.012 min
Response: 26646
Conc: 12.31 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 4.373 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 5.340 min
Delta R.T.: -0.011 min
Response: 26646
Conc: 15.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.372 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.955 min
Delta R.T.: 0.016 min
Response: 81621
Conc: 92.02 ng/ml



#12 AR-1232-2


R.T.: 5.195 min
Delta R.T.: -0.001 min
Response: 40149
Conc: 33.59 ng/ml



#13 AR-1232-3


R.T.: 6.258 min
Delta R.T.: -0.003 min
Response: 70852
Conc: 41.96 ng/ml

Instrument :
ECD_O
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 5.387 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 6.447 min
Delta R.T.: 0.015 min
Response: 50321
Conc: 64.27 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 5.482 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 6.528 min
Delta R.T.: -0.002 min
Response: 123967
Conc: 224.88 ng/ml

Instrument :
ECD_O
ClientSampleId :




#15 AR-1232-5

R.T.: 5.663 min
Delta R.T.: -0.002 min
Response: 30580
Conc: 56.06 ng/ml




#16 AR-1242-1

R.T.: 6.228 min
Delta R.T.: -0.007 min
Response: 54960
Conc: 24.58 ng/ml



#16 AR-1242-1


R.T.: 5.195 min
Delta R.T.: 0.019 min
Response: 40149
Conc: 31.17 ng/ml



#17 AR-1242-2


R.T.: 6.258 min
Delta R.T.: -0.001 min
Response: 70852
Conc: 20.85 ng/ml

Instrument :
ECD_O
ClientSampleId :




#17 AR-1242-2

R.T.: 5.195 min
Delta R.T.: 0.000 min
Response: 40149
Conc: 17.13 ng/ml




#18 AR-1242-3

R.T.: 6.320 min
Delta R.T.: -0.005 min
Response: 57076
Conc: 28.24 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T.: 5.386 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 6.447 min
Delta R.T.: 0.015 min
Response: 50321
Conc: 31.24 ng/ml

Instrument :
ECD_O
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 5.481 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 7.212 min
Delta R.T.: -0.002 min
Response: 275153
Conc: 157.53 ng/ml



#20 AR-1242-5


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 145754
Conc: 109.88 ng/ml



#21 AR-1248-1


R.T.: 6.228 min
Delta R.T.: -0.007 min
Response: 54960
Conc: 33.20 ng/ml

Instrument :
ECD_O
ClientSampleId :




#21 AR-1248-1

R.T.: 5.195 min
Delta R.T.: 0.018 min
Response: 40149
Conc: 40.06 ng/ml




#22 AR-1248-2

R.T.: 6.528 min
Delta R.T.: 0.000 min
Response: 123967
Conc: 50.78 ng/ml



#22 AR-1248-2


R.T.: 5.424 min
Delta R.T.: -0.013 min
Response: 24425
Conc: 15.00 ng/ml



#23 AR-1248-3


R.T.: 6.744 min
Delta R.T.: -0.002 min
Response: 29859
Conc: 10.42 ng/ml

Instrument :
ECD_O
ClientSampleId :




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 5.481 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 7.156 min
Delta R.T.: -0.019 min
Response: 486375
Conc: 155.76 ng/ml



#24 AR-1248-4


R.T.: 5.663 min
Delta R.T.: -0.001 min
Response: 30580
Conc: 15.73 ng/ml



#25 AR-1248-5


R.T.: 7.212 min
Delta R.T.: -0.003 min
Response: 275153
Conc: 88.36 ng/ml

Instrument :
ECD_O
ClientSampleId :




#25 AR-1248-5

R.T.: 6.112 min
Delta R.T.: 0.026 min
Response: 37895
Conc: 20.45 ng/ml




#26 AR-1254-1

R.T.: 7.156 min
Delta R.T.: 0.011 min
Response: 486375
Conc: 146.43 ng/ml



#26 AR-1254-1


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 145754
Conc: 49.21 ng/ml



#27 AR-1254-2


R.T.: 7.381 min
Delta R.T.: 0.007 min
Response: 289346
Conc: 56.22 ng/ml

Instrument :
ECD_O
ClientSampleId :




#27 AR-1254-2

R.T.: 6.202 min
Delta R.T.: 0.000 min
Response: 33991
Conc: 13.08 ng/ml




#28 AR-1254-3

R.T.: 7.759 min
Delta R.T.: 0.004 min
Response: 177408
Conc: 33.35 ng/ml



#28 AR-1254-3


R.T.: 6.616 min
Delta R.T.: -0.003 min
Response: 67205
Conc: 16.78 ng/ml



#29 AR-1254-4


R.T.: 8.049 min
Delta R.T.: -0.002 min
Response: 104918
Conc: 29.09 ng/ml

Instrument :
ECD_O
ClientSampleId :




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.859 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 8.483 min
Delta R.T.: 0.004 min
Response: 127399
Conc: 32.50 ng/ml



#30 AR-1254-5


R.T.: 7.280 min
Delta R.T.: -0.004 min
Response: 107062
Conc: 30.38 ng/ml



#31 AR-1260-1


R.T.: 7.922 min
Delta R.T.: 0.006 min
Response: 122066
Conc: 35.52 ng/ml

Instrument :
ECD_O
ClientSampleId :




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T. : 6.753 min
Response: 0
Conc: N.D.




#32 AR-1260-2

R.T.: 8.180 min
Delta R.T.: 0.000 min
Response: 286707
Conc: 70.71 ng/ml



#32 AR-1260-2


R.T.: 6.950 min
Delta R.T.: 0.000 min
Response: 53193
Conc: 17.15 ng/ml



#33 AR-1260-3


R.T.: 8.558 min
Delta R.T.: 0.012 min
Response: 90463
Conc: 29.94 ng/ml

Instrument :
ECD_O
ClientSampleId :




#33 AR-1260-3

R.T.: 7.099 min
Delta R.T.: -0.005 min
Response: 42750
Conc: 14.55 ng/ml




#34 AR-1260-4

R.T.: 8.778 min
Delta R.T.: 0.002 min
Response: 46489
Conc: 13.34 ng/ml



#34 AR-1260-4


R.T.: 7.585 min
Delta R.T.: 0.000 min
Response: 236879
Conc: 99.39 ng/ml



#35 AR-1260-5


R.T.: 9.106 min
Delta R.T.: 0.008 min
Response: 60836
Conc: 9.00 ng/ml

Instrument :
ECD_O
ClientSampleId :




#35 AR-1260-5

R.T.: 7.830 min
Delta R.T.: -0.002 min
Response: 67353
Conc: 11.87 ng/ml




#36 AR-1262-1

R.T.: 8.558 min
Delta R.T.: 0.008 min
Response: 90463
Conc: 17.48 ng/ml



#36 AR-1262-1


R.T.: 7.280 min
Delta R.T.: 0.000 min
Response: 107062
Conc: 54.44 ng/ml



#37 AR-1262-2


R.T.: 9.106 min
Delta R.T.: 0.003 min
Response: 60836
Conc: 7.06 ng/ml

Instrument :
ECD_O
ClientSampleId :




#37 AR-1262-2

R.T.: 7.830 min
Delta R.T.: -0.002 min
Response: 67353
Conc: 10.02 ng/ml




#38 AR-1262-3

R.T.: 9.426 min
Delta R.T.: 0.016 min
Response: 57021
Conc: 10.06 ng/ml



#38 AR-1262-3


R.T.: 8.105 min
Delta R.T.: -0.012 min
Response: 30745
Conc: 11.41 ng/ml



#39 AR-1262-4


R.T.: 9.486 min
Delta R.T.: -0.012 min
Response: 99318
Conc: 23.07 ng/ml

Instrument :
ECD_O
ClientSampleId :




#39 AR-1262-4

R.T.: 8.209 min
Delta R.T.: 0.029 min
Response: 223474
Conc: 44.91 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 10.156 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 8.671 min
Delta R.T.: -0.006 min
Response: 217456
Conc: 100.09 ng/ml



#41 AR-1268-1


R.T.: 9.426 min
Delta R.T.: 0.017 min
Response: 57021
Conc: 5.50 ng/ml

Instrument :
ECD_O
ClientSampleId :




#41 AR-1268-1

R.T.: 8.105 min
Delta R.T.: -0.011 min
Response: 30745
Conc: 3.94 ng/ml




#42 AR-1268-2

R.T.: 9.486 min
Delta R.T.: -0.017 min
Response: 99318
Conc: 10.67 ng/ml



#42 AR-1268-2


R.T.: 8.209 min
Delta R.T.: 0.027 min
Response: 223474
Conc: 31.51 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T. : 9.724 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :




#43 AR-1268-3

R.T.: 8.413 min
Delta R.T.: 0.026 min
Response: 72926
Conc: 12.02 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 10.156 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 8.671 min
Delta R.T.: -0.005 min
Response: 217456
Conc: 90.05 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T.: 10.561 min
Response: 0
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :



#45 AR-1268-5

R.T.: 8.928 min
Delta R.T.: -0.023 min
Response: 60857
Conc: 3.36 ng/ml