

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0040324\
 Data File : P0102705.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Apr 2024 16:10
 Operator : YP/AJ
 Sample : P1962-07 10X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 Y2308-0013-1-1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 03 17:17:29 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031824.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Mar 19 08:56:28 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.264	3.379	7829804	6150942	1.776	2.138
2)	SA Decachlor...	9.802	8.245	4200735	2962564	1.513	1.633
Target Compounds							
3)	L1 AR-1016-1	5.422	4.430	1688467	286326	12.804	3.521 #
4)	L1 AR-1016-2	5.422	4.452	1688467	90415	8.679	0.781 #
5)	L1 AR-1016-3	5.499	4.610	458867	114935	4.307	1.825 #
6)	L1 AR-1016-4	5.590	4.668	379267	249770	3.824	4.275
7)	L1 AR-1016-5	5.868	4.881	30808	87338	0.321	1.221 #
8)	L2 AR-1221-1	4.474	3.588	100306	41326	2.340	1.401 #
9)	L2 AR-1221-2	4.575	3.670	735960	212892	21.895	9.660 #
10)	L2 AR-1221-3	4.633	3.771	251846	187188	2.556	2.915
11)	L3 AR-1232-1	4.633	3.771	251846	187188	3.007	3.362
12)	L3 AR-1232-2	5.152	4.452	45868	90415	0.957	1.776 #
13)	L3 AR-1232-3	5.422	4.610	1688467	114935	20.873	4.171 #
14)	L3 AR-1232-4	5.590	4.702	379267	104741	9.331	3.721 #
15)	L3 AR-1232-5	5.680	4.881	327062	87338	9.152	2.980 #
16)	L4 AR-1242-1	5.422	4.430	1688467	286326	18.741	4.906 #
17)	L4 AR-1242-2	5.422	4.452	1688467	90415	12.792	1.109 #
18)	L4 AR-1242-3	5.499	4.610	458867	114935	5.412	2.551 #
19)	L4 AR-1242-4	5.590	4.702	379267	104741	5.653	2.021 #
20)	L4 AR-1242-5	6.312	5.218	529279	34623	8.453	0.618 #
21)	L5 AR-1248-1	5.422	4.430	1688467	286326	23.987	6.096 #
22)	L5 AR-1248-2	5.680	4.668	327062	249770	2.702	3.298
23)	L5 AR-1248-3	5.868	4.702	30808	104741	0.254	1.318 #
24)	L5 AR-1248-4	6.288	4.881	731699	87338	6.301	0.974 #
25)	L5 AR-1248-5	6.312	5.259	529279	79818	4.733	1.124 #
26)	L6 AR-1254-1	6.247	5.218	597608	34623	4.499	0.288 #
27)	L6 AR-1254-2	6.457	5.362	14293	153907	0.075	1.400 #
28)	L6 AR-1254-3	6.843	5.772	608836	62450	3.403	0.396 #
29)	L6 AR-1254-4	7.121	5.981	-611	36506	N.D.	0.471 #
30)	L6 AR-1254-5	7.531	6.401	452052	28186	3.359	0.205 #
31)	L7 AR-1260-1	6.994	5.863	98157	11334	0.582	0.086 #
32)	L7 AR-1260-2	7.230	6.060	177826	275811	0.955	2.021 #
33)	L7 AR-1260-3	7.605	6.226	344810	1113129	2.883	7.642 #
34)	L7 AR-1260-4	7.831	6.672	895600	696113	6.284	6.938
35)	L7 AR-1260-5	8.147	6.922	1813859	153514	7.508	0.722 #
36)	L8 AR-1262-1	7.531	6.385	452052	125952	4.578	1.971 #
37)	L8 AR-1262-2	8.147	6.672	1813859	696113	7.751	5.074 #
38)	L8 AR-1262-3	8.425	7.223	244733	91653	1.348	0.885 #
39)	L8 AR-1262-4	8.505	7.258	664663	83372	4.663	0.509 #
40)	L8 AR-1262-5	9.107	7.757	195808	78773	2.391	1.283 #
41)	L9 AR-1268-1	8.425	7.223	244733	91653	0.757	0.335 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0040324\
Data File : P0102705.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Apr 2024 16:10
Operator : YP/AJ
Sample : P1962-07 10X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 03 17:17:29 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0031824.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Mar 19 08:56:28 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.505	7.258	664663	83372	2.253	0.332 #
43)	L9 AR-1268-3	8.730	7.459	416298	85204	1.570	0.382 #
44)	L9 AR-1268-4	9.107	8.014	195808	287805	2.065	0.501 #
45)	L9 AR-1268-5	9.504	8.245	216481	2962564	0.269	10.410 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO040324\
Data File : PO102705.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Apr 2024 16:10
Operator : YP/AJ
Sample : P1962-07 10X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 03 17:17:29 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO031824.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Mar 19 08:56:28 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.264 min
Delta R.T.: -0.003 min
Response: 7829804
Conc: 1.78 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#1 Tetrachloro-m-xylene

R.T.: 3.379 min
Delta R.T.: -0.003 min
Response: 6150942
Conc: 2.14 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.802 min
Delta R.T.: -0.006 min
Response: 4200735
Conc: 1.51 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.245 min
Delta R.T.: -0.005 min
Response: 2962564
Conc: 1.63 ng/ml



#3 AR-1016-1


R.T.: 5.422 min
Delta R.T.: 0.010 min
Response: 1688467
Conc: 12.80 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#3 AR-1016-1

R.T.: 4.430 min
Delta R.T.: -0.004 min
Response: 286326
Conc: 3.52 ng/ml




#4 AR-1016-2

R.T.: 5.422 min
Delta R.T.: -0.011 min
Response: 1688467
Conc: 8.68 ng/ml



#4 AR-1016-2


R.T.: 4.452 min
Delta R.T.: 0.001 min
Response: 90415
Conc: 0.78 ng/ml



#5 AR-1016-3


R.T.: 5.499 min
Delta R.T.: 0.006 min
Response: 458867
Conc: 4.31 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#5 AR-1016-3

R.T.: 4.610 min
Delta R.T.: -0.013 min
Response: 114935
Conc: 1.83 ng/ml




#6 AR-1016-4

R.T.: 5.590 min
Delta R.T.: -0.001 min
Response: 379267
Conc: 3.82 ng/ml



#6 AR-1016-4


R.T.: 4.668 min
Delta R.T.: 0.004 min
Response: 249770
Conc: 4.27 ng/ml



#7 AR-1016-5


R.T.: 5.868 min
Delta R.T.: -0.014 min
Response: 30808
Conc: 0.32 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#7 AR-1016-5

R.T.: 4.881 min
Delta R.T.: 0.009 min
Response: 87338
Conc: 1.22 ng/ml




#8 AR-1221-1

R.T.: 4.474 min
Delta R.T.: 0.002 min
Response: 100306
Conc: 2.34 ng/ml



#8 AR-1221-1


R.T.: 3.588 min
Delta R.T.: -0.001 min
Response: 41326
Conc: 1.40 ng/ml



#9 AR-1221-2


R.T.: 4.575 min
Delta R.T.: 0.018 min
Response: 735960
Conc: 21.89 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#9 AR-1221-2

R.T.: 3.670 min
Delta R.T.: -0.002 min
Response: 212892
Conc: 9.66 ng/ml




#10 AR-1221-3

R.T.: 4.633 min
Delta R.T.: 0.002 min
Response: 251846
Conc: 2.56 ng/ml



#10 AR-1221-3


R.T.: 3.771 min
Delta R.T.: 0.025 min
Response: 187188
Conc: 2.91 ng/ml



#11 AR-1232-1


R.T.: 4.633 min
Delta R.T.: 0.002 min
Response: 251846
Conc: 3.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#11 AR-1232-1

R.T.: 3.771 min
Delta R.T.: 0.026 min
Response: 187188
Conc: 3.36 ng/ml




#12 AR-1232-2

R.T.: 5.152 min
Delta R.T.: 0.004 min
Response: 45868
Conc: 0.96 ng/ml



#12 AR-1232-2


R.T.: 4.452 min
Delta R.T.: 0.001 min
Response: 90415
Conc: 1.78 ng/ml



#13 AR-1232-3


R.T.: 5.422 min
Delta R.T.: -0.012 min
Response: 1688467
Conc: 20.87 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#13 AR-1232-3

R.T.: 4.610 min
Delta R.T.: -0.013 min
Response: 114935
Conc: 4.17 ng/ml




#14 AR-1232-4

R.T.: 5.590 min
Delta R.T.: -0.002 min
Response: 379267
Conc: 9.33 ng/ml



#14 AR-1232-4


R.T.: 4.702 min
Delta R.T.: -0.003 min
Response: 104741
Conc: 3.72 ng/ml



#15 AR-1232-5


R.T.: 5.680 min
Delta R.T.: -0.002 min
Response: 327062
Conc: 9.15 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#15 AR-1232-5

R.T.: 4.881 min
Delta R.T.: 0.008 min
Response: 87338
Conc: 2.98 ng/ml




#16 AR-1242-1

R.T.: 5.422 min
Delta R.T.: 0.010 min
Response: 1688467
Conc: 18.74 ng/ml



#16 AR-1242-1


R.T.: 4.430 min
Delta R.T.: -0.004 min
Response: 286326
Conc: 4.91 ng/ml



#17 AR-1242-2


R.T.: 5.422 min
Delta R.T.: -0.012 min
Response: 1688467
Conc: 12.79 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#17 AR-1242-2

R.T.: 4.452 min
Delta R.T.: 0.001 min
Response: 90415
Conc: 1.11 ng/ml




#18 AR-1242-3

R.T.: 5.499 min
Delta R.T.: 0.004 min
Response: 458867
Conc: 5.41 ng/ml



#18 AR-1242-3


R.T.: 4.610 min
Delta R.T.: -0.013 min
Response: 114935
Conc: 2.55 ng/ml



#19 AR-1242-4


R.T.: 5.590 min
Delta R.T.: -0.002 min
Response: 379267
Conc: 5.65 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#19 AR-1242-4

R.T.: 4.702 min
Delta R.T.: -0.003 min
Response: 104741
Conc: 2.02 ng/ml




#20 AR-1242-5

R.T.: 6.312 min
Delta R.T.: -0.007 min
Response: 529279
Conc: 8.45 ng/ml



#20 AR-1242-5


R.T.: 5.218 min
Delta R.T.: 0.002 min
Response: 34623
Conc: 0.62 ng/ml



#21 AR-1248-1


R.T.: 5.422 min
Delta R.T.: 0.009 min
Response: 1688467
Conc: 23.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#21 AR-1248-1

R.T.: 4.430 min
Delta R.T.: -0.004 min
Response: 286326
Conc: 6.10 ng/ml




#22 AR-1248-2

R.T.: 5.680 min
Delta R.T.: -0.002 min
Response: 327062
Conc: 2.70 ng/ml



#22 AR-1248-2


R.T.: 4.668 min
Delta R.T.: 0.004 min
Response: 249770
Conc: 3.30 ng/ml



#23 AR-1248-3


R.T.: 5.868 min
Delta R.T.: -0.015 min
Response: 30808
Conc: 0.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#23 AR-1248-3

R.T.: 4.702 min
Delta R.T.: -0.003 min
Response: 104741
Conc: 1.32 ng/ml




#24 AR-1248-4

R.T.: 6.288 min
Delta R.T.: 0.008 min
Response: 731699
Conc: 6.30 ng/ml



#24 AR-1248-4


R.T.: 4.881 min
Delta R.T.: 0.008 min
Response: 87338
Conc: 0.97 ng/ml



#25 AR-1248-5


R.T.: 6.312 min
Delta R.T.: -0.007 min
Response: 529279
Conc: 4.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#25 AR-1248-5

R.T.: 5.259 min
Delta R.T.: 0.002 min
Response: 79818
Conc: 1.12 ng/ml




#26 AR-1254-1

R.T.: 6.247 min
Delta R.T.: -0.007 min
Response: 597608
Conc: 4.50 ng/ml



#26 AR-1254-1


R.T.: 5.218 min
Delta R.T.: 0.001 min
Response: 34623
Conc: 0.29 ng/ml



#27 AR-1254-2


R.T.: 6.457 min
Delta R.T.: -0.013 min
Response: 14293
Conc: 0.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#27 AR-1254-2

R.T.: 5.362 min
Delta R.T.: 0.000 min
Response: 153907
Conc: 1.40 ng/ml




#28 AR-1254-3

R.T.: 6.843 min
Delta R.T.: 0.010 min
Response: 608836
Conc: 3.40 ng/ml



#28 AR-1254-3


R.T.: 5.772 min
Delta R.T.: 0.014 min
Response: 62450
Conc: 0.40 ng/ml



#29 AR-1254-4


R.T.: 7.121 min
Delta R.T.: 0.007 min
Response: -611
Conc: N.D.

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#29 AR-1254-4

R.T.: 5.981 min
Delta R.T.: -0.003 min
Response: 36506
Conc: 0.47 ng/ml




#30 AR-1254-5

R.T.: 7.531 min
Delta R.T.: 0.002 min
Response: 452052
Conc: 3.36 ng/ml



#30 AR-1254-5


R.T.: 6.401 min
Delta R.T.: 0.007 min
Response: 28186
Conc: 0.20 ng/ml



#31 AR-1260-1


R.T.: 6.994 min
Delta R.T.: 0.001 min
Response: 98157
Conc: 0.58 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#31 AR-1260-1

R.T.: 5.863 min
Delta R.T.: -0.022 min
Response: 11334
Conc: 0.09 ng/ml




#32 AR-1260-2

R.T.: 7.230 min
Delta R.T.: -0.017 min
Response: 177826
Conc: 0.95 ng/ml



#32 AR-1260-2


R.T.: 6.060 min
Delta R.T.: -0.011 min
Response: 275811
Conc: 2.02 ng/ml



#33 AR-1260-3


R.T.: 7.605 min
Delta R.T.: 0.002 min
Response: 344810
Conc: 2.88 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#33 AR-1260-3

R.T.: 6.226 min
Delta R.T.: 0.006 min
Response: 1113129
Conc: 7.64 ng/ml




#34 AR-1260-4

R.T.: 7.831 min
Delta R.T.: 0.005 min
Response: 895600
Conc: 6.28 ng/ml



#34 AR-1260-4


R.T.: 6.672 min
Delta R.T.: -0.013 min
Response: 696113
Conc: 6.94 ng/ml



#35 AR-1260-5


R.T.: 8.147 min
Delta R.T.: 0.015 min
Response: 1813859
Conc: 7.51 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#35 AR-1260-5

R.T.: 6.922 min
Delta R.T.: -0.005 min
Response: 153514
Conc: 0.72 ng/ml




#36 AR-1262-1

R.T.: 7.531 min
Delta R.T.: 0.005 min
Response: 452052
Conc: 4.58 ng/ml



#36 AR-1262-1


R.T.: 6.385 min
Delta R.T.: -0.008 min
Response: 125952
Conc: 1.97 ng/ml



#37 AR-1262-2


R.T.: 8.147 min
Delta R.T.: 0.015 min
Response: 1813859
Conc: 7.75 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#37 AR-1262-2

R.T.: 6.672 min
Delta R.T.: -0.014 min
Response: 696113
Conc: 5.07 ng/ml




#38 AR-1262-3

R.T.: 8.425 min
Delta R.T.: 0.000 min
Response: 244733
Conc: 1.35 ng/ml



#38 AR-1262-3


R.T.: 7.223 min
Delta R.T.: 0.018 min
Response: 91653
Conc: 0.88 ng/ml



#39 AR-1262-4


R.T.: 8.505 min
Delta R.T.: -0.004 min
Response: 664663
Conc: 4.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#39 AR-1262-4

R.T.: 7.258 min
Delta R.T.: -0.011 min
Response: 83372
Conc: 0.51 ng/ml




#40 AR-1262-5

R.T.: 9.107 min
Delta R.T.: -0.013 min
Response: 195808
Conc: 2.39 ng/ml



#40 AR-1262-5


R.T.: 7.757 min
Delta R.T.: -0.002 min
Response: 78773
Conc: 1.28 ng/ml



#41 AR-1268-1


R.T.: 8.425 min
Delta R.T.: 0.002 min
Response: 244733
Conc: 0.76 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#41 AR-1268-1

R.T.: 7.223 min
Delta R.T.: 0.020 min
Response: 91653
Conc: 0.34 ng/ml




#42 AR-1268-2

R.T.: 8.505 min
Delta R.T.: -0.005 min
Response: 664663
Conc: 2.25 ng/ml



#42 AR-1268-2


R.T.: 7.258 min
Delta R.T.: -0.010 min
Response: 83372
Conc: 0.33 ng/ml



#43 AR-1268-3


R.T.: 8.730 min
Delta R.T.: 0.008 min
Response: 416298
Conc: 1.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1




#43 AR-1268-3

R.T.: 7.459 min
Delta R.T.: -0.009 min
Response: 85204
Conc: 0.38 ng/ml




#44 AR-1268-4

R.T.: 9.107 min
Delta R.T.: -0.013 min
Response: 195808
Conc: 2.07 ng/ml



#44 AR-1268-4


R.T.: 8.014 min
Delta R.T.: -0.011 min
Response: 287805
Conc: 0.50 ng/ml



#45 AR-1268-5

R.T.: 9.504 min
Delta R.T.: 0.003 min
Response: 216481
Conc: 0.27 ng/ml

Instrument :
ECD_O
ClientSampleId :
Y2308-0013-1-1



#45 AR-1268-5

R.T.: 8.245 min
Delta R.T.: -0.003 min
Response: 2962564
Conc: 10.41 ng/ml