

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0042324\
 Data File : P0103047.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2024 12:40
 Operator : YP/AJ
 Sample : PB160423BL
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_O
 ClientSampleId :
 PB160423BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 13:39:32 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0042224.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 23 02:20:10 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.253	3.372	103.3E6	53160307	20.491	19.208
2)	SA Decachlor...	9.771	8.225	65653409	36545513	22.610	21.286
Target Compounds							
3)	L1 AR-1016-1	5.384	4.419	47753	365383	0.325	4.646 #
4)	L1 AR-1016-2	5.419	4.441	340979	163137	1.579	1.390
5)	L1 AR-1016-3	5.478	4.611	225797	110751	1.660	1.788
6)	L1 AR-1016-4	5.595	4.652	446396	166506	4.135	3.143
7)	L1 AR-1016-5	5.872	4.855	65270	150327	0.623	2.205 #
8)	L2 AR-1221-1	4.461	3.576	129351	27066	2.227	0.865 #
9)	L2 AR-1221-2	4.551	3.662	1550161	909309	36.572	38.322
10)	L2 AR-1221-3	4.627	3.737	45651	102194	0.358	1.441 #
11)	L3 AR-1232-1	4.627	3.737	45651	102194	0.456	1.787 #
12)	L3 AR-1232-2	5.124	4.441	304688	163137	5.358	2.989 #
13)	L3 AR-1232-3	5.419	4.611	340979	110751	3.462	3.882
14)	L3 AR-1232-4	5.595	4.704	446396	354998	9.305	13.109 #
15)	L3 AR-1232-5	5.668	4.855	292159	150327	7.264	5.166 #
16)	L4 AR-1242-1	5.384	4.419	47753	365383	0.392	5.512 #
17)	L4 AR-1242-2	5.419	4.441	340979	163137	1.904	1.672
18)	L4 AR-1242-3	5.478	4.611	225797	110751	1.997	2.066
19)	L4 AR-1242-4	5.595	4.704	446396	354998	5.000	6.437 #
20)	L4 AR-1242-5	6.301	5.213	161332	210818	1.930	3.331 #
21)	L5 AR-1248-1	5.384	4.419	47753	365383	0.534	7.358 #
22)	L5 AR-1248-2	5.668	4.652	292159	166506	2.118	2.212
23)	L5 AR-1248-3	5.872	4.704	65270	354998	0.460	4.570 #
24)	L5 AR-1248-4	6.260	4.855	51975	150327	0.367	1.676 #
25)	L5 AR-1248-5	6.301	5.231	161332	91891	1.173	1.146
26)	L6 AR-1254-1	6.236	5.213	31049	210818	0.196	1.567 #
27)	L6 AR-1254-2	6.456	5.334	58822	307046	0.251	2.598 #
28)	L6 AR-1254-3	6.828	5.747	2321830	100146	10.021	0.572 #
29)	L6 AR-1254-4	7.100	5.975	701761	108594	4.730	1.071 #
30)	L6 AR-1254-5	7.506	6.371	245763	423389	1.478	2.810 #
31)	L7 AR-1260-1	6.977	5.859	883783	141438	4.988	1.112 #
32)	L7 AR-1260-2	7.235	6.044	383075	517310	1.931	3.368 #
33)	L7 AR-1260-3	7.586	6.219	177128	980699	1.252	7.038 #
34)	L7 AR-1260-4	7.820	6.645	703578	30155	4.526	0.274 #
35)	L7 AR-1260-5	8.105	6.891	715940	613899	2.400	2.393
36)	L8 AR-1262-1	7.506	6.371	245763	423389	1.802	5.227 #
37)	L8 AR-1262-2	8.105	6.645	715940	30155	2.136	0.210 #
38)	L8 AR-1262-3	8.384	7.161	33117	457460	0.150	3.769 #
39)	L8 AR-1262-4	8.482	7.236	110051	1360512	0.633	6.609 #
40)	L8 AR-1262-5	9.090	7.735	34416	84609	0.293	0.962 #
41)	L9 AR-1268-1	8.384	7.161	33117	457460	0.084	1.291 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\P0042324\
Data File : P0103047.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2024 12:40
Operator : YP/AJ
Sample : PB160423BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB160423BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 13:39:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\P0042224.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 23 02:20:10 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.482	7.236	110051	1360512	0.295	4.279 #
43)	L9 AR-1268-3	8.691	7.448	334426	66112	1.010	0.243 #
44)	L9 AR-1268-4	9.090	8.010	34416	468516	0.264	0.647 #
45)	L9 AR-1268-5	9.472	8.225	189581	36545513	0.181	117.890 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_O\Data\PO042324\
Data File : PO103047.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2024 12:40
Operator : YP/AJ
Sample : PB160423BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_O
ClientSampleId :
PB160423BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 13:39:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_O\methods\PO042224.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 23 02:20:10 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.253 min
Delta R.T.: -0.001 min
Response: 103343799
Conc: 20.49 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#1 Tetrachloro-m-xylene

R.T.: 3.372 min
Delta R.T.: 0.000 min
Response: 53160307
Conc: 19.21 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.771 min
Delta R.T.: -0.004 min
Response: 65653409
Conc: 22.61 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.225 min
Delta R.T.: -0.002 min
Response: 36545513
Conc: 21.29 ng/ml



#3 AR-1016-1


R.T.: 5.384 min
Delta R.T.: -0.013 min
Response: 47753
Conc: 0.33 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#3 AR-1016-1

R.T.: 4.419 min
Delta R.T.: -0.002 min
Response: 365383
Conc: 4.65 ng/ml




#4 AR-1016-2

R.T.: 5.419 min
Delta R.T.: 0.000 min
Response: 340979
Conc: 1.58 ng/ml



#4 AR-1016-2


R.T.: 4.441 min
Delta R.T.: 0.003 min
Response: 163137
Conc: 1.39 ng/ml



#5 AR-1016-3


R.T.: 5.478 min
Delta R.T.: -0.002 min
Response: 225797
Conc: 1.66 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#5 AR-1016-3

R.T.: 4.611 min
Delta R.T.: 0.000 min
Response: 110751
Conc: 1.79 ng/ml




#6 AR-1016-4

R.T.: 5.595 min
Delta R.T.: 0.019 min
Response: 446396
Conc: 4.14 ng/ml



#6 AR-1016-4


R.T.: 4.652 min
Delta R.T.: 0.000 min
Response: 166506
Conc: 3.14 ng/ml



#7 AR-1016-5


R.T.: 5.872 min
Delta R.T.: 0.006 min
Response: 65270
Conc: 0.62 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#7 AR-1016-5

R.T.: 4.855 min
Delta R.T.: -0.003 min
Response: 150327
Conc: 2.20 ng/ml




#8 AR-1221-1

R.T.: 4.461 min
Delta R.T.: 0.002 min
Response: 129351
Conc: 2.23 ng/ml



#8 AR-1221-1


R.T.: 3.576 min
Delta R.T.: -0.003 min
Response: 27066
Conc: 0.87 ng/ml



#9 AR-1221-2


R.T.: 4.551 min
Delta R.T.: 0.008 min
Response: 1550161
Conc: 36.57 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#9 AR-1221-2

R.T.: 3.662 min
Delta R.T.: 0.000 min
Response: 909309
Conc: 38.32 ng/ml




#10 AR-1221-3

R.T.: 4.627 min
Delta R.T.: 0.010 min
Response: 45651
Conc: 0.36 ng/ml



#10 AR-1221-3


R.T.: 3.737 min
Delta R.T.: 0.002 min
Response: 102194
Conc: 1.44 ng/ml



#11 AR-1232-1


R.T.: 4.627 min
Delta R.T.: 0.009 min
Response: 45651
Conc: 0.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#11 AR-1232-1

R.T.: 3.737 min
Delta R.T.: 0.002 min
Response: 102194
Conc: 1.79 ng/ml




#12 AR-1232-2

R.T.: 5.124 min
Delta R.T.: -0.010 min
Response: 304688
Conc: 5.36 ng/ml



#12 AR-1232-2


R.T.: 4.441 min
Delta R.T.: 0.002 min
Response: 163137
Conc: 2.99 ng/ml



#13 AR-1232-3


R.T.: 5.419 min
Delta R.T.: 0.000 min
Response: 340979
Conc: 3.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#13 AR-1232-3

R.T.: 4.611 min
Delta R.T.: 0.000 min
Response: 110751
Conc: 3.88 ng/ml




#14 AR-1232-4

R.T.: 5.595 min
Delta R.T.: 0.019 min
Response: 446396
Conc: 9.31 ng/ml



#14 AR-1232-4


R.T.: 4.704 min
Delta R.T.: 0.013 min
Response: 354998
Conc: 13.11 ng/ml



#15 AR-1232-5


R.T.: 5.668 min
Delta R.T.: 0.003 min
Response: 292159
Conc: 7.26 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#15 AR-1232-5

R.T.: 4.855 min
Delta R.T.: -0.004 min
Response: 150327
Conc: 5.17 ng/ml




#16 AR-1242-1

R.T.: 5.384 min
Delta R.T.: -0.014 min
Response: 47753
Conc: 0.39 ng/ml



#16 AR-1242-1


R.T.: 4.419 min
Delta R.T.: 0.000 min
Response: 365383
Conc: 5.51 ng/ml



#17 AR-1242-2


R.T.: 5.419 min
Delta R.T.: -0.002 min
Response: 340979
Conc: 1.90 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#17 AR-1242-2

R.T.: 4.441 min
Delta R.T.: 0.005 min
Response: 163137
Conc: 1.67 ng/ml




#18 AR-1242-3

R.T.: 5.478 min
Delta R.T.: -0.004 min
Response: 225797
Conc: 2.00 ng/ml



#18 AR-1242-3


R.T.: 4.611 min
Delta R.T.: 0.004 min
Response: 110751
Conc: 2.07 ng/ml



#19 AR-1242-4


R.T.: 5.595 min
Delta R.T.: 0.017 min
Response: 446396
Conc: 5.00 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#19 AR-1242-4

R.T.: 4.704 min
Delta R.T.: 0.016 min
Response: 354998
Conc: 6.44 ng/ml




#20 AR-1242-5

R.T.: 6.301 min
Delta R.T.: -0.002 min
Response: 161332
Conc: 1.93 ng/ml



#20 AR-1242-5


R.T.: 5.213 min
Delta R.T.: 0.014 min
Response: 210818
Conc: 3.33 ng/ml



#21 AR-1248-1


R.T.: 5.384 min
Delta R.T.: -0.014 min
Response: 47753
Conc: 0.53 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#21 AR-1248-1

R.T.: 4.419 min
Delta R.T.: 0.000 min
Response: 365383
Conc: 7.36 ng/ml




#22 AR-1248-2

R.T.: 5.668 min
Delta R.T.: 0.001 min
Response: 292159
Conc: 2.12 ng/ml



#22 AR-1248-2


R.T.: 4.652 min
Delta R.T.: 0.003 min
Response: 166506
Conc: 2.21 ng/ml



#23 AR-1248-3


R.T.: 5.872 min
Delta R.T.: 0.005 min
Response: 65270
Conc: 0.46 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#23 AR-1248-3

R.T.: 4.704 min
Delta R.T.: 0.015 min
Response: 354998
Conc: 4.57 ng/ml




#24 AR-1248-4

R.T.: 6.260 min
Delta R.T.: -0.005 min
Response: 51975
Conc: 0.37 ng/ml



#24 AR-1248-4


R.T.: 4.855 min
Delta R.T.: -0.002 min
Response: 150327
Conc: 1.68 ng/ml



#25 AR-1248-5


R.T.: 6.301 min
Delta R.T.: -0.002 min
Response: 161332
Conc: 1.17 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#25 AR-1248-5

R.T.: 5.231 min
Delta R.T.: -0.009 min
Response: 91891
Conc: 1.15 ng/ml




#26 AR-1254-1

R.T.: 6.236 min
Delta R.T.: -0.001 min
Response: 31049
Conc: 0.20 ng/ml



#26 AR-1254-1


R.T.: 5.213 min
Delta R.T.: 0.012 min
Response: 210818
Conc: 1.57 ng/ml



#27 AR-1254-2


R.T.: 6.456 min
Delta R.T.: 0.004 min
Response: 58822
Conc: 0.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#27 AR-1254-2

R.T.: 5.334 min
Delta R.T.: -0.012 min
Response: 307046
Conc: 2.60 ng/ml




#28 AR-1254-3

R.T.: 6.828 min
Delta R.T.: 0.014 min
Response: 2321830
Conc: 10.02 ng/ml



#28 AR-1254-3


R.T.: 5.747 min
Delta R.T.: 0.006 min
Response: 100146
Conc: 0.57 ng/ml



#29 AR-1254-4


R.T.: 7.100 min
Delta R.T.: 0.004 min
Response: 701761
Conc: 4.73 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#29 AR-1254-4

R.T.: 5.975 min
Delta R.T.: 0.008 min
Response: 108594
Conc: 1.07 ng/ml




#30 AR-1254-5

R.T.: 7.506 min
Delta R.T.: -0.004 min
Response: 245763
Conc: 1.48 ng/ml



#30 AR-1254-5


R.T.: 6.371 min
Delta R.T.: -0.006 min
Response: 423389
Conc: 2.81 ng/ml



#31 AR-1260-1


R.T.: 6.977 min
Delta R.T.: 0.003 min
Response: 883783
Conc: 4.99 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#31 AR-1260-1

R.T.: 5.859 min
Delta R.T.: -0.009 min
Response: 141438
Conc: 1.11 ng/ml




#32 AR-1260-2

R.T.: 7.235 min
Delta R.T.: 0.006 min
Response: 383075
Conc: 1.93 ng/ml



#32 AR-1260-2


R.T.: 6.044 min
Delta R.T.: -0.010 min
Response: 517310
Conc: 3.37 ng/ml



#33 AR-1260-3


R.T.: 7.586 min
Delta R.T.: 0.002 min
Response: 177128
Conc: 1.25 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#33 AR-1260-3

R.T.: 6.219 min
Delta R.T.: 0.015 min
Response: 980699
Conc: 7.04 ng/ml




#34 AR-1260-4

R.T.: 7.820 min
Delta R.T.: 0.013 min
Response: 703578
Conc: 4.53 ng/ml



#34 AR-1260-4


R.T.: 6.645 min
Delta R.T.: -0.022 min
Response: 30155
Conc: 0.27 ng/ml



#35 AR-1260-5


R.T.: 8.105 min
Delta R.T.: -0.006 min
Response: 715940
Conc: 2.40 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#35 AR-1260-5

R.T.: 6.891 min
Delta R.T.: -0.017 min
Response: 613899
Conc: 2.39 ng/ml




#36 AR-1262-1

R.T.: 7.506 min
Delta R.T.: 0.000 min
Response: 245763
Conc: 1.80 ng/ml



#36 AR-1262-1


R.T.: 6.371 min
Delta R.T.: -0.005 min
Response: 423389
Conc: 5.23 ng/ml



#37 AR-1262-2


R.T.: 8.105 min
Delta R.T.: -0.004 min
Response: 715940
Conc: 2.14 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#37 AR-1262-2

R.T.: 6.645 min
Delta R.T.: -0.020 min
Response: 30155
Conc: 0.21 ng/ml




#38 AR-1262-3

R.T.: 8.384 min
Delta R.T.: -0.014 min
Response: 33117
Conc: 0.15 ng/ml



#38 AR-1262-3


R.T.: 7.161 min
Delta R.T.: -0.024 min
Response: 457460
Conc: 3.77 ng/ml



#39 AR-1262-4


R.T.: 8.482 min
Delta R.T.: -0.002 min
Response: 110051
Conc: 0.63 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#39 AR-1262-4

R.T.: 7.236 min
Delta R.T.: -0.014 min
Response: 1360512
Conc: 6.61 ng/ml




#40 AR-1262-5

R.T.: 9.090 min
Delta R.T.: 0.000 min
Response: 34416
Conc: 0.29 ng/ml



#40 AR-1262-5


R.T.: 7.735 min
Delta R.T.: -0.004 min
Response: 84609
Conc: 0.96 ng/ml



#41 AR-1268-1


R.T.: 8.384 min
Delta R.T.: -0.013 min
Response: 33117
Conc: 0.08 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#41 AR-1268-1

R.T.: 7.161 min
Delta R.T.: -0.023 min
Response: 457460
Conc: 1.29 ng/ml




#42 AR-1268-2

R.T.: 8.482 min
Delta R.T.: -0.002 min
Response: 110051
Conc: 0.30 ng/ml



#42 AR-1268-2


R.T.: 7.236 min
Delta R.T.: -0.014 min
Response: 1360512
Conc: 4.28 ng/ml



#43 AR-1268-3


R.T.: 8.691 min
Delta R.T.: -0.002 min
Response: 334426
Conc: 1.01 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL




#43 AR-1268-3

R.T.: 7.448 min
Delta R.T.: 0.000 min
Response: 66112
Conc: 0.24 ng/ml




#44 AR-1268-4

R.T.: 9.090 min
Delta R.T.: 0.000 min
Response: 34416
Conc: 0.26 ng/ml



#44 AR-1268-4


R.T.: 8.010 min
Delta R.T.: 0.005 min
Response: 468516
Conc: 0.65 ng/ml



#45 AR-1268-5

R.T.: 9.472 min
Delta R.T.: 0.006 min
Response: 189581
Conc: 0.18 ng/ml

Instrument :
ECD_O
ClientSampleId :
PB160423BL



#45 AR-1268-5

R.T.: 8.225 min
Delta R.T.: 0.000 min
Response: 36545513
Conc: 117.89 ng/ml